

CORRECTED VERSION

(19) World Intellectual Property Organization
International Bureau



(43) International Publication Date
29 November 2001 (29.11.2001)

PCT

(10) International Publication Number
WO 01/089364 A3

(51) International Patent Classification⁷: C07H 21/02,
21/04, C12N 5/10, 5/22, 15/00

(21) International Application Number: PCT/US01/16822

(22) International Filing Date: 23 May 2001 (23.05.2001)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
09/576,989 23 May 2000 (23.05.2000) US

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

— with international search report

(88) Date of publication of the international search report:
23 January 2003

(48) Date of publication of this corrected version:
10 July 2003

(15) Information about Correction:
see PCT Gazette No. 28/2003 of 10 July 2003, Section II

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(71) Applicant (*for all designated States except US*): WASHINGTON UNIVERSITY [US/US]; One Brookings Drive, St. Louis, MO 63130 (US).

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): RICE, Charles M., III [US/US]; 7316 Colgate Avenue, University City, MO 63130 (US). BLIGHT, Keril, J. [US/US]; 4355 Maryland Avenue, St. Louis, MO 63108 (US).

(74) Agents: KASTEN, Daniel, S. et al.; Howell & Haferkamp, L.C., Suite 1400, 7733 Forsyth Blvd., St. Louis, MO 63105-1817 (US).

(54) Title: HCV VARIANTS

(57) Abstract: HCV variants are described. The variants include polynucleotides comprising non-naturally occurring HCV sequences and HCV variants that have a transfection efficiency and ability to survive subpassage greater than HCV that have wild-type polyprotein coding regions. Expression vectors comprising the above polynucleotides and HCV variants are also described, as are the provision of cells and host cells comprising the expression vectors. Methods for identifying a cell line that is permissive for infection with HCV are also provided, as are vaccines comprising the above polynucleotides in a pharmaceutically acceptable carrier. Additionally, methods for inducing immunoprotection to HCV in a primate are described, as are methods for testing a compound for inhibiting HCV replication.

WO 01/089364 A3

HCV VARIANTS

Background of the InventionReference to Government Grant

- 5 This invention was made with government support under Public Health Service Grants CA 57973 and AI 40034. The government has certain rights in this invention.

Background of the Invention

10 (1) Field of the Invention

The invention relates to materials and methodologies relating to the production and use of hepatitis C virus (HCV) variants. More specifically, HCV variants are provided that are useful for diagnostic, therapeutic, vaccines and other uses.

15 (2) Description of the Related Art

Brief general overview of hepatitis C virus

- After the development of diagnostic tests for hepatitis A virus and hepatitis B virus, an additional agent, which could be experimentally transmitted to chimpanzees [Alter et al., *Lancet* 1, 459-463 (1978); Hollinger et al., *Intervirology* 10, 60-68 (1978); Tabor et al., *Lancet* 1, 463-466 (1978)], became recognized as the major cause of transfusion-acquired hepatitis. cDNA clones corresponding to the causative non-A non-B (NANB) hepatitis agent, called hepatitis C virus (HCV), were reported in 1989 [Choo et al., *Science* 244, 359-362 (1989)]. This breakthrough has led to rapid advances in diagnostics, and in our understanding of the epidemiology, pathogenesis and molecular virology of HCV (For review, see Houghton et al., *Curr Stud Hematol Blood Transfus* 61, 1-11 (1994); Houghton (1996), pp. 1035-1058 in *FIELDS VIROLOGY*, Fields et al., Eds., Raven Press, Philadelphia; Major et al., *Hepatology* 25, 1527-1538 (1997); Reed and Rice, pp. 1-37 in *HEPATITIS C VIRUS*, Reesink, Ed., Karger, Basel; Hagedorn and Rice (1999), *THE HEPATITIS C VIRUSES*,
- 20
- 25

Springer, Berlin). Evidence of HCV infection is found throughout the world, and the prevalence of HCV-specific antibodies ranges from 0.4-2% in most countries to more than 14% in Egypt [Hibbs *et al.*, *J. Inf. Dis.* 168, 789-790 (1993)]. Besides transmission via blood or blood products, or less frequently by sexual and congenital routes, sporadic cases, not associated with known risk factors, occur and account for more than 40% of HCV cases [Alter *et al.*, *J. Am. Med. Assoc.* 264, 2231-2235 (1990); Mast and Alter, *Semin. Virol.* 4, 273-283 (1993)]. Infections are usually chronic [Alter *et al.*, *N. Eng. J. Med.* 327, 1899-1905 (1992)], and clinical outcomes range from an inapparent carrier state to acute hepatitis, chronic active hepatitis, and cirrhosis which is strongly associated with the development of hepatocellular carcinoma.

Although interferon (IFN)- α has been shown to be useful for the treatment of a minority of patients with chronic HCV infections [Davis *et al.*, *N. Engl. J. Med.* 321, 1501-1506 (1989); DiBisceglie *et al.*, *New Engl. J. Med.* 321, 1506-1510 (1989)] and subunit vaccines show some promise in the chimpanzee model [Choo *et al.*, *Proc. Natl. Acad. Sci. USA* 91, 1294-1298 (1994)], future efforts are needed to develop more effective therapies and vaccines (See, e.g., Tsambiras *et al.*, 1999, Hepatitis C: Hope on the Horizon, Hepatitis C Symposium of 37th Annual Meeting of the Infectious Diseases Society of America, reviewed at http://www.medscape.com/medscape/cno/1999/IDSA/Story.cfm?story_id=913). The considerable diversity observed among different HCV isolates [for review, see Bukh *et al.*, *Sem. Liver Dis.* 15, 41-63 (1995); Fanning *et al.*, 2000, *Medscape Gastroenterology* 2:mgi6558.fann], the emergence of genetic variants in chronically infected individuals [Enomoto *et al.*, *J. Hepatol.* 17, 415-416 (1993); Hijikata *et al.*, *Biochem. Biophys. Res. Comm.* 175, 220-228 (1991); Kato *et al.*, *Biochem. Biophys. Res. Comm.* 189, 119-127 (1992); Kato *et al.*, *J. Virol.* 67, 3923-3930 (1993); Kurosaki *et al.*, *Hepatology* 18, 1293-1299 (1993); Lesniewski *et al.*, *J. Med. Virol.* 40, 150-156 (1993); Ogata *et al.*, *Proc. Natl. Acad. Sci. USA* 88, 3392-3396 (1991); Weiner *et al.*, *Virology* 180, 842-848 (1991); Weiner *et al.*, *Proc. Natl. Acad. Sci. USA* 89, 3468-3472 (1992)], and the lack of protective immunity elicited after HCV infection [Farci *et al.*, *Science* 258, 135-140 (1992); Prince *et al.*, *J. Infect. Dis.* 165, 438-443 (1992)] present major challenges towards these goals.

Molecular Biology of HCV

Classification. Based on its genome structure and virion properties, HCV has been classified as a separate genus in the flavivirus family, which includes two other genera: the flaviviruses (e.g., yellow fever (YF) virus) and the animal pestiviruses (e.g., bovine viral

diarrhea virus (BVDV) and classical swine fever virus (CSFV)) [Francki *et al.*, *Arch. Virol. Suppl.* 2, 223 (1991)]. All members of this family have enveloped virions that contain a positive-strand RNA genome encoding all known virus-specific proteins via translation of a single long open reading frame (ORF).

5 *Structure and physical properties of the virion.* Studies on the structure and physical properties of the HCV virion have been hampered by the lack of a cell culture system able to support efficient virus replication and the typically low titers of infectious virus present in serum. The size of infectious virus, based on filtration experiments, is between 30-80 nm [Bradley *et al.*, *Gastroenterology* 88, 773-779 (1985); He *et al.*, *J. Infect. Dis.* 156, 636-640
10 (1987); Yuasa *et al.*, *J. Gen. Virol.* 72, 2021-2024 (1991)]. Initial measurements of the buoyant density of infectious material in sucrose yielded a range of values, with the majority present in a low density pool of < 1.1 g/ml [Bradley *et al.*, *J. Med. Virol.* 34, 206-208 (1991)]. Subsequent studies have used RT/PCR to detect HCV-specific RNA as an indirect measure of potentially infectious virus present in sera from chronically infected humans or
15 experimentally infected chimpanzees. From these studies, it has become increasingly clear that considerable heterogeneity exists between different clinical samples, and that many factors can affect the behavior of particles containing HCV RNA [Hijikata *et al.*, *J. Virol.* 67, 1953-1958 (1993); Thomssen *et al.*, *Med. Microbiol. Immunol.* 181, 293-300 (1992)]. Such factors include association with immunoglobulins [Hijikata *et al.*, (1993) *supra*] or low
20 density lipoprotein [Thomssen *et al.*, 1992, *supra*; Thomssen *et al.*, *Med. Microbiol. Immunol.* 182, 329-334 (1993)]. In highly infectious acute phase chimpanzee serum, HCV-specific RNA is usually detected in fractions of low buoyant density (1.03-1.1 g/ml) [Carrick *et al.*, *J. Virol. Meth.* 39, 279-289 (1992); Hijikata *et al.*, (1993) *supra*]. In other samples, the presence of HCV antibodies and formation of immune complexes correlate with particles of
25 higher density and lower infectivity [Hijikata *et al.*, (1993) *supra*]. Treatment of particles with chloroform, which destroys infectivity [Bradley *et al.*, *J. Infect. Dis.* 148, 254-265 (1983); Feinstone *et al.*, *Infect. Immun.* 41, 816-821 (1983)], or with nonionic detergents, produced RNA containing particles of higher density (1.17-1.25 g/ml) believed to represent HCV nucleocapsids [Hijikata *et al.*, (1993) *supra*; Kanto *et al.*, *Hepatology* 19, 296-302
30 (1994); Miyamoto *et al.*, *J. Gen Virol.* 73, 715-718 (1992)].

There have been reports of negative-sense HCV-specific RNAs in sera and plasma [see Fong *et al.*, *Journal of Clinical Investigation* 88:1058-60 (1991)]. However, it seems unlikely that such RNAs are essential components of infectious particles since some sera with high infectivity can have low or undetectable levels of negative-strand RNA [Shimizu *et al.*,
35 *Proc. Natl. Acad. Sci. USA* 90: 6037-6041 (1993)].

The virion protein composition has not been rigorously determined, but HCV structural proteins include a basic C protein and two membrane glycoproteins, E1 and E2.

HCV replication. Early events in HCV replication are poorly understood. A hepatocyte receptor may be CD81, which binds the E2 envelope glycoprotein (Peleri et al., 1998, *Science* 282:938-41). The association of some HCV particles with beta-lipoprotein and immunoglobulins raises the possibility that these host molecules may modulate virus uptake and tissue tropism.

Studies examining HCV replication have been largely restricted to human patients or experimentally inoculated chimpanzees. In the chimpanzee model, HCV RNA is detected in the serum as early as three days post-inoculation and persists through the peak of serum alanine aminotransferase (ALT) levels (an indicator of liver damage) [Shimizu *et al.*, *Proc. Natl. Acad. Sci. USA* 87: 6441-6444 (1990)]. The onset of viremia is followed by the appearance of indirect hallmarks of HCV infection of the liver. These include the appearance of a cytoplasmic antigen [Shimizu *et al.*, (1990) *supra*] and ultrastructural changes in hepatocytes such as the formation of microtubular aggregates for which HCV previously was referred to as the chloroform-sensitive "tubule forming agent" or "TFA" [reviewed by Bradley, *Prog. Med. Virol.* 37: 101-135 (1990)]. As shown by the appearance of viral antigens [Blight *et al.*, *Amer. J. Path.* 143: 1568-1573 (1993); Hiramatsu *et al.*, *Hepatology* 16: 306-311 (1992); Krawczynski *et al.*, *Gastroenterology* 103: 622-629 (1992); Yamada *et al.*, *Digest. Dis. Sci.* 38: 882-887 (1993)] and the detection of positive and negative sense RNAs [Fong *et al.*, (1991) *supra*; Gunji *et al.*, *Arch. Virol.* 134: 293-302 (1994); Haruna *et al.*, *J. Hepatol.* 18: 96-100 (1993); Lamas *et al.*, *J. Hepatol.* 16: 219-223 (1992); Nouri Aria *et al.*, *J. Clin. Inves.* 91: 2226-34 (1993); Sherker *et al.*, *J. Med. Virol.* 39: 91-96 (1993); Takehara *et al.*, *Hepatology* 15: 387-390 (1992); Tanaka *et al.*, *Liver* 13: 203-208 (1993)], hepatocytes appear to be a major site of HCV replication, particularly during acute infection [Negro *et al.*, *Proc. Natl. Acad. Sci. USA* 89: 2247-2251 (1992)]. In later stages of HCV infection the appearance of HCV-specific antibodies, the persistence or resolution of viremia, and the severity of liver disease, vary greatly both in the chimpanzee model and in human patients (Fanning *et al.*, *supra*). Although some liver damage may occur as a direct consequence of HCV infection and cytopathogenicity, the emerging consensus is that host immune responses, in particular virus-specific cytotoxic T lymphocytes, may play a more dominant role in mediating cellular damage.

It has been speculated that HCV may also replicate in extra-hepatic reservoir(s). In some cases, RT/PCR or *in situ* hybridization has shown an association of HCV RNA with peripheral blood mononuclear cells including T-cells, B-cells, and monocytes [reviewed in

- Blight and Gowans, *Viral Hepatitis Rev.* 1: 143-155 (1995)]. Such tissue tropism could be relevant to the establishment of chronic infections and might also play a role in the association between HCV infection and certain immunological abnormalities such as mixed cryoglobulinemia [reviewed by Ferri *et al.*, *Eur. J. Clin. Invest.* 23: 399-405 (1993)],
- 5 glomerulonephritis, and rare non-Hodgkin's B-lymphomas [Ferri *et al.*, (1993) *supra*; Kagawa *et al.*, *Lancet* 341: 316-317 (1993)]. However, the detection of circulating negative strand RNA in serum, the difficulty in obtaining truly strand-specific RT/PCR [Gunji *et al.*, (1994) *supra*], and the low numbers of apparently infected cells have made it difficult to obtain unambiguous evidence for replication in these tissues *in vivo*.
- 10 **Genome structure.** Full-length or nearly full-length genome sequences of numerous HCV isolates have been reported [see, e.g., Lin *et al.*, *J. Virol.* 68: 5063-5073 (1994a); Okamoto *et al.*, *J. Gen. Virol.* 75: 629-635 (1994); Sakamoto *et al.*, *J. Gen. Virol.* 75: 1761-1768 (1994); Trowbridge *et al.*, *Arch Virol.* 143:501-511 (1998); Chamberlain *et al.*, *J. Gen. Virol.* 78:1341-1347 (1997); and citations within Davis, *Am. J. Med.* 27:21S-26S]. HCV
- 15 genome RNAs are ~9.6 kilobases (kb) in length (Figure 1) and consist of a 5' nontranslated region (5' NTR), a polyprotein coding region consisting of a single long open reading frame (ORF), and a 3' NTR. The 5' NTR is 341-344 bases long and highly conserved. The length of the long ORF varies slightly among isolates, encoding polyproteins of about 3010 to about 3033 amino acids.
- 20 The 3' NTR can be divided into three domains. The first (most 5') domain shows considerable diversity both in composition and length (28-42 bases). Recent work by Yanagi *et al.* [Proc. Natl. Acad. Sci. USA 96:2291-2295(1999)] demonstrate that this region is not necessary for virus replication. The second domain is consists of a variable length polypyrimidine region of poly(A) (in at least HCV-1, type 1a [Han *et al.*, *Proc. Natl. Acad. Sci. USA* 88:1711-1715 (1991)]) or poly(U-UC) (see Chen *et al.*, *Virology* 188:102-113
- 25 (1992); Okamoto *et al.*, *J. Gen. Virol.* 72:2697-2704 (1991); Tokita *et al.*, *J. Gen. Virol.* 66:1476-83 (1994)]. The third domain, at the extreme 3' end of the genome, is a highly conserved, novel RNA element of about 98 nucleotides, which is necessary for efficient initiation of viral RNA replication [see, e.g., U.S. Patent No. 5,874,565 and U.S. Patent
- 30 Application No. 08/811,566 (Now U.S. Patent No. ____); Kolykhalov *et al.*, *J. Virol.* 70: 3363-3371 (1996); Tanaka *et al.*, *Biochem. Biophys. Res. Comm.* 215: 744-749 (1996); Tanaka *et al.*, *J. Virol.* 70:3307-12 (1996); Yamada *et al.*, *Virology* 223:255-261 (1996); Cheng *et al.*, *J. Virol.* 73:7044-7049]. This domain and the polypyrimidine regions appear to be critical for infectivity *in vivo* [Yanagi *et al.*, *Proc. Natl. Acad. Sci. USA* 96:2291-2295
- 35 (1999)].

Translation and proteolytic processing. The highly conserved 5' NTR sequence contains multiple short AUG-initiated ORFs and shows significant homology with the 5' NTR region of pestiviruses [Bukh *et al.*, *Proc. Natl. Acad. Sci. USA* 89: 4942-4946 (1992); Han *et al.*, (1991) *supra*]. A series of stem-loop structures that interact with host factors are present. These structures interact with host factors to initiate polyprotein synthesis through an internal ribosome entry site (IRES) allowing efficient translation initiation at the first AUG of the long ORF [Honda *et al.*, *J. Virol* 73:4941-4951 (1999); Tang *et al.*, *J. Virol.* 73:2359-2364(1999); Psaridi *et al.*, *FEBS Lett.* 453:49-53 (1999)]. Some of the predicted features of the HCV and pestivirus IRES elements are similar to one another [Brown *et al.*, (1992) *supra*]. The ability of this element to function as an IRES suggests that HCV genome RNAs may lack a 5' cap structure.

The organization and processing of the HCV polyprotein (Figure 1) appears to be most similar to that of the pestiviruses. At least 10 polypeptides have been identified and the order of these cleavage products in the polyprotein is NH₂-C-E1-E2-p7-NS2-NS3-NS4A-NS4B-NS5A-NS5B-COOH. As shown in Figure 1, proteolytic processing is mediated by host signal peptidase and two HCV-encoded proteinases, the NS2-3 autoprotease and the NS3-4A serine proteinase [see Rice, *In "Fields Virology"* (B. N. Fields, D. M. Knipe and P. M. Howley, Eds.), Vol. pp. 931-960. Raven Press, New York (1996); Shimotohno *et al.*, *J. Hepatol.* 22: 87-92 (1995) for reviews]. C is a basic protein that serves as the viral core or capsid protein; E1 and E2 are virion envelope glycoproteins; p7 is a hydrophobic protein of unknown function that is inefficiently cleaved from the E2 glycoprotein [Lin *et al.*, (1994a) *supra*; Mizushima *et al.*, *J. Virol.* 68: 6215-6222 (1994); Selby *et al.*, *Virology* 204: 114-122 (1994)]. NS2-NS5B are nonstructural (NS) proteins which function in viral RNA replication complexes. Their functions have been identified as follows: NS2 is a metalloprotease; NS3 is a protease/helicase that contains motifs characteristic of RNA helicases and that has been shown to possess an RNA-stimulated NTPase activity [Suzich *et al.*, *J. Virol.* 67, 6152-6158 (1993)]; NS4A is a co-factor for NS3; NS4B is of unknown function; NS5A interacts with cellular factors to transcriptionally modulate cellular genes and promote cell growth [Ghosh *et al.*, *J. Biol. Chem.* 275:7184-7188] and provide IFN α resistance; and NS5B is a replicase that contains the GDD motif characteristic of the RNA-dependent RNA polymerases of other positive-strand RNA viruses.

Virion assembly and release. This process has not been examined directly, but the lack of complex glycans, the ER localization of expressed HCV glycoproteins [Dubuisson *et al.*, *J. Virol.* 68: 6147-6160 (1994); Ralston *et al.*, *J. Virol.* 67: 6753-6761 (1993)] and the absence of these proteins on the cell surface [Dubuisson *et al.*, (1994) *supra*; Spaete *et al.*,

Virology 188: 819-830 (1992)] suggest that initial virion morphogenesis may occur by budding into intracellular vesicles. Thus far, efficient particle formation and release has not been observed in transient expression assays, suggesting that essential viral or host factors are absent or blocked. HCV virion formation and release may be inefficient, since a substantial
5 fraction of the virus remains cell-associated, as found for the pestiviruses. Extracellular HCV particles partially purified from human plasma contain complex N-linked glycans, although these carbohydrate moieties were not shown to be specifically associated with E1 or E2 [Sato *et al.*, *Virology* 196: 354-357 (1993)]. Complex glycans associated with glycoproteins on released virions would suggest transit through the trans-Golgi and movement of virions
10 through the host secretory pathway. If this is correct, intracellular sequestration of HCV glycoproteins and virion formation might then play a role in the establishment of chronic infections by minimizing immune surveillance and preventing lysis of virus-infected cells via antibody and complement.

Genetic variability. As for all positive-strand RNA viruses, the RNA-dependent
15 RNA polymerase of HCV (NS5B) is believed to lack a 3'-5' exonuclease proof reading activity for removal of misincorporated bases. Replication is therefore error-prone, leading to a "quasi-species" virus population consisting of a large number of variants [Martell *et al.*, *J. Virol.* 66: 3225-3229 (1992); Martell *et al.*, *J. Virol.* 68: 3425-3436 (1994)]. This variability is apparent at multiple levels. First, in a chronically infected individual, changes in the virus
20 population occur over time [Ogata *et al.*, (1991) *supra*; Okamoto *et al.*, *Virology* 190: 894-899 (1992)]; and these changes may have important consequences for disease. A particularly interesting example is the N-terminal 30 residue segment of the E2 glycoprotein, which exhibits a much higher degree of variability than the rest of the polyprotein [for examples, see Higashi *et al.*, *Virology* 197, 659-668. 1993; Hijikata *et al.*, (1991) *supra*;
25 Weiner *et al.*, (1991) *supra*]. There is accumulating evidence that this hypervariable region, called hypervariable region 1 (HVR1), perhaps analogous to the V3 domain of HIV-1 gp120, may be under immune selection by circulating HCV-specific antibodies [Kato *et al.*, (1993) *supra*; Taniguchi *et al.*, *Virology* 195: 297-301 (1993); Weiner *et al.*, (1992) *supra*. In this model, antibodies directed against this portion of E2 may contribute to virus neutralization
30 and thus drive the selection of variants with substitutions that permit escape from neutralization. This plasticity suggests that a specific amino acid sequence in the E2 hypervariable region is not essential for other functions of the protein such as virion attachment, penetration, or assembly. Genetic evolution of HVR1 within the first 4 months of infection has been correlated with the ability of a particular strain of the virus to cause chronic
35 infection [Farci *et al.*, *Science* 288:339-344 (2000)].

Genetic variability may also contribute to the spectrum of different responses observed after IFN- α treatment of chronically infected patients. Diminished serum ALT levels and improved liver histology, which usually correlates with a decrease in the level of circulating HCV RNA, is seen in ~40% of those treated [Greiser-Wilke *et al.*, *J. Gen. Virol.* 72: 2015-2019 (1991)]. After treatment, approximately 70% of the responders relapse. In some cases, after a transient loss of circulating viral RNA, renewed viremia is observed during or after the course of treatment. While this might suggest the existence or generation of IFN-resistant HCV genotypes or variants, further work is needed to determine the relative contributions of virus genotype and host-specific differences in immune response.

Sequence comparisons of different HCV isolates around the world have also revealed enormous genetic diversity [reviewed in Bukh *et al.*, (1995) *supra*]. Because of the lack of biologically relevant serological assays such as cross-neutralization tests, HCV types (designated by numbers), subtypes (designated by letters), and isolates are currently grouped on the basis of nucleotide or amino acid sequence similarity. Worldwide, HCV has been classified into six major genotypes and more than 50 subtypes [Purcell, *Hepatology* 26:11S-14S (1997)]. Those of greatest importance in the U.S. are genotype 1, subtypes 1a and 1b (see below and Bukh *et al.*, (1995) *supra* for a discussion of genotype prevalence and distribution). Amino acid sequence similarity between the most divergent genotypes can be a little as ~50%, depending upon the protein being compared. This diversity has important biological implications, particularly for diagnosis, vaccine design, and therapy.

HCV RNA replication. By analogy with other flaviviruses, replication of the positive-sense HCV virion RNA is thought to occur via a minus-strand intermediate. This strategy can be described briefly as follows: (i) uncoating of the incoming virus particle releases the genomic plus-strand, which is translated to produce a single long polyprotein that is probably processed co- and post-translationally to produce individual structural and nonstructural proteins; (ii) the nonstructural proteins form a replication complex that utilizes the virion RNA as template for the synthesis of minus strands; (iii) these minus strands in turn serve as templates for synthesis of plus strands, which can be used for additional translation of viral protein, minus strand synthesis, or packaging into progeny virions. Very few details about HCV replication process are available, due to the lack of a good experimental system for virus propagation. Detailed analyses of authentic HCV replication and other steps in the viral life cycle would be greatly facilitated by the development of an efficient system for HCV replication in cell culture.

Many attempts have been made to infect cultured cells with serum collected from HCV-infected individuals, and low levels of replication have been reported in a number of

cells types infected by this method, including B-cell [Bertolini *et al.*, *Res. Virol.* 144: 281-285 (1993); Nakajima *et al.*, *J. Virol.* 70: 9925-9 (1996); Valli *et al.*, *Res. Virol.* 146:285-288 (1995)]. T-cell (Kato *et al.*, *Biochem. Biophys. Res. Commun.* 206:863-9 (1996); Mizutani *et al.*, *Biochem. Biophys. Res. Comm.* 227:822-826; Mizutani *et al.*, *J. Virol.* 70: 7219-7223 (1996); Nakajima *et al.*, (1996) *supra*; Shimizu and Yoshikura, *J Virol*, 68: 8406-8408 (1994); Shimizu *et al.*, *Proc. Natl. Acad. Sci USA*, 89: 5477-5481 (1992); Shimizu *et al.*, *Proc. Natl. Acad. Sci. USA*, 90: 6037-6041 (1993)], and hepatocyte [Kato *et al.*, *Jpn. J. Cancer Res.*, 87: 787-92 (1996); Tagawa, *J. Gastroenterol. and Hepatol.*, 10: 523-527 (1995)] cell lines, as well as peripheral blood monocular cells (PBMCs) [Cribier *et al.*, *J. Gen. Virol.*, 76: 2485-2491 (1995)], and primary cultures of human fetal hepatocytes [Carlioni *et al.*, *Arch. Virol. Suppl.* 8: 31-39 (1993); Cribier *et al.*, (1995) *supra*; Iacovacci *et al.*, *Res. Virol.*, 144: 275-279 (1993)] or hepatocytes from adult chimpanzees [Lanford *et al.*, *Virology* 202: 606-14 (1994)]. HCV replication has also been detected in primary hepatocytes derived from a human HCV patient that were infected with the virus in vivo prior to cultivation [Ito *et al.*, *J. Gen. Virol.* 77: 1043-1054 (1996)] and in the human hepatoma cell line Huh7 following transfection with RNA transcribed in vitro from an HCV-1 cDNA clone [Yoo *et al.*, *J. Virol.*, 69: 32-38 (1995)]. The reported observation of replication in cells transfected with RNA derived from the HCV-1 clone was puzzling, since this clone lacks the required terminal 3'NTR sequence downstream of the homopolymer tract (see below), and because a number of unusual observations were reported (see the background section of U.S. Patent Application No. 08/811,566 (Now U.S. Patent No. ____)). The most well-characterized cell-culture systems for HCV replication utilize a B-cell line (Daudi) or T-cell lines persistently infected with retroviruses (HPB-Ma or MT-2) [Kato *et al.*, (1995) *supra*; Mizutani *et al.*, *Biochem Biophys Res. Comm.*, 227: 822-826 (1996a); Mizutani *et al.*, (1996) *supra*; Nakajima *et al.*, (1996) *supra*; Shimizu and Yoshikura, (1994) *supra*]; Shimizu, *Proc. Natl. Acad. Sci. USA*, 90: 6037-6041 (1993)]. HPB-Ma is infected with an amphotropic murine leukemia virus pseudotype of murine sarcoma virus, while MT-2 is infected with human T-cell lymphotropic virus type I (HTLV-I). Clones (HPB-Ma10-2 and MT-2C) that support HCV replication more efficiently than the uncloned population have been isolated for the two T-cell lines HPB-Ma and MT-2 [Mizutani *et al.* *J. Virol.* (1996) *supra*; Shimizu *et al.*, (1993) *supra*]. However, the maximum levels of RNA replication obtained in these lines or in the Daudi lines after degradation of the input RNA is still only about 5×10^4 RNA molecules per 10^6 cells [Mizutani *et al.*, (1996) *supra*; Mizutani *et al.*, (1996) *supra*] or 10^4 RNA molecules per ml of culture medium [Nakajima *et al.*, (1996) *supra*]. Although the level of replication is low, long-term infections of up to 198 days in one system [Mizutani *et al.*, *Biochem. Biophys. Res.*

Comm. 227: 822-826 (1996a)] and more than a year in another system [Nakajima et al., (1996) *supra*] have been documented, and infectious virus production has been demonstrated by serial cell-free or cell-mediated passage of the virus to naive cells.

However, efficient replication of an HCV clone comprising the essential conserved
5 terminal 3' NTR sequence had not been observed until the work described in co-pending
application 08/811,566, now U.S. Patent No. _____, also reported in Kolykhalov et al.,
Science 277:570 (1997), which describes an infectious clone of an isolate of the H strain (type
1a). HCV clones of other subtypes are now known. See, e.g., Yanagi et al., *Virology*
262:250-263 (1999) and Yanagi et al., *Virology* 244:161-172 (1998). While RNA transcripts
10 of these clones are able to infect chimpanzees, cell cultures with these clones only support
replication of the virus poorly if at all.

As described in U.S. Patent Application No. 08/811,566 (Now U.S. Patent No. _____)
(see, e.g., Figure 2 therein) many variations of a functional clone are possible. These include
full length or partial sequences where a foreign gene is inserted. The foreign gene can
15 include, e.g., a reporter gene such as β -galactosidase or luciferase, or a gene encoding a
selectable marker such as *neo*, *DHFR*, or *tk*. In a specific example disclosed therein, the *neo*
gene is operably linked to an internal ribosome entry site (IRES), in order for infected cells to
be selected by neomycin or G418 resistance. In this way, presence of replicating HCV RNA
in essentially all surviving cells is assured. Additionally, the HCV polyprotein coding region
20 of these clones can be deficient in some or all of the structural genes C, E1 and E2. Thus,
replicons can be created without the production of virions. By combining the structural gene-
deficient construct with a selectable marker such as *neo*, an efficiently replicating replicon
system can be created that can be used to study HCV replication and for other purposes.

Examples of the replicons disclosed in U.S. Patent Application No. 08/811,566 (Now
25 U.S. Patent No. _____) is provided in Lohmann et al., *Science* 285:110-113 (1999). In that
work, DNA clones of HCV replicons of genotype 1, subtype 1b were constructed. Features
of those replicons that are not wild-type HCV features are: a polyprotein coding region
lacking the genes encoding the HCV structural proteins; an EMCV IRES immediately 5' to
the polyprotein region; and a *neo* gene immediately 3' to the 5' NTR (and the HCV IRES),
30 where the 5' end of the HCV C protein gene is fused to the 5' end of the *neo* gene. When
Huh-7 cells were transfected with RNA transcripts of these clones, 6 to >60 G418-resistant
colonies arose per experiment. Although the number of cells treated was not specified, about
 10^6 - 10^7 cells are normally treated in experiments of this type. Therefore, it is believed that
the transfection efficiency, as measured by G418-resistant colonies/total treated, was less than
35 .01% in those studies.

Controls in the Lohmann et al. work included in-frame deletions of the active site of the NS5B polymerase. Although care was taken to remove template DNA from the control transcripts, several G418-resistant control colonies arose. Still, the number of G418-resistant control colonies that arose was much less than the colonies arising from the cells transfected
5 with the replicons containing the wild-type NS5B.

When the G418-resistant colonies were subpassaged, most could not be maintained. Out of more than 303 G418-resistant colonies from non-control replicon treatments, 9 (<3%) could be subpassaged to establish stable cell lines. Replicons established in infected cell lines were sequenced. Although each replicon had a number of amino acid substitutions, the
10 substitutions were scattered throughout the polyprotein coding region. Therefore, there were no mutations that were consistently in one area of the polyprotein coding region, and it was concluded that the establishment of the nine cell lines was not due to adaptive mutations in those replicons. This contention was experimentally tested by transfection/reconstitution experiments that did not provide evidence for adaptive changes.

15 Despite the advances described above, more efficient HCV-infected cell systems are needed for the production of concentrated virus stocks, structural analysis of virion components, evaluation of putative antiviral therapies including vaccines and antiviral compounds, and improved analyses of intracellular viral processes, including RNA replication. Thus, there is a need for various types of HCV clones that can be used for any of
20 the above purposes. There is also a need to characterize HCV with respect to regions of the genome that might contribute to more efficient *in vitro* or *in vivo* replication and virion production.

Summary of the Invention

25 Thus, a primary object of the present invention has been to provide DNA encoding non-naturally occurring HCV that is capable of replication.

A related object of the invention is to provide genomic RNA from the above DNA. Still another object of the invention is to provide attenuated HCV DNA or genomic RNA suitable for vaccine development, which can invade a cell and replicate but cannot propagate
30 infectious virus.

Another object of the invention is to provide *in vitro* and *in vivo* models of HCV infection and RNA replication for testing anti-HCV (or antiviral) drugs, for evaluating drug resistance, and for testing attenuated HCV viral vaccines.

An additional object of the invention is to provide replicating HCV replicons. These replicons do not encode structural proteins but may encode a foreign protein such as a reporter gene or a selectable marker.

Still another object of the invention is to provide adaptive replicons, with increased
5 ability to establish replication in continuous or primary cell lines.

Briefly, therefore, the inventors have succeeded in discovering methods of creating replicating HCV variants, including variants with adaptive mutations in HCV that improve their ability to establish RNA replication in culture to create continuous cell lines. These HCV variants and the cell lines that harbor them are useful for studying replication and other
10 HCV characteristics. The cell lines are also useful for developing vaccines and for testing compounds for antiviral properties.

Thus, in some embodiments, the present invention is directed to a polynucleotide comprising a non-naturally occurring HCV sequence that is capable of productive replication in a host cell, or is capable of being transcribed into a non-naturally occurring HCV sequence
15 that is capable of productive replication in a host cell. The HCV sequence comprises, from 5' to 3' on the positive-sense nucleic acid, a functional 5' non-translated region (5' NTR); one or more protein coding regions, including at least one polyprotein coding region that is capable of replicating HCV RNA; and a functional HCV 3' non-translated region (3' NTR). In preferred embodiments of these polynucleotides, the 5' NTR is an HCV 5' NTR, the
20 polynucleotide comprises at least one IRES selected from the group consisting of a viral IRES, a cellular IRES, and an artificial IRES, and the polyprotein coding region is an HCV polyprotein coding region.

In certain aspects of these embodiments, the above polynucleotides further comprise an adaptive mutation. The adaptive mutation can be such that the polynucleotide has a
25 transfection efficiency into mammalian cells of greater than 0.01%; more preferably greater than 0.1%; even more preferably, greater than 1%; still more preferably greater than 5%, may be about 6%. The adaptive mutations can be such that the polynucleotide is capable of replication in a non-hepatic cell, for example HeLa cells. The adaptive mutations can also cause the polynucleotide to have attenuated virulence, wherein the HCV is impaired in its
30 ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.

In some embodiments of the above described adaptive mutants, the polyprotein region comprises an NS5A gene that is not a wild-type NS5A gene. Preferably, the NS5A gene comprises a mutation. The mutation is preferably within 50 nucleotides of an ISDR or
35 includes the ISDR; more preferably the mutation is within 20 nt of the ISDR, or includes the

ISDR. Examples of these adaptive mutations are those that encode an amino acid sequence change selected from the group consisting of Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3. Other adaptive mutations include a deletion of at least a portion of the ISDR, and may comprise the entire ISDR. In a particular embodiment, the adaptive mutation comprises a deletion of nucleotides 5345 to 5485 of SEQ ID NO:6.

In some embodiments of the invention polynucleotides, the HCV polyprotein coding region encodes all HCV structural and nonstructural proteins. In other embodiments, the polyprotein coding region is incapable of making infectious HCV particles, making the HCV variant a replicon. Preferably the inability to make HCV particles is due to a deletion in the structural protein coding region. Some embodiments of these replicons further comprise a foreign gene operably linked to a first IRES and the HCV polyprotein coding region operably linked to a second IRES. Preferably, the replicon comprises a genotype 1 HCV sequence, most preferably subtype 1b. Preferred foreign genes in these replicons are selectable markers or reporter genes. In other preferred replicon embodiments, the first IRES is an HCV IRES, the foreign gene is a *neo* gene, and the second IRES is a EMCV IRES. Examples of the above replicons include SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:22 and SEQ ID NO:25. The above replicons also preferably comprise an adaptive mutation, including any of the adaptive phenotypes previously described, including increased transfection efficiency, replication in a non-hepatic cell including HeLa cells, and attenuated virulence, and further comprising any of the adaptive mutations previously described, such as the various NS5A mutations and deletions previously described.

The polynucleotides of the present invention can be in the form of RNA or DNA. Preferred embodiments of the polynucleotides are SEQ ID NOs:5-13 and 22-25, the complements thereof, and the RNA equivalents of the sequences or their complements. In certain embodiments, the polynucleotides are capable of productive infection in a chimpanzee upon intrahepatic injection.

The present invention is also directed to expression vectors comprising DNA forms of any of the above polynucleotides, operably associated with a promoter. Additionally, the invention is directed to cells comprising the above expression vectors as well as host cells comprising any of the polynucleotides described above. The host cells are preferably mammalian cells, more preferably human cells. The host cells are preferably hepatocytes, T-cells, B-cells, or foreskin fibroblasts; most preferably hepatocytes. Certain adaptive mutants can also replicate in HeLa cells. The host cells can be within a non-human mammal capable

of supporting transfection and replication of the HCV RNA, and infection when the HCV RNA encodes a virus particle. A preferred non-human mammal is a chimpanzee.

In additional embodiments, the present invention is directed to methods for identifying a cell line that is permissive for RNA replication with HCV. The method includes
5 the steps of contacting a cell in tissue culture with an infectious amount of the above-described polynucleotides, and detecting replication of HCV variants in cells of the cell line.

The present invention is also directed to a method for producing a cell line comprising replicating HCV. The method includes the steps of (a) transcribing the above-described expression vector to synthesize HCV RNA; (b) transfecting a cell with the HCV
10 RNA; and (c) culturing the cell.

Additionally, the present invention is directed to a vaccine. The vaccine includes any of the above-described polynucleotides, in a pharmaceutically acceptable carrier. In related embodiments, the present invention is directed to a method of inducing immunoprotection to HCV in a primate. The method includes administering the vaccine to the primate.

15 In further embodiments, the present invention is directed to a method of testing a compound for inhibiting HCV replication. The method includes the steps of (a) treating the above described host cells with the compound; and (b) evaluating the treated host cell for reduced replication, wherein reduced HCV replication indicates the ability of the compound to inhibit replication.

20 In additional embodiments, the present invention is directed to a method of testing a compound for inhibiting HCV infection. The method comprises treating a host cell with the compound before, during or after infecting the host cell with any of the invention polynucleotides.

In still other embodiments, the present invention is directed to an HCV variant that
25 has (a) transfection efficiency greater than 0.01%, as determined by replication-dependent neomycin resistance, or (b) greater ability of initial colonies of cells transfected with the variant to survive subpassage than wild-type HCV genotype 1, subtype 1b. The HCV variant also has, from 5' to 3' on the positive-sense nucleic acid, a functional HCV 5' non-translated region (5'NTR) comprising an extreme 5'-terminal conserved sequence; an HCV polyprotein
30 coding region; and a functional HCV 3' non-translated region (3'NTR) comprising a variable region, a polypyrimidine region, and an extreme 3'-terminal conserved sequence. In preferred embodiments, the transfection efficiency is greater than 0.1%; in more preferred embodiments, greater than 1%; in still more preferred embodiments, greater than 5%. In the most preferred embodiments, the transfection efficiency is about 6%.

The variants can have any of the characteristics of the polynucleotides described above. However, preferred variants comprise the NS5A mutation or deletion described for the polynucleotides above.

Among the several advantages achieved by the present invention are the provision of polynucleotides comprising non-naturally occurring HCV sequences; the provision of HCV variants that have a transfection efficiency and ability to survive subpassage greater than HCV forms that have wild-type polyprotein coding regions; the provision of expression vectors comprising the above polynucleotides and HCV variants; the provision of cells and host cells comprising the above expression vectors, the provision of methods for identifying a cell line that is permissive for RNA replication with HCV; the provision of vaccines comprising the above polynucleotides in a pharmaceutically acceptable carrier; the provision of methods for inducing immunoprotection to HCV in a primate; and the provision of methods for testing a compound for inhibiting HCV replication.

15 Brief Description of the Drawings

FIGURE 1. *HCV genome structure, polyprotein processing, and protein features.* At the top is depicted the viral genome with the structural and nonstructural protein coding regions, and the 5' and 3' NTRs, and the putative 3' secondary structure. Boxes below the genome indicate proteins generated by the proteolytic processing cascade. Putative structural proteins are indicated by shaded boxes and the nonstructural proteins by open boxes. Contiguous stretches of uncharged amino acids are shown by black bars. Asterisks denote proteins with N-linked glycans but do not necessarily indicate the position or number of sites utilized. Cleavage sites shown are for host signalase (◆), the NS2-3 proteinase (curved arrow), and the NS3-4A serine protease (||).

FIGURE 2. *Strategies for expression of heterologous RNAs and proteins using HCV vectors.* At the top is a diagram of the positive-polarity RNA virus HCV, which expresses mature viral proteins by translation of a single long ORF and proteolytic processing. The regions of the polyprotein encoding the structural proteins (STRUCTURAL) and the nonstructural proteins (REPLICASE) are indicated as lightly-shaded and open boxes, respectively. Below are shown a number of proposed replication-competent "replicon" expression constructs. The first four constructs (A-D) lack structural genes and would therefore require a helper system to enable packaging into infectious virions. Constructs E-G would not require helper functions for replication or packaging. Darkly shaded boxes indicate heterologous or foreign gene sequences (FG). Translation initiation (aug) and termination signals (trm) are indicated

by open triangles and solid diamonds, respectively. Internal ribosomes entry sites (IRES) are shown as boxes with vertical stripes. Constructs A and H illustrate the expression of a heterologous product as an in-frame fusion with the HCV polyprotein. Such protein fusion junctions can be engineered such that processing is mediated either by host or viral
5 proteinases (indicated by the arrow).

FIGURE 3. *Structure of HCVrep1bBartMan*. Two versions of this infectious replicon were constructed as described in Example 1. The first, HCVrep1bBartMan/AvaII, has a *AvaII* restriction site in the variable domain of the 3' NTR that is not present in the 3' NTR of wild-
10 type HCV subtype 1b. The second variant, HCVrep1bBartMan/ Δ 2U's, has 32, rather than the wild-type 34, U's in the longest stretch of contiguous U's in the polypyrimidine domain of the 3' NTR. The "GDD \rightarrow AGG" designation shows the inactivating mutation in the non-replicating replicons that were used as polymerase-minus controls in Example 1.

15 FIGURE 4. *Generation of G418-resistant cell clones*. At the top is a diagram of the HCVrep1bBartMan replicons as described in Figure 3. The middle text summarizes the steps used to isolate the adaptive mutants, which are further described in Example 1. The bottom chart summarizes several characteristics of some of the replicons isolated as described in the Example.

20

FIGURE 5. *Synthesis of HCV-specific RNA and proteins*. Figure 5A illustrates actinomycin D-resistant RNA replication of four adaptive replicons as further described in the Example. Figure 5B illustrates the immunoprecipitation of 35 S-labeled HCV-specific proteins of three adaptive replicons as further described in Example 1.

25

FIGURE 6. *Detection of NS3 in G418-resistant cell clones*. Monolayers of cells transfected with various replicons as indicated were immunostained with an anti-NS3 antibody. Patterns of staining were similar to cells stained from an infected liver.

30 FIGURE 7. *Nucleotide and amino acid changes in the NS5A coding region of HCV*. Nucleotide and amino acid changes in a portion of the NS5A coding region of seven adaptive clones are indicated.

FIGURE 8. *G418-resistant colonies generated after electroporation of replicon RNAs into Huh7 cells*. The ability of an adaptive replicon (Replicon I) to establish colonies after
35

transfection into Huh7 cells (middle) is compared to the original replicon HCVrepBartMan/AvaII (left) and the same adaptive replicon, but with an inactivating mutation in the polymerase gene (right).

- 5 FIGURE 9. *Structures of HCV replicons and full-length HCV RNAs.* The adaptive replicon 5'NTR-EMCV has the 5'NTR fused directly to the EMCV IRES upstream of NS3. Another adaptive replicon, HCVrep/NS2-5B has the non-structural protein, NS2, upstream of NS3. A full-length HCV cDNA clone, HCV FL, was assembled. Also, a bicistronic derivative, HCV FL-neo, was assembled where the 5'NTR is fused to the neomycin phosphotransferase gene
10 and the EMCV IRES is upstream of the HCV open reading frame. In both full-length clones, the open reading frame comprises the structural and non-structural regions, from capsid to NS5B. In addition, all of the replicons and full-length HCV RNAs comprise the mutation coding for Ser to Ile substitution at position 1179 of SEQ ID NO:3, in NS5A.
- 15 FIGURE 10. *RNA replication of replicons and full-length HCV RNAs.* The HCV replicons and full-length HCV RNAs shown in FIGURE 9 are replication competent.

Detailed Description of the Invention

Definitions

- 20 Various terms are used herein, which have the following definitions:

As used herein, "HCV polyprotein coding region" means the portion of a hepatitis C virus that codes for the polyprotein open reading frame (ORF). This ORF may encode proteins that are the same or different than wild-type HCV proteins. The ORF may also encode only some of the functional proteins encoded by a wild-type polyprotein coding
25 region. The proteins encoded therein may also be from different isolates of HCV, and non-HCV proteins may also be encoded therein.

The phrase "pharmaceutically acceptable" refers to molecular entities and compositions that are physiologically tolerable and do not typically produce an allergic or similar untoward reaction, such as gastric upset, dizziness and the like, when administered to
30 a human. Preferably, as used herein, the term "pharmaceutically acceptable" means approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopoeia or other generally recognized pharmacopoeia for use in animals, and more particularly in humans. The term "carrier" refers to a diluent, adjuvant, excipient, or vehicle with which the compound is administered. Such pharmaceutical carriers can be sterile
35 liquids, such as water and oils, including those of petroleum, animal, vegetable or synthetic

origin, such as peanut oil, soybean oil, mineral oil, sesame oil and the like. Water or aqueous solution saline solutions and aqueous dextrose and glycerol solutions are preferably employed as carriers, particularly for injectable solutions. Suitable pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E.W. Martin.

5 The phrase "therapeutically effective amount" is used herein to mean an amount sufficient to reduce by at least about 15 percent, preferably by at least 50 percent, more preferably by at least 90 percent, and most preferably prevent, a clinically significant deficit in the activity, function and response of the host. Alternatively, a therapeutically effective amount is sufficient to cause an improvement in a clinically significant condition in the host.

10 The term "adjuvant" refers to a compound or mixture that enhances the immune response to an antigen. An adjuvant can serve as a tissue depot that slowly releases the antigen and also as a lymphoid system activator that non-specifically enhances the immune response (Hood et al., *Immunology, Second Ed.*, 1984, Benjamin/Cummings: Menlo Park, California, p. 384). Often, a primary challenge with an antigen alone, in the absence of an
15 adjuvant, will fail to elicit a humoral or cellular immune response. Adjuvants include, but are not limited to, complete Freund's adjuvant, incomplete Freund's adjuvant, saponin, mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil or hydrocarbon emulsions, keyhole limpet hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (*bacille Calmette-Guerin*)
20 and *Corynebacterium parvum*. Preferably, the adjuvant is pharmaceutically acceptable.

 In a specific embodiment, the term "about" or "approximately" means within 20%, preferably within 10%, and more preferably within 5% of a given value or range.

 The term "virus infection" as used herein, refers to the usual way that wild-type virus particles become established in host cells. This generally includes binding to the host cell,
25 uptake, delivery to the cytosol or nucleus, and initiation of replication.

 The term "transfection" as used herein, refers to the infection of a cell with a polynucleotide. The polynucleotide can be DNA or RNA. A preferred method of transfecting a cell with an HCV polynucleotide is with replication competent RNA. Delivery to permissive cells can be facilitated by electroporation, charged liposomes, high salt, DE
30 dextran, etc. Replication competent RNAs can also be launched in cells after transfection of DNA such as plasmids or DNA viruses that have been appropriately engineered to provide transcription initiation and termination signals. The transfected RNAs can represent full-length genome RNAs capable of initiating a complete replication cycle (including production of progeny virus), or they may be defective lacking one or more RNA elements or proteins
35 essential for virion production but not RNA replication. The latter RNAs, which are lacking

in the ability to produce a virion, will be referred to generally herein as "replication competent RNAs", "RNA replicons" or "replicons".

As used herein, the term "subpassage" connotes the transfer of a colony from one vessel of media to another vessel of media. Examples of vessels of media include dishes,
5 bottles or test tubes with solid or liquid growth media. Unless otherwise indicated, "subpassage" means the transfer of a colony of HCV-transfected cells from a vessel of media where the newly transfected cells were plated to a vessel of media where the colony is isolated.

The term "authentic" is used herein to refer to an HCV polynucleotide, whether a
10 DNA or RNA, that provides for replication and production of functional HCV proteins, or components thereof. The authentic HCV polynucleotides of the present invention are capable of replication and may be infectious, *e.g.*, in a chimpanzee model or in tissue culture, to form viral particles (*i.e.*, "virions"). An authentic HCV polynucleotide of the present invention may also be a "replicon", such that it is incapable of producing the full complement of
15 structural proteins to make a replication competent infectious virion. However, such replicons are capable of RNA replication. Thus, the authentic HCV polynucleotides exemplified in the present application contains all of the virus-encoded information, whether in RNA elements or encoded proteins, necessary for initiation of an HCV RNA replication cycle. The authentic HCV polynucleotides of the invention include modifications described
20 herein, *e.g.*, by site-directed mutagenesis or by culture adaptation, producing a defective or attenuated derivative, or an adaptive variant. Alternatively, sequences from other genotypes or isolates can be substituted for the homologous sequence of the specific embodiments described herein. For example, an authentic HCV nucleic acid of the invention may comprise the adaptive mutations disclosed herein, *e.g.*, on a recipient plasmid, engineered into the
25 polyprotein coding region of a functional clone from another isolate or genotype (either a consensus region or one obtained by very high fidelity cloning). In addition, the HCV polynucleotide of the present invention can include a foreign gene, such as a gene encoding a selectable marker or a reporter protein.

30 General Description

The practice of the present invention will employ, unless otherwise indicated, conventional techniques of cell culture, molecular biology, microbiology, recombinant DNA, and immunology, which are within the skill of the art. Such techniques are explained fully in the literature. See, *e.g.*, Ausubel et al. (ed.) (1993) "Current protocols in molecular biology.
35 Green Publishing Associates, New York; Ausubel et al. (1995), "Short Protocols in Molecular

Biology", John Wiley and Sons; Joseph Sambrook et al. (1989), "Molecular Cloning, A Laboratory Manual", second ed., Cold Spring Harbor Laboratory Press; the series, METHODS IN ENZYMOLOGY (Academic Press, Inc.); *Animal Cell Culture* [R.I. Freshney, ed. (1986)]; Lau, ed. (1999), HEPATITIS C PROTOCOLS, Humana Press, New York; and *Immobilized Cells And Enzymes* [IRL Press, (1986)]; all of which are incorporated by reference.

The present invention is directed to variants of hepatitis C virus (HCV) and methods for producing the variants. As used herein, an HCV variant is a non-naturally occurring HCV sequence that is capable of productive replication in a host cell. The genetic sequence of these variants may comprise insertions, deletions, or base mutations from wild type HCV sequences. As further discussed *infra*, the variants may be produced by genetic engineering, by methods known to the skilled artisan (see, e.g., U.S. Patent Application No. 08/811,566 (Now U.S. Patent No. ____); Lohmann et al., *Science* 285:110-113(1999)). Alternatively, as further discussed *infra*, the variants may also be produced by culture selection methods, or a combination of culture selection and genetic engineering.

The variants are in the form of DNA or RNA and can be incorporated into any useful form of those compounds, for example in extrachromosomal DNA that replicates in a microorganism such as *E. coli* or yeast. Included among these are plasmids, phage, BACs, YACs, etc. RNA and virions comprising the variant are also envisioned as within the scope of the invention. The variants of the present invention can also be in the form of cassettes for insertion into a DNA cloning vector. The HCV RNAs are envisioned to be complementary to any HCV DNA disclosed herein. An infectious HCV RNA is a positive strand RNA created from the negative strand template of the HCV DNA clone of the invention.

The variants of the present invention are not narrowly limited to any particular virus subtype. Thus, any particular component of the variant, or the entire variant, may be from any HCV subtype. Preferred subtypes are 1a and 1b, due to the widespread occurrence, as well as the large amount of knowledge available for those two subtypes. However, the use of any other genotype or subtype, as would be considered within the skill of the art, is envisioned as within the scope of the invention. These subtypes include, but are not limited to, any subtypes within genotypes HCV-1, HCV-2, HCV-3, HCV-4, HCV-5, and HCV-6. Moreover, since HCV lacks proofreading activity, the virus itself readily mutates, forming mutant "quasi-species" of HCV that are also contemplated as useful for the present invention. Such mutations are easily identified by sequencing isolates from a subject, as detailed herein or in U.S. Patent Application No. 08/811,566 (Now U.S. Patent No. ____). It would be expected that the methods and compositions disclosed herein are useful for any known

subtype or quasi-species, or any subtype or quasi-species not now known but that is discovered in the future.

The HCV variants of the invention include a 5'-NTR conserved sequence, which generally comprises the 5'-terminal sequence GCCAGCC, and which may have additional
5 bases upstream of this conserved sequence without affecting functional activity of the HCV nucleic acid. In a preferred embodiment, the 5'-GCCAGCC includes from 0 to about 10 additional upstream bases; more preferably it includes from 0 to about 5 upstream bases; more preferably still it includes 0, one, or two upstream bases. In specific embodiments, the extreme 5'-terminal sequence may be GCCAGCC; GGCCAGCC; UGCCAGCC;
10 AGCCAGCC; AAGCCAGCC; GAGCCAGCC; GUGCCAGCC; or GCGCCAGCC, wherein the sequence GCCAGCC is the 5'-terminus of SEQ ID NO:1. However, the scope of the HCV variants of the invention encompasses any functional HCV 5' NTR, whether now known or later discovered.

The HCV variants of the invention also include a 3' NTR that comprises a poly-
15 pyrimidine region as is known in wild-type HCV. These polypyrimidine regions are known to comprise, on the positive-strand HCV RNA, a poly(U)/poly(UC) tract or a poly(A) tract. However, the polypyrimidine region of the present invention may also include other polypyrimidine tracts that are not now known but are later found to be functional in infectious HCV. As is known in the art, the polypyrimidine tract may be of variable length: both short
20 (about 75 bases) and long (133 bases) are effective, although an HCV clone containing a long poly(U/UC) tract is found to be highly infectious. Longer tracts may be found in naturally occurring HCV isolates. Thus, an authentic HCV nucleic acid of the invention may have a variable length polypyrimidine tract.

The 3' NTR also comprises, at its extreme 3' end, the highly conserved RNA element
25 of about 98 nucleotides known in the art, and as described in, e.g., U.S. Patent No. 5,874,565, U.S. Patent Application No. 08/811,566 (Now U.S. Patent No. ____), and U.S. Patent No. 5,837,463. In a specific aspect, the 3'-NTR extreme terminus is RNA homologous to a DNA having the sequence
5'-TGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCC
30 GCATGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCTGATCATGT-3' (SEQ ID NO:2). However, the scope of the invention is meant to encompass HCV variants with any HCV 3' NTR that allows virus replication, whether the sequence is now known or later discovered. Included are 3' NTRs that do not comprise a variable region.

The HCV variants of the present invention also include a polyprotein coding region
35 sufficient to allow replication of the HCV RNA. Thus, the polyprotein coding region may be

deficient in functional genes encoding the full complement of the HCV structural genes C, E1 and E2. In addition, the polyprotein coding region may comprise deletions, insertions, or mutations that do not occur in wild-type HCV strains. Further, the polyprotein coding region may be chimeric, such that some of the genes encoded therein are from analogous regions of another virus, as discussed *infra*.

The HCV variants encompassed by the present invention include variants that do not produce virus particles. These variants, which may be termed "replicons", lack the ability to produce a fully functional complement of the structural proteins C, E1 and E2. The inability to produce the functional structural protein component of the HCV virus may be conferred by deletion of the genes encoding one, two, or all three of these proteins. Alternatively, a deletion of a small portion of the coding sequence of one of the structural proteins, or a mutation in a critical region of the coding sequence, or an insertion into the coding sequence could lead to an HCV that cannot produce virions. In the latter case, the insertion can be any sequence that disrupts the ability of the structural protein from becoming part of a virion, and can include functional sequences; such as those that encode a reporter gene (such as β -galactosidase) or those that confers selectability to the cell harboring the replicon (such as *neo*). The above manipulations are entirely within the skill of the art. See, e.g., Lohmann et al., *supra* and Example 1. As discussed *infra*, such variants are useful for studying replication of the HCV virus, among other things.

The variants of the present invention can also comprise an alteration in the coding sequence of the polyprotein coding region that does not affect the production of functional virions or replicons. These alterations can be such that the amino acid sequence of the mature protein is not changed from the wild-type sequence, due to the degeneracy of the genetic code. Such alterations can be useful, e.g., when they introduce or remove a restriction site, such that the size of HCV fragments produced by digestion with a restriction enzyme is altered. This provides a distinguishing characteristic of that variant, which can be used, e.g., to identify a particular infectious isolate in a multiple infection animal model, or to provide convenient sites for subsequent engineering. Any technique for mutagenesis known in the art can be used, including but not limited to *in vitro* site-directed mutagenesis [Hutchinson, C., et al., 1978, J. Biol. Chem. 253:6551; Zoller and Smith, 1984, DNA 3:479-488; Oliphant et al., 1986, Gene 44:177; Hutchinson et al., 1986, Proc. Natl. Acad. Sci. U.S.A. 83:710], use of TAB® linkers (Pharmacia), etc. PCR techniques are preferred for site directed mutagenesis [see Higuchi, 1989, "Using PCR to Engineer DNA", in *PCR Technology: Principles and Applications for DNA Amplification*, H. Erlich, ed., Stockton Press, Chapter 6, pp. 61-70].

Alterations in the polyprotein coding sequence can also introduce conservative amino acid substitutions in the HCV-encoded proteins. Conservative amino acid substitutions refer to the interchangeability of residues having similar side chains. Conservatively substituted amino acids can be grouped according to the chemical properties of their side chains. For example, one grouping of amino acids includes those amino acids have neutral and hydrophobic side chains (A, V, L, I, P, W, F, and M); another grouping is those amino acids having neutral and polar side chains (G, S, T, Y, C, N, and Q); another grouping is those amino acids having basic side chains (K, R, and H); another grouping is those amino acids having acidic side chains (D and E); another grouping is those amino acids having aliphatic side chains (G, A, V, L, and I); another grouping is those amino acids having aliphatic-hydroxyl side chains (S and T); another grouping is those amino acids having amine-containing side chains (N, Q, K, R, and H); another grouping is those amino acids having aromatic side chains (F, Y, and W); and another grouping is those amino acids having sulfur-containing side chains (C and M). Preferred conservative amino acid substitutions are: R-K; E-D, Y-F, L-M; V-I, and Q-H. Conservative amino acid substitutions, when conferred on the structural proteins, can alter antigenic epitopes, and thus the immune reactivity of the virus. Those substitutions could also alter the function of the non-structural proteins, such that the virus reproduces at a different rate or is altered in its ability to replicate in cell culture or in an organism. See, e.g., Example 1, where replicon IV is adaptive to cell culture conditions due to the conservative amino acid substitution Ser → Cys in the NS5A protein.

Alterations in the polyprotein coding region could also introduce nonconservative amino acid substitutions in one or more of the proteins encoded therein. Nonconservative substitutions would be expected to alter protein function more drastically than conservative substitutions, and would thus be more likely than conservative substitutions to alter phenotypic characteristics of the virus such as replication rate, adaptation to cell culture or *in vivo* culture, and displayed antigenic determinants. Examples are several adaptive mutations in the NS5A coding region described in the , *infra*.

In some embodiments of the invention, the polyprotein coding region has a consensus sequence derived from more than one HCV isolate. For example, an authentic HCV nucleic acid of the invention may comprise a 5' and 3' sequence from any one subtype of the virus and a polyprotein region from any other subtype. Alternatively, only one of the proteins encoded in the polyprotein might be from another viral subtype. In this way, the effect of a particular protein in conferring characteristics of a particular strain (e.g., reduced virulence, increased replication rate etc.) can be studied.

Chimeras with other viruses, such as with bovine viral diarrhea virus, or another flavivirus, are also envisioned. See, e.g., PCT/US99/08850, incorporated herein by reference. In these embodiments, components of the functional clones can be used to construct chimeric viruses for assay of HCV gene functions and inhibitors thereof [Filocamo *et al.*, *J. Virol.* 71: 1417-1427 (1997); Hahn *et al.*, *Virology* 226: 318-326 (1996); Lu and Wimmer, *Proc Natl Acad Sci USA* 93: 1412-7 (1996)]. In one such extension of the invention, functional HCV elements such as the 5' IRES, proteases, RNA helicase, polymerase, or 3' NTR are used to create chimeric derivatives of BVDV whose productive replication is dependent on one or more of these HCV elements. Such BVDV/HCV chimeras can then be used to screen for and evaluate antiviral strategies against these functional components.

Chimeras where a gene encoding a structural or nonstructural protein from a closely related virus such as GB virus B replaces the corresponding HCV gene would also be expected to be functional. See, e.g., Butkiewicz *et al.*, 2000, *J. Virol.* 74, 4291-4301.

Other alterations in the polyprotein coding region contemplated by the present invention include deletions or insertions in the sequence. Such alterations may also alter replication rate, adaptation to various growth conditions, or antigenic determinants. A preferred example of a useful deletion includes the 47 amino acid deletion and replacement of Ser 1182 to Asp 1229 of SEQ ID NO:3 with Tyr, which is an adaptive mutation in the NS5A that provides greater transfection efficiency than HCVs with wild-type NS5A. See Example 1.

Insertions into the polyprotein coding region can be of any length and into any area of the region, provided the modified HCV is still able to replicate. Preferably, the insertion is engineered in frame with the rest of the polyprotein coding region, to allow correct translation of the polyprotein region downstream from the insertion.

Insertions into the polyprotein coding region could introduce a gene encoding a heterologous protein. The choice of heterologous protein is not narrowly limited and can include a protein that is therapeutic to the infected host or cell, or a protein that is harvested and purified for another purpose. Particularly useful heterologous genes include those used for detection of the variant (i.e., reporter genes), or for selection of cells having the variant. Nonlimiting examples of reporter genes useful in the present invention include β -galactosidase, β -glucuronidase, firefly or bacterial luciferase, green fluorescent protein (GFP) and humanized derivatives thereof, cell surface markers, and secreted markers. Such products are either assayed directly or may activate the expression or activity of additional reporters. Nonlimiting examples of selectable markers for mammalian cells include, but are not limited

to, the genes encoding dihydrofolate reductase (*DHFR*; methotrexate resistance), thymidine kinase (*tk*; methotrexate resistance), puromycin acetyl transferase (*pac*; puromycin resistance), neomycin resistance (*neo*; resistance to neomycin or G418), mycophenolic acid resistance (*gpt*), hygromycin resistance, blasticidin resistance, and resistance to zeocin. Other
5 selectable markers can be used in different hosts such as yeast (*ura3*, *his3*, *leu2*, *trp1*).

The present invention also encompasses HCV variants that have alterations in the noncoding regions of the virus. For example, the foreign gene discussed above can also be inserted into a noncoding region of the virus, provided the region with the insert continues to be sufficiently functional to allow replication. To provide for translation of a foreign gene
10 inserted into a noncoding region, the foreign gene must be operatively linked to translational start signals, preferably an internal ribosome entry site (IRES) derived from cellular or viral mRNAs [Jang *et al.*, *Enzyme* 44: 292-309 (1991); Macejak and Sarnow, *Nature* 353: 90-94 (1991); Molla *et al.*, *Nature* 356: 255-257 (1992)]. In essence, this strategy creates a second cistron in the variant, separate from the polyprotein coding region cistron. A preferred IRES
15 is the encephalomyocarditis virus (EMCV) IRES.

The foreign gene can also be inserted into the 3' NTR or the 5' NTR. In the 3' NTR, the foreign gene/IRES cassette is preferably inserted into the most 5', variable domain. However, insertions are also envisioned for other regions of the 3' NTR, such as at the junction of the variable region and the polypyrimidine region, or within the polypyrimidine
20 region. In the 5' NTR, the foreign gene is preferably inserted into the area just adjacent (3' to) the internal HCV IRES. In these variants, the foreign gene is engineered to be operably linked to the HCV IRES. Where this is the case, it is preferred that the second IRES (e.g., an EMCV IRES) is engineered just 5' to the polyprotein coding region, to be operably linked to that region. See Example and Lohmann *et al.*, *supra*.

25 Some of the above strategies for functional expression of heterologous genes have been previously described. See Bredenbeek and Rice, (1992) *supra* for review; see, also Figure 2, which is also Figure 2 of U.S. Patent Application No. 08/811,566 (Now U.S. Patent No. ____).

Additionally, noncoding region alterations such as mutations, deletions or insertions
30 that do not encode a foreign protein are within the scope of the invention. For example, mutations, deletions or insertions in the variable or polypyrimidine regions of the 3' NTR, including deletions of the entire variable region, or in the 5' NTR region, that create or destroy restriction sites or make the variant otherwise identifiable can be used advantageously to create a "tagged" variant. See, e.g., Example, where a mutation in the variable region of the 3'

NTR created an easily identifiable *Ava*II restriction site, and where a deletion in the polypyrimidine region created another identifiable variant.

The polyprotein coding sequence can comprise mutants with desirable functional adaptations such as adaptive or attenuated variants. These improved variants can be superior
5 in any desired characteristic. Nonlimiting examples of characteristics that can be improved by the present methods include more rapid or more accurate replication *in vivo* or in culture, improved transfection efficiency, improved ability to establish subpassaged cell lines, ability to infect a host or a host cell line, virulence, and attenuation of disease symptoms.

Such HCV variants may be adaptive, *e.g.*, by selection for propagation in animals or
10 *in vitro*. See, *e.g.*, Example. Alternatively, the variants can be engineered by design to comprise the functional adaptation. See, *e.g.*, Example, where a deletion was designed that had increased transfection efficiency and ability to be subpassaged to create a stable cell line, supporting persistent HCV replication.

Non-functional HCV clones, *e.g.*, that are incapable of genuine replication, that fail to
15 produce HCV proteins, that do not produce HCV RNA as detected by Northern analysis, or that fail to infect susceptible animals or cell lines *in vitro*, can be corrected using components of the variants of the present invention. By comparing a variant of an authentic HCV nucleic acid sequence of the invention, with the sequence of the non-functional HCV clone, defects in the non-functional clone can be identified and corrected, and the corrected, replicating variant
20 could have characteristics like the variant, such as an adaptive mutation, etc. All of the methods for modifying nucleic acid sequences available to one of skill in the art to effect modifications in the non-functional HCV genome, including but not limited to site-directed mutagenesis, substitution of the functional sequence from an authentic HCV variant for the homologous sequence in the non-functional clone, etc.

25 *Adaptation of HCV for more improved cell culture characteristics.* Replication and transfection efficiency and stability of virions and replicons that have wild-type polyprotein replication in cell culture is inefficient. That is, cells transfected with, *e.g.*, RNA transcripts of clones of these strains replicate slowly in culture and the transfected cells are difficult to maintain. Additionally, transfection efficiency is poor. That is, very few cells that are
30 transfected with the RNA replicon are able to support HCV replication. See, *e.g.*, Example 1 and Lohmann et al., *supra*, where less than 0.01% of Huh-7 cells transfected with RNA transcripts of replicons that have a wild-type (genotype 1, subtype 1b) nonstructural polyprotein coding region grew into colonies on the petri dish where the transfectants were plated. Furthermore, a low percentage of colonies that arose from the original plating (<3%)

could be subpassaged onto another dish of media to form an isolated stable cell line supporting HCV replication.

"Transfection efficiency" is defined by determining the percent of cells having replicating HCV RNA that continue to translate proteins encoded by the transfected nucleic acids. The easiest way to measure this is by determining the percentage of cells that exhibit a characteristic conferred by the HCV RNA. See, e.g., Example 1, where replicons comprising a *neo* gene conferred G418 resistance to the transfected cells, and where the cells were G418 resistant after dividing and forming colonies on the dish where the transfected cells were plated. In that example, G418 resistance would not persist sufficiently for colonies to form unless the HCV RNA was able to replicate and partition into the dividing cells while continuing to replicate and translate the *neo* gene to confer G418 resistance. Transfection efficiency is thus replication dependent, in that the transfected HCV must replicate, transcribe, and translate the measured characteristic (here, G418 resistance). In the context of the *neo* selectable marker, this method of determining transfection efficiency is termed "replication-dependent neomycin resistance". This is the preferred way of measuring transfection efficiency because it only measures transcription from HCV that established itself sufficiently to replicate and partition into dividing cells to form a colony.

Another disadvantageous cell culture characteristic of HCV nucleic acid that has wild-type nonstructural polyprotein genes is that only a low percentage of colonies that form after transfection and selection are able to continue to be maintained upon subpassage as continuous cell lines harboring replicating RNA. This was <3% in Lohmann et al., as discussed *supra*.

Disadvantageous characteristics of HCV having wild-type nonstructural polyprotein genes can be reduced by utilizing certain adaptive mutations and deletions in the NS5A coding region or elsewhere as disclosed herein. Preferred mutations comprise alterations in the encoded amino acid sequence in a region of the NS5A that is just 5' to the coding region of the "interferon sensitivity-determining region" (ISDR). Specifically, various mutations within about 50 nucleotides 5' to the ISDR, more preferably within about 20 nucleotides of the ISDR, where the encoded amino acid sequence is altered, have the effect of adapting an HCV to have higher transfection efficiency and increased ability to withstand subpassage to establish a cell line harboring persistent HCV replication. Specific mutations having this effect include Ser to Ile at amino acid 1179 of SEQ ID NO:3 (subtype 1b nonstructural polyprotein region), conferred, for example, by the mutation g to t at position 5336 of SEQ ID NO:6, embodied in SEQ ID NO:8 (nucleotide[nt]) and SEQ ID NO:16 (amino acid[aa]); Arg to Gly at amino acid 1164 of SEQ ID NO:3, conferred, for example, by the mutation from a to

g at position 5289 of SEQ ID NO:6, embodied in SEQ ID NO:9 (nt) and SEQ ID NO:17 (aa); Ala to Ser at amino acid 1174 of SEQ ID NO:3, conferred, for example, by the mutation from g to t at position 5320 of SEQ ID NO:6, embodied in SEQ ID NO:10 (nt) and the NS5A amino acid sequence of SEQ ID NO:19; Ser to Cys at amino acid 1172 of SEQ ID NO:3, conferred, for example, by the mutation c to g at position 5315 of SEQ ID NO:6, embodied in the NS5A gene SEQ ID NO:11 and the NS5A amino acid sequence of SEQ ID NO:20; and Ser to Pro at amino acid 1172 of SEQ ID NO:3, conferred, for example by the mutation t to c at position 5314 of SEQ ID NO:6, embodied in the NS5A gene SEQ ID NO:12 and the NS5A amino acid SEQ ID NO:21. The adaptive effect of these mutations is surprising since this region of HCV is normally conserved among HCV isolates. Additionally, deletions within the ISDR, including deletions of the entire ISDR and various flanking sequences, cause this adaptive effect. Among these deletions is the substitution of the ISDR and flanking sequence comprising amino acids 1182 to 1229 of SEQ ID NO:3 with a tyrosine, conferred, for example, by the deletion of nt 5345-5485 of SEQ ID NO:6, and embodied in SEQ ID NO:7 (nt) and the NS5A amino acid SEQ ID NO:14.

HCV variants comprising mutations adaptive to cell culture may also be attenuated, that is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.

The present invention also discloses methods for selecting for adaptive HCV variants. These methods comprise the use of an HCV virion or preferably a replicon, which further comprises a dominant selectable marker such as a *neo* gene. Cells are transfected with these variants. The transfectants are plated into selection media, such as G418 when the *neo* gene is utilized in the variant. Colonies that arise to exhibit resistance to the selectable marker are subpassaged into fresh selection media. HCV in colonies that withstand subpassage to establish a cell line harboring HCV replication can be isolated and used to transfect additional cells. Any of these colonies that show increased transfection efficiency or other desirable characteristics, such as the ability to withstand subpassage, are adaptive variants, where the adaptive nature of the variant is conferred by at least one mutation or deletion. Selected areas of the HCV in these adaptive variants are sequenced. Preferably, at least the NS5A is sequenced. More preferably, the entire polyprotein coding region is sequenced. Any mutations in these variants can be further evaluated to determine the adaptive nature of the mutations. That evaluation preferably involves recreating the mutation in an otherwise wild-type coding region and determining if the recreated HCV mutant exhibits the adaptive phenotype of the original mutant.

Adaptive mutations could also be manifested, but are not restricted to: (i) altering the tropism of HCV RNA replication; (ii) altering viral products responsible for deleterious effects on host cells; (iii) increasing or decreasing HCV RNA replication efficiency; (iv) increasing or decreasing HCV RNA packaging efficiency and/or assembly and release of HCV particles; (v) altering cell tropism at the level of receptor binding and entry. Thus, the engineered dominant selectable marker, whose expression is dependent upon productive HCV RNA replication, can be used to select for adaptive mutations in either the HCV replication machinery or the transfected host cell, or both. In addition, dominant selectable markers can be used to select for mutations in the HCV replication machinery that allow higher levels of RNA replication or particle formation. In one example, engineered HCV derivatives expressing a mutant form of DHFR can be used to confer resistance to methotrexate (MTX). As a dominant selectable marker, mutant DHFR is inefficient since nearly stoichiometric amounts are required for MTX resistance. By successively increasing concentrations of MTX in the medium, increased quantities of DHFR will be required for continued survival of cells harboring the replicating HCV RNA. This selection scheme, or similar ones based on this concept, can result in the selection of mutations in the HCV RNA replication machinery allowing higher levels of HCV RNA replication and RNA accumulation. Similar selections can be applied for mutations allowing production of higher yields of HCV particles in cell culture or for mutant HCV particles with altered cell tropism. Such selection schemes involve harvesting HCV particles from culture supernatants or after cell disruption and selecting for MTX-resistant transducing particles by reinfection of naive cells.

Methods similar to the above can be used to establish adaptive variants with variations in characteristics such as the increased or decreased ability to cause infection, the ability to cause infection in a host that wild-type strains are unable to infect, or cells of such a host.

The invention also provides host cell lines transfected with any of the HCV DNA (or HCV RNA) as set forth above. Examples of host cells include, but are by no means limited to, the group consisting of a bacterial cell, a yeast cell, an insect cell, and a mammalian cell. Preferably, the host cell is capable of providing for expression of functional HCV RNA replicase, virions or virus particle proteins.

In a related aspect, as briefly described above, the invention provides a vector for gene therapy or a gene vaccine (also termed herein a genetic vaccine), in which a heterologous protein is inserted into the HCV nucleic acid under conditions that permit expression of the heterologous protein. These vaccines can be either DNA or RNA. In particular, the invention provides an infectious hepatitis C virus (HCV) DNA vector

comprising from 5' to 3' on the positive-sense DNA, a promoter; an HCV 5'-non-translated region (NTR) containing the extreme 5'-terminal sequence GCCAGCC; an HCV polyprotein coding region comprising a coding region for a heterologous gene; and a 3' non-translated region (NTR). Preferably, the promoter is selected from the group consisting of
5 bacteriophage T3, T7, and SP6.

In the embodiments of the invention where the functional HCV nucleic acid is DNA, it may further comprise a promoter operatively associated with the 5' NTR. For example, but not by way of limitation, the promoter may be selected from the group consisting of bacteriophage T7, T3, and SP6. However, any suitable promoter for transcription of HCV
10 genomic RNA corresponding to the HCV DNA can be used, depending on the specific transcription system employed. For example, for nuclear transcription (*e.g.*, in an animal transgenic for HCV), an endogenous or viral promoter, such as CMV, may be used. Additionally, these promoter-driven HCV DNAs can be incorporated into an extrachromosomally replicating DNA such as a plasmid or a phage.

15 Various uses of the invention variants are envisioned herein. Uses relevant to therapy and vaccine development include: (i) the generation of defined HCV virus stocks to develop *in vitro* and *in vivo* assays for virus neutralization, attachment, penetration and entry; (ii) structure/function studies on HCV proteins and RNA elements and identification of new antiviral targets; (iii) a systematic survey of cell culture systems and conditions to identify
20 those that support wild-type and variant HCV RNA replication and particle release; (iv) production of adaptive HCV variants capable of more efficient replication in cell culture; (v) production of HCV variants with altered tissue or species tropism; (vi) establishment of alternative animal models for inhibitor evaluation including those supporting HCV variant replication; (vii) development of cell-free HCV replication assays; (viii) production of
25 immunogenic HCV particles for vaccination; (ix) engineering of attenuated HCV derivatives as possible vaccine candidates; (x) engineering of attenuated or defective HCV derivatives for expression of heterologous gene products for gene therapy and vaccine applications; (xi) utilization of the HCV glycoproteins for targeted delivery of therapeutic agents to the liver or other cell types with appropriate receptors.

30 The invention further provides a method for infecting an animal with HCV variants, where the method comprises administering an infectious dose of HCV variant RNA prepared by transcription of infectious HCV variant DNA. The invention extends to a non-human animal infected with HCV variants or transfected with HCV variant RNA or DNA. Similarly, the invention provides a method for propagating infectious HCV variants *in vitro* comprising
35 culturing a cell line contacted with an infectious amount of HCV variant RNA prepared by

transcription of the infectious HCV DNA, as well as an *in vitro* cell line infected with HCV variants. In a specific embodiment, the cell line is a hepatocyte cell line transfected or infected with an HCV variant in which an IRES-antibiotic resistance cassette has been engineered to provide for selection. The variant may also comprise the adaptive mutations
5 described above.

In accordance with the gene therapy (genetic vaccine) embodiment of the invention, also provided is a method for transducing an animal capable of HCV RNA replication with a heterologous gene, comprising administering an amount of an HCV variant RNA prepared by transcription of the HCV variant DNA vector.

10 In another embodiment, the invention provides a method for producing HCV particle proteins comprising culturing a host expression cell line transfected with an HCV variant of the invention under conditions that permit expression of HCV particle proteins; and isolating HCV particle proteins from the cell culture. In a specific embodiment, such an expression cell line may be a cell selected from the group consisting of a bacterial cell, a yeast cell, an
15 insect cell, and a mammalian cell.

The invention further provides an HCV virion comprising an HCV variant RNA genome. Such virions can be used in an HCV vaccine, preferably after attenuation, *e.g.*, by heat or chemical treatment, or through selection of attenuated variants by the methods described above.

20 The *in vivo* and *in vitro* HCV variants of the invention permits controlled screening for anti-HCV agents (*i.e.*, drugs for treatment of HCV), as well as for evaluation of drug resistance. An *in vivo* method for screening for agents capable of modulating HCV replication may comprise administering a candidate agent to an animal containing an HCV variant, and testing for an increase or decrease in a level of HCV variant infection, replication
25 or activity compared to a level of HCV variant infection, replication or activity in the animal prior to administration of the candidate agent; wherein a decrease in the level of HCV variant infection, replication or activity compared to the level of HCV variant infection, replication or activity in the animal prior to administration of the candidate agent is indicative of the ability of the agent to inhibit HCV variant infection, replication or activity. Testing for the level of
30 HCV variant infection or replication can involve measuring the viral titer (*e.g.*, RNA levels) in a serum or tissue sample from the animal; testing for the level of HCV variant activity can involve measuring liver enzymes. Alternatively, an *in vitro* method for screening for agents capable of modulating HCV replication can comprise contacting a cell line supporting a replicating HCV variant with a candidate agent; and thereafter testing for an increase or
35 decrease in a level of HCV variant replication or activity compared to a level of HCV variant

replication or activity in a control cell line or in the cell line prior to administration of the candidate agent, wherein a decrease in the level of HCV variant replication or activity compared to the level of HCV variant replication or activity in a control cell line or in the cell line prior to administration of the candidate agent is indicative of the ability of the agent to inhibit HCV variant replication or activity. In a specific embodiment, testing for the level of HCV variant replication *in vitro* may involve measuring the HCV titer, (e.g., RNA levels) in the cell culture; testing for the level of HCV activity *in vitro* may involve measuring HCV replication.

In addition to the specific HCV variant DNA clones and related HCV variant RNAs, the invention is directed to a method for preparing an HCV variant DNA clone that is capable of replication in a host or host cell line, comprising joining from 5' to 3' on the positive-sense DNA a promoter; an HCV 5' non-translated region (NTR) an HCV polyprotein coding region; and a 3' non-translated region (NTR), where at least one of these regions is not a naturally occurring region. Preferably, the promoter is selected from the group consisting of bacteriophage T7, T3, and SP6. In a specific embodiment, the extreme 5'-terminal sequence is homologous to SEQ ID NO:1, e.g., the 5'-terminal sequence may be selected from the group consisting of GCCAGCC; GGCCAGCC; UGCCAGCC; AGCCAGCC; AAGCCAGCC; GAGCCAGCC; GUGCCAGCC; and GCGCCAGCC, wherein the sequence GCCAGCC is the 5'-terminus of SEQ ID NO:1.

The 3'-NTR poly-U for use in the method of preparing an HCV variant DNA clone may include a long poly-U region. Similarly, the 3'-NTR extreme terminus may be RNA homologous to a DNA having the sequence
 5'-TGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCC
 GCATGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCTGATCATGT-3' (SEQ ID
 NO:2); in a specific embodiment, the 3'-NTR extreme terminus has the foregoing sequence.

Components of functional HCV variant DNA clones. Components of the functional HCV variant DNA described in this invention can be used to develop cell-free, cell culture, and animal-based screening assays for known or newly identified HCV antiviral targets as described *infra*. For each selected target, it is preferred that the HCV variant used has the wild-type form of the target. Examples of known or suspected targets and assays include [see Houghton, *In "Fields Virology"* (B. N. Fields, D. M. Knipe and P. M. Howley, Eds.), Vol. pp. 1035-1058. Raven Press, New York (1996); Rice, (1996) *supra*; Rice *et al.*, *Antiviral Therapy* 1, Suppl. 4, 11-17 (1997); Shimotohno, *Hepatology* 21,:887-8 (1995) for reviews], but are not limited to, the following:

The highly conserved 5' NTR, which contains elements essential for translation of the incoming HCV genome RNA, is one target. It is also likely that this sequence, or its complement, contains RNA elements important for RNA replication and/or packaging. Potential therapeutic strategies include: antisense oligonucleotides (*supra*); trans-acting
5 ribozymes (*supra*); RNA decoys; small molecule compounds interfering with the function of this element (these could act by binding to the RNA element itself or to cognate viral or cellular factors required for activity).

Another target is the HCV C (capsid or core) protein, which is highly conserved and is associated with the following functions: RNA binding and specific encapsidation of HCV
10 genome RNA; transcriptional modulation of cellular [Ray *et al.*, *Virus Res.* 37: 209-220 (1995)] and other viral [Shih *et al.*, *J. Virol.* 69: 1160-1171 (1995); Shih *et al.*, *J. Virol.* 67: 5823-5832 (1993)] genes; binding of cellular helicase [You *et al.*, *J. Virol.* 73:2841-2853 (1999)]; cellular transformation [Ray *et al.*, *J. Virol.* 70: 4438-4443 (1996a); Ray *et al.*, *J. Biol. Chem.* 272:10983-10986(1997)]; prevention of apoptosis [Ray *et al.*, *Virol.* 226:
15 176-182 (1996b)]; modulation of host immune response through binding to members of the TNF receptor superfamily [Matsumoto *et al.*, *J. Virol.* 71: 1301-1309 (1997)].

The E1, E2, and perhaps the E2-p7 glycoproteins that form the components of the virion envelope are targets for potentially neutralizing antibodies. Key steps where intervention can be targeted include: signal peptidase mediated cleavage of these precursors
20 from the polyprotein [Lin *et al.*, (1994a) *supra*]; ER assembly of the E1E2 glycoprotein complex and association of these proteins with cellular chaperones and folding machinery [Dubuisson *et al.*, (1994) *supra*; Dubuisson and Rice, *J. Virol.* 70: 778-786 (1996)]; assembly of virus particles including interactions between the nucleocapsid and virion envelope; transport and release of virus particles; the association of virus particles with host
25 components such as VLDL [Hijikata *et al.*, (1993) *supra*; Thomssen *et al.*, (1992) *supra*; Thomssen *et al.*, *Med. Microbiol. Immunol.* 182: 329-334 (1993)] which may play a role in evasion of immune surveillance or in binding and entry of cells expressing the LDL receptor; conserved and variable determinants in the virion which are targets for neutralization by antibodies or which bind to antibodies and facilitate immune-enhanced infection of cells via
30 interaction with cognate Fc receptors; conserved and variable determinants in the virion important for receptor binding and entry; virion determinants participating in entry, fusion with cellular membranes, and uncoating the incoming viral nucleocapsid.

The NS2-3 autoprotease, which is required for cleavage at the 2/3 site is a further target.

The NS3 serine protease and NS4A cofactor which form a complex and mediate four cleavages in the HCV polyprotein [see Rice, (1997) *supra* for review] is yet another suitable target. Targets include the serine protease activity itself; the tetrahedral Zn^{2+} coordination site in the C-terminal domain of the serine protease; the NS3-NS4A cofactor interaction; the
5 membrane association of NS4A; stabilization of NS3 by NS4A; transforming potential of the NS3 protease region [Sakamuro *et al.*, *J Virol* 69: 3893-6 (1995)].

The NS3 RNA-stimulated NTPase [Suzich *et al.*, (1993) *supra*], RNA helicase [Jin and Peterson, *Arch Biochem Biophys* 323: 47-53 (1995); Kim *et al.*, *Biochem. Biophys. Res. Commun.* 215: 160-6 (1995)], and RNA binding [Kanai *et al.*, *FEBS Lett* 376: 221-4 (1995)]
10 activities; the NS4A protein as a component of the RNA replication complex is another potential target.

The NS5A protein, another replication component, represents another target. This protein is phosphorylated predominantly on serine residues [Tanji *et al.*, *J. Virol.* 69: 3980-3986 (1995)]. Transcription modulating, cell growth promoting, and apoptosis
15 inhibiting activities of NS5A [Ghosh *et al.*, *J. Biol. Chem.* 275:7184-7188 (2000)] can be targeted. Other characteristics of NS5A that could be targets for therapy include the kinase responsible for NS5A phosphorylation and its interaction with NS5A, and the interaction with NS5A and other components of the HCV replication complex.

The NS5B RNA-dependent RNA polymerase, which is the enzyme responsible for
20 the actual synthesis of HCV positive and negative-strand RNAs, is another target. Specific aspects of its activity include the polymerase activity itself [Behrens *et al.*, *EMBO J.* 15: 12-22 (1996)]; interactions of NS5B with other replicase components, including the HCV RNAs; steps involved in the initiation of negative- and positive-strand RNA synthesis; phosphorylation of NS5B [Hwang *et al.*, *Virology* 227:438 (1997)].

25 Other targets include structural or nonstructural protein functions important for HCV RNA replication and/or modulation of host cell function. Possible hydrophobic protein components capable of forming channels important for viral entry, egress or modulation of host cell gene expression may be targeted.

The 3' NTR, especially the highly conserved elements (poly (U/UC) tract; 98-base
30 terminal sequence) can be targeted. Therapeutic approaches parallel those described for the 5' NTR, except that this portion of the genome is likely to play a key role in the initiation of negative-strand synthesis. It may also be involved in other aspects of HCV RNA replication, including translation, RNA stability, or packaging.

The functional HCV variants of the present invention may encode all of the viral
35 proteins and RNA elements required for RNA packaging. These elements can be targeted for

development of antiviral compounds. Electrophoretic mobility shift, UV cross-linking, filter binding, and three-hybrid [SenGupta *et al.*, *Proc. Natl. Acad. Sci. USA* 93: 8496-8501 (1996)] assays can be used to define the protein and RNA elements important for HCV RNA packaging and to establish assays to screen for inhibitors of this process. Such inhibitors
5 might include small molecules or RNA decoys produced by selection *in vitro* [Gold *et al.*, (1995) *supra*].

Complex libraries of the variants of the present invention can be prepared using PCR shuffling, or by incorporating randomized sequences, such as are generated in "peptide display" libraries. Using the "phage method" [Scott and Smith, 1990, *Science* 249:386-390
10 (1990); Cwirla, et al., *Proc. Natl. Acad. Sci. USA*, 87:6378-6382 (1990); Devlin et al., *Science*, 249:404-406 (1990)], very large libraries can be constructed (10^6 - 10^8 chemical entities). Clones from such libraries can be used to generate other variants or chimeras, e.g., using various HCV subtypes. Such variants can be generated by methods known in the art, without undue experimentation.

15 A clone that includes a primer and run-off sequence can be used directly for production of functional HCV variant RNA. A large number of vector-host systems known in the art may be used. Examples of vectors include, but are not limited to, *E. coli*, bacteriophages such as lambda derivatives, or plasmids such as pBR322 derivatives or pUC plasmid derivatives, e.g., pGEX vectors, pmal-c, pFLAG, pTET, etc. As is well known, the
20 insertion into a cloning vector can, for example, be accomplished by ligating the DNA fragment into a cloning vector that has complementary cohesive termini. However, if the complementary restriction sites used to fragment the DNA are not present in the cloning vector, the ends of the DNA molecules may be enzymatically modified. Alternatively, any site desired could be produced by ligating nucleotide sequences (linkers) onto the DNA
25 termini; these ligated linkers may comprise specific chemically synthesized oligonucleotides encoding restriction endonuclease recognition sequences. Recombinant molecules can be introduced into host cells via transformation, transfection, infection, electroporation, etc., so that many copies of the gene sequence are generated.

30 Expression of HCV RNA and Polypeptides

The HCV variant DNA, which codes for HCV variant RNA and HCV proteins, particularly HCV RNA replicase or virion proteins, can be inserted into an appropriate expression vector, *i.e.*, a vector which contains the necessary elements for the transcription and translation of the inserted protein-coding sequence. Such elements are termed herein a
35 "promoter." Thus, the HCV variant DNA of the invention is operationally (or operably)

associated with a promoter in an expression vector of the invention. An expression vector also preferably includes a replication origin. The necessary transcriptional and translational signals can be provided on a recombinant expression vector. In a preferred embodiment for *in vitro* synthesis of functional RNAs, the T7, T3, or SP6 promoter is used.

5 Potential host-vector systems include but are not limited to mammalian cell systems infected with virus recombinant (*e.g.*, vaccinia virus, adenovirus, Sindbis virus, Semliki Forest virus, etc.); insect cell systems infected with recombinant viruses (*e.g.*, baculovirus); microorganisms such as yeast containing yeast vectors; plant cells; or bacteria transformed with bacteriophage, DNA, plasmid DNA, or cosmid DNA. The expression elements of
10 vectors vary in their strengths and specificities. Depending on the host-vector system utilized, any one of a number of suitable transcription and translation elements may be used.

 The cell into which the recombinant vector comprising the HCV variant DNA clone has been introduced is cultured in an appropriate cell culture medium under conditions that provide for expression of HCV RNA or such HCV proteins by the cell. Any of the methods
15 previously described for the insertion of DNA fragments into a cloning vector may be used to construct expression vectors containing a gene consisting of appropriate transcriptional/translational control signals and the protein coding sequences. These methods may include *in vitro* recombinant DNA and synthetic techniques and *in vivo* recombination (genetic recombination).

20 Expression of HCV variant RNA or protein may be controlled by any promoter/enhancer element known in the art, but these regulatory elements must be functional in the host selected for expression. Promoters which may be used to control expression include, but are not limited to, the SV40 early promoter region (Benoist and Chambon, 1981, Nature 290:304-310), the promoter contained in the 3' long terminal repeat of Rous sarcoma
25 virus (Yamamoto, *et al.*, 1980, Cell 22:787-797), the herpes thymidine kinase promoter (Wagner *et al.*, 1981, Proc. Natl. Acad. Sci. U.S.A. 78:1441-1445), the regulatory sequences of the metallothionein gene (Brinster *et al.*, 1982, Nature 296:39-42); prokaryotic expression vectors such as the β -lactamase promoter (Villa-Kamaroff, *et al.*, 1978, Proc. Natl. Acad. Sci. U.S.A. 75:3727-3731), or the *tac* promoter (DeBoer, *et al.*, 1983, Proc. Natl. Acad. Sci.
30 U.S.A. 80:21-25); promoter elements from yeast or other fungi such as the Gal 4 promoter, the ADC (alcohol dehydrogenase) promoter, PGK (phosphoglycerol kinase) promoter, alkaline phosphatase promoter; and the animal transcriptional control regions, which exhibit tissue specificity and have been utilized in transgenic animals: elastase I gene control region which is active in pancreatic acinar cells (Swift *et al.*, 1984, Cell 38:639-646; Ornitz *et al.*,
35 1986, Cold Spring Harbor Symp. Quant. Biol. 50:399-409; MacDonald, 1987, Hepatology

7:425-515); insulin gene control region which is active in pancreatic beta cells (Hanahan, 1985, Nature 315:115-122), immunoglobulin gene control region which is active in lymphoid cells (Grosschedl *et al.*, 1984, Cell 38:647-658; Adames *et al.*, 1985, Nature 318:533-538; Alexander *et al.*, 1987, Mol. Cell. Biol. 7:1436-1444), mouse mammary tumor virus control
 5 region which is active in testicular, breast, lymphoid and mast cells (Leder *et al.*, 1986, Cell 45:485-495), albumin gene control region which is active in liver (Pinkert *et al.*, 1987, Genes and Devel. 1:268-276), alpha-fetoprotein gene control region which is active in liver (Krumlauf *et al.*, 1985, Mol. Cell. Biol. 5:1639-1648; Hammer *et al.*, 1987, Science 235:53-58), alpha 1-antitrypsin gene control region which is active in the liver (Kelsey *et al.*, 1987,
 10 Genes and Devel. 1:161-171), beta-globin gene control region which is active in myeloid cells (Mogram *et al.*, 1985, Nature 315:338-340; Kollias *et al.*, 1986, Cell 46:89-94), myelin basic protein gene control region which is active in oligodendrocyte cells in the brain (Readhead *et al.*, 1987, Cell 48:703-712), myosin light chain-2 gene control region which is active in skeletal muscle (Sani, 1985, Nature 314:283-286), and gonadotropic releasing hormone gene
 15 control region which is active in the hypothalamus (Mason *et al.*, 1986, Science 234:1372-1378).

A wide variety of host/expression vector combinations may be employed in expressing the DNA sequences of this invention. Useful expression vectors, for example, may consist of segments of chromosomal, non-chromosomal and synthetic DNA sequences.
 20 Suitable vectors include derivatives of SV40 and known bacterial plasmids, *e.g.*, *E. coli* plasmids col El, pCR1, pBR322, pMal-C2, pET, pGEX [Smith *et al.*, 1988, Gene 67:31-40], pMB9 and their derivatives, plasmids such as RP4; phage DNAs, *e.g.*, the numerous derivatives of phage λ , *e.g.*, NM989, and other phage DNA, *e.g.*, M13 and filamentous single stranded phage DNA; yeast plasmids such as the 2 μ plasmid or derivatives thereof; vectors
 25 useful in eukaryotic cells, such as vectors useful in insect or mammalian cells; vectors derived from combinations of plasmids and phage DNAs, such as plasmids that have been modified to employ phage DNA or other expression control sequences; and the like known in the art.

In addition to the preferred sequencing analysis, expression vectors containing an HCV variant DNA clone of the invention can be identified by four general approaches: (a)
 30 PCR amplification of the desired plasmid DNA or specific mRNA, (b) nucleic acid hybridization, (c) presence or absence of selection marker gene functions, (d) analysis with appropriate restriction endonucleases and (e) expression of inserted sequences. In the first approach, the nucleic acids can be amplified by PCR to provide for detection of the amplified product. In the second approach, the presence of nucleic acids in an expression vector can be
 35 detected by nucleic acid hybridization using probes comprising sequences that are

homologous to the HCV variant DNA. In the third approach, the recombinant vector/host system can be identified and selected based upon the presence or absence of certain "selection marker" gene functions (*e.g.*, β -galactosidase activity, thymidine kinase activity, resistance to antibiotics, transformation phenotype, occlusion body formation in baculovirus, etc.) caused by the insertion of foreign genes in the vector. In the fourth approach, recombinant expression vectors are identified by digestion with appropriate restriction enzymes. In the fifth approach, recombinant expression vectors can be identified by assaying for the activity, biochemical, or immunological characteristics of the gene product expressed by the recombinant, *e.g.*, HCV RNA, HCV virions, or HCV viral proteins.

For example, in a baculovirus expression systems, both non-fusion transfer vectors, such as but not limited to pVL941 (*Bam*HI cloning site; Summers), pVL1393 (*Bam*HI, *Sma*I, *Xba*I, *Eco*RI, *Not*I, *Xma*III, *Bgl*II, and *Pst*I cloning site; Invitrogen), pVL1392 (*Bgl*II, *Pst*I, *Not*I, *Xma*III, *Eco*RI, *Xba*I, *Sma*I, and *Bam*HI cloning site; Summers and Invitrogen), and pBlueBacIII (*Bam*HI, *Bgl*II, *Pst*I, *Nco*I, and *Hind*III cloning site, with blue/white recombinant screening possible; Invitrogen), and fusion transfer vectors, such as but not limited to pAc700 (*Bam*HI and *Kpn*I cloning site, in which the *Bam*HI recognition site begins with the initiation codon; Summers), pAc701 and pAc702 (same as pAc700, with different reading frames), pAc360 (*Bam*HI cloning site 36 base pairs downstream of a polyhedrin initiation codon; Invitrogen(195)), and pBlueBacHisA, B, C (three different reading frames, with *Bam*HI, *Bgl*II, *Pst*I, *Nco*I, and *Hind*III cloning site, an N-terminal peptide for ProBond purification, and blue/white recombinant screening of plaques; Invitrogen) can be used.

Examples of mammalian expression vectors contemplated for use in the invention include vectors with inducible promoters, such as the dihydrofolate reductase (DHFR) promoter, *e.g.*, any expression vector with a *DHFR* expression vector, or a *DHFR*/methotrexate co-amplification vector, such as pED (*Pst*I, *Sal*I, *Sba*I, *Sma*I, and *Eco*RI cloning site, with the vector expressing both the cloned gene and DHFR); [*see* Kaufman, *Current Protocols in Molecular Biology*, 16.12 (1991)]. Alternatively, a glutamine synthetase/methionine sulfoximine co-amplification vector, such as pEE14 (*Hind*III, *Xba*I, *Sma*I, *Sba*I, *Eco*RI, and *Bcl*I cloning site, in which the vector expresses glutamine synthase and the cloned gene; Celltech). In another embodiment, a vector that directs episomal expression under control of Epstein Barr Virus (EBV) can be used, such as pREP4 (*Bam*HI, *Sfi*I, *Xho*I, *Not*I, *Nhe*I, *Hind*III, *Nhe*I, *Pvu*II, and *Kpn*I cloning site, constitutive RSV-LTR promoter, hygromycin selectable marker; Invitrogen), pCEP4 (*Bam*HI, *Sfi*I, *Xho*I, *Not*I, *Nhe*I, *Hind*III, *Nhe*I, *Pvu*II, and *Kpn*I cloning site, constitutive hCMV immediate early gene, hygromycin selectable marker; Invitrogen), pMEP4 (*Kpn*I, *Pvu*I, *Nhe*I, *Hind*III, *Not*I, *Xho*I,

*Sfi*I, *Bam*HI cloning site, inducible methallothionein IIa gene promoter, hygromycin selectable marker; Invitrogen), pREP8 (*Bam*HI, *Xho*I, *Not*I, *Hind*III, *Nhe*I, and *Kpn*I cloning site, RSV-LTR promoter, histidinol selectable marker; Invitrogen), pREP9 (*Kpn*I, *Nhe*I, *Hind*III, *Not*I, *Xho*I, *Sfi*I, and *Bam*HI cloning site, RSV-LTR promoter, G418 selectable marker; Invitrogen), and pEBVHis (RSV-LTR promoter, hygromycin selectable marker, N-terminal peptide purifiable via ProBond resin and cleaved by enterokinase; Invitrogen). Regulatable mammalian expression vectors, can be used, such as Tet and rTet [Gossen and Bujard, *Proc. Natl. Acad. Sci. USA* 89:5547-51 (1992); Gossen *et al.*, *Science* 268:1766-1769 (1995)]. Selectable mammalian expression vectors for use in the invention include pRc/CMV (*Hind*III, *Bst*XI, *Not*I, *Sba*I, and *Apa*I cloning site, G418 selection; Invitrogen), pRc/RSV (*Hind*III, *Spe*I, *Bst*XI, *Not*I, *Xba*I cloning site, G418 selection; Invitrogen), and others. Vaccinia virus mammalian expression vectors [see, Kaufman (1991) *supra*] for use according to the invention include but are not limited to pSC11 (*Sma*I cloning site, TK- and β -gal selection), pMJ601 (*Sal*I, *Sma*I, *Afl*I, *Nar*I, *Bsp*MII, *Bam*HI, *Apa*I, *Nhe*I, *Sac*II, *Kpn*I, and *Hind*III cloning site; TK- and β -gal selection), and pTKgptF1S (*Eco*RI, *Pst*I, *Sal*I, *Acc*I, *Hind*II, *Sba*I, *Bam*HI, and *Hpa* cloning site, TK or XPRT selection).

Examples of yeast expression systems include the non-fusion pYES2 vector (*Xba*I, *Sph*I, *Sho*I, *Not*I, *Gst*XI, *Eco*RI, *Bst*XI, *Bam*HI, *Sac*I, *Kpn*I, and *Hind*III cloning site; Invitrogen) or the fusion pYESHisA, B, C (*Xba*I, *Sph*I, *Sho*I, *Not*I, *Bst*XI, *Eco*RI, *Bam*HI, *Sac*I, *Kpn*I, and *Hind*III cloning site, N-terminal peptide purified with ProBond resin and cleaved with enterokinase; Invitrogen), to mention just two, can be employed according to the invention.

In addition, a host cell strain may be chosen that modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Different host cells have characteristic and specific mechanisms for the translational and post-translational processing and modification (e.g., glycosylation, cleavage [e.g., of signal sequence]) of proteins. Expression in yeast can produce a glycosylated product. Expression in eukaryotic cells can increase the likelihood of "native" glycosylation and folding of an HCV protein. Moreover, expression in mammalian cells can provide a tool for reconstituting, or constituting, native HCV virions or virus particle proteins.

A variety of transfection methods, useful for other RNA virus studies, can be utilized herein without undue experimentation. Examples include microinjection, cell fusion, calcium-phosphate cationic liposomes such as lipofectin [Rice *et al.*, *New Biol.* 1:285-296 (1989); see "HCV-based Gene Expression Vectors", *infra*], DE-dextran [Rice *et al.*, *J. Virol.* 61: 3809-3819 (1987)], and electroporation [Bredenbeek *et al.*, *J. Virol.* 67: 6439-6446

(1993); Liljeström *et al.*, *J. Virol.* 65: 4107-4113 (1991)]. Scrape loading [Kumar *et al.*, *Biochem. Mol. Biol. Int.* 32: 1059-1066 (1994)] and ballistic methods [Burkholder *et al.*, *J. Immunol. Meth.* 165: 149-156 (1993)] may also be considered for cell types refractory to transfection by these other methods. A DNA vector transporter may be considered [see, *e.g.*,
5 Wu *et al.*, 1992, *J. Biol. Chem.* 267:963-967; Wu and Wu, 1988, *J. Biol. Chem.* 263:14621-14624; Hartmut *et al.*, Canadian Patent Application No. 2,012,311, filed March 15, 1990].

In Vitro Transfection With HCV Variants

Identification of cell lines supporting HCV replication. An important aspect of the
10 invention is a method it provides for developing new and more effective anti-HCV therapy by conferring the ability to evaluate the efficacy of different therapeutic strategies using an authentic and standardized *in vitro* HCV variant replication system. Such assays are invaluable before moving on to trials using rare and valuable experimental animals, such as the chimpanzee, or HCV-infected human patients. The adaptive variants of the invention are
15 particularly useful for this work because their growth in culture and their ability to withstand subpassage is superior to wild-type strains. Also, the replicons disclosed herein are useful because replication can be evaluated without the confounding effects of the structural proteins.

The HCV variant infectious clone technology can also be used to establish *in vitro*
20 and *in vivo* systems for analysis of HCV replication and packaging. These include, but are not restricted to, (i) identification or selection of permissive cell types (for RNA replication, virion assembly and release); (ii) investigation of cell culture parameters (*e.g.*, varying culture conditions, cell activation, etc.) or selection of adaptive mutations that increase the efficiency of HCV replication in cell cultures; and (iii) definition of conditions for efficient production
25 of infectious HCV variant particles (either released into the culture supernatant or obtained after cell disruption). These and other readily apparent extensions of the invention have broad utility for HCV therapeutic, vaccine, and diagnostic development.

General approaches for identifying permissive cell types are outlined below. Optimal methods for RNA transfection (see also, *supra*) vary with cell type and are determined using
30 RNA reporter constructs. These include, for example, the bicistronic replicons disclosed *supra* and in the Examples, and bicistronic virus [Wang *et al.*, *J. Virol.* 67: 3338-44 (1993)] with the structure 5'-CAT-HCV IRES-LUC-3'. These HCV variants are used both to optimize transfection conditions (using, *e.g.*, by measuring β -galactosidase or CAT [chloramphenicol acetyltransferase] activity to determine transfection efficiency) and to
35 determine if the cell type is permissive for HCV IRES-mediated translation (*e.g.*, by

measuring LUC; luciferase activity). For actual HCV RNA transfection experiments, cotransfection with a 5' capped luciferase reporter RNA [Wang *et al.*, (1993) *supra*] provides an internal standard for productive transfection and translation. Examples of cell types potentially permissive for HCV replication include, but are not restricted to, primary human
5 cells (*e.g.*, hepatocytes, T-cells, B-cells, foreskin fibroblasts) as well as continuous human cell lines (*e.g.*, HepG2, Huh7, HUT78, HPB-Ma, MT-2, MT-2C, and other HTLV-1 and HTLV-II infected T-cell lines, Namalawa, Daudi, EBV-transformed LCLs). In addition, cell lines of other species, especially those which are readily transfected with RNA and permissive for replication of flaviviruses or pestiviruses (*e.g.*, SW-13, Vero, BHK-21, COS, PK-15, MBCK,
10 etc.), can be tested. Cells are transfected using a method as described *supra*.

For replication assays, RNA transcripts are prepared using the HCV variant and the corresponding non-functional, *e.g.*, Δ GDD (see Examples) derivative as a negative control, for persistence of HCV RNA and antigen in the absence of productive replication. Template DNA (which complicates later analyses) is removed by repeated cycles of DNaseI treatment
15 and acid phenol extraction followed by purification by either gel electrophoresis or gel filtration, to preferably achieve less than one molecule of amplifiable DNA per 10^9 molecules of transcript RNA. DNA-free RNA transcripts are mixed with LUC reporter RNA and used to transfect cell cultures using optimal conditions determined above. After recovery of the cells, RNaseA is added to the media to digest excess input RNA and the cultures incubated
20 for various periods of time. An early timepoint (~1 day post-transfection) will be harvested and analyzed for LUC activity (to verify productive transfection) and positive-strand RNA levels in the cells and supernatant (as a baseline). Samples are collected periodically for 2-3 weeks and assayed for positive-strand RNA levels by QC-RT/PCR [*see* Kolykhalov *et al.*, (1996) *supra*]. Cell types showing a clear and reproducible difference between the intact
25 infectious transcript and the non-functional derivative, *e.g.*, Δ GDD deletion, control can be subjected to more thorough analyses to verify authentic replication. Such assays include measurement of negative-sense HCV RNA accumulation by QC-RT/PCR [Gunji *et al.*, (1994) *supra*; Lanford *et al.*, *Virology* 202: 606-14 (1994)], Northern-blot hybridization, or metabolic labeling [Yoo *et al.*, (1995) *supra*] and single cell methods, such as *in situ*
30 hybridization [ISH; Gowans *et al.*, In "Nucleic Acid Probes" (R. H. Symons, Eds.), Vol. pp. 139-158. CRC Press, Boca Raton. (1989)], *in situ* PCR [followed by ISH to detect only HCV-specific amplification products; Haase *et al.*, *Proc. Natl. Acad. Sci. USA* 87: 4971-4975 (1990)], and immunohistochemistry.

HCV particles for studying virus-receptor interactions. In combination with the
35 identification of cell lines that are permissive for HCV replication, defined HCV variant

stocks can be used to evaluate the interaction of the HCV with cellular receptors. Assays can be set up which measure binding of the virus to susceptible cells or productive infection, and then used to screen for inhibitors of these processes.

Identification of cell lines for characterization of HCV receptors. Cell lines
5 permissive for HCV RNA replication, as assayed by RNA transfection, can be screened for their ability to be infected by the virus using the HCV variants of the present invention. Cell lines permissive for RNA replication but which cannot be infected by the homologous virus may lack one or more host receptors required for HCV binding and entry. Such cells provide valuable tools for (i) functional identification and molecular cloning of HCV receptors and
10 co-receptors; (ii) characterization of virus-receptor interactions; and (iii) developing assays to screen for compounds or biologics (*e.g.*, antibodies, SELEX RNAs [Bartel and Szostak, *In "RNA-protein interactions"* (K. Nagai and I. W. Mattaj, Eds.), Vol. pp. 82-102. IRL Press, Oxford (1995); Gold *et al.*, *Annu. Rev. Biochem.* 64: 763-797 (1995)], etc.) that inhibit these interactions. Once defined in this manner, these HCV receptors serve not only as therapeutic
15 targets but may also be expressed in transgenic animals rendering them susceptible to HCV infection [Koike *et al.*, *Dev Biol Stand* 78: 101-7 (1993); Ren and Racaniello, *J Virol* 66: 296-304 (1992)]. Such transgenic animal models supporting HCV replication and spread have important applications for evaluating anti-HCV drugs.

The ability to manipulate the HCV glycoprotein structure may also be used to create
20 HCV variants with altered receptor specificity. In one example, HCV glycoproteins can be modified to express a heterologous binding domain for a known cell surface receptor. The approach should allow the engineering of HCV derivatives with altered tropism and perhaps extend infection to non-chimeric small animal models.

Alternative approaches for identifying permissive cell lines. As previously discussed,
25 and as exemplified in the Examples, functional HCV variants can be engineered that comprise selectable markers for HCV replication. For instance, genes encoding dominant selectable markers can be expressed as part of the HCV polyprotein, or as separate cistrons located in permissive regions of the HCV RNA genome.

30 Animal Models for HCV Infection and Replication

In addition to chimpanzees, the present invention permits development of alternative animal models for studying HCV replication and evaluating novel therapeutics. Using clones of the authentic HCV variants described in this invention as starting material, multiple approaches can be envisioned for establishing alternative animal models for HCV replication.
35 In one manifestation, the variants could be used to inoculate immunodeficient mice harboring

human tissues capable of supporting HCV replication. An example of this art is the SCID:Hu mouse, where mice with a severe combined immunodeficiency are engrafted with various human (or chimpanzee) tissues, which could include, but are not limited to, fetal liver, adult liver, spleen, or peripheral blood mononuclear cells. Besides SCID mice, normal irradiated mice can serve as recipients for engraftment of human or chimpanzee tissues. These chimeric animals would then be substrates for HCV replication after either *ex vivo* or *in vivo* infection with defined virus-containing inocula.

In another manifestation, adaptive mutations allowing HCV replication in alternative species may produce variants that are permissive for replication in these animals. For instance, adaptation of HCV for replication and spread in either continuous rodent cell lines or primary tissues (such as hepatocytes) could enable the virus to replicate in small rodent models. Alternatively, complex libraries of HCV variants created by DNA shuffling [Stemmer, *Proc. Natl. Acad. Sci. USA* 91:10747 (1994)] or other methods known in the art can be created and used for inoculation of potentially susceptible animals. Such animals could be either immunocompetent or immunodeficient, as described above.

The functional activity of HCV variants can be evaluated transgenically. In this respect, a transgenic mouse model can be used [see, e.g., Wilmut *et al.*, *Experientia* 47:905 (1991)]. The HCV RNA or DNA clone can be used to prepare transgenic vectors, including viral vectors, plasmid or cosmid clones (or phage clones). Cosmids may be introduced into transgenic mice using published procedures [Jaenisch, *Science*, 240:1468-1474 (1988)]. In the preparation of transgenic mice, embryonic stem cells are obtained from blastocyst embryos [Joyner, *In Gene Targeting: A Practical Approach. The Practical Approach Series*, Rickwood, D., and Hames, B. D., Eds., IRL Press: Oxford (1993)] and transfected with HCV variant DNA or RNA. Transfected cells are injected into early embryos, e.g., mouse embryos, as described [Hammer *et al.*, *Nature* 315:680 (1985); Joyner, *supra*]. Various techniques for preparation of transgenic animals have been described [U.S. Patent No. 5,530,177, issued June 25, 1996; U.S. Patent No. 5,898,604, issued December 31, 1996]. Of particular interest are transgenic animal models in which the phenotypic or pathogenic effects of a transgene are studied. For example, the effects of a rat phosphoenolpyruvate carboxykinase-bovine growth hormone fusion gene has been studied in pigs [Wieghart *et al.*, *J. Reprod. Fert., Suppl.* 41:89-96 (1996)]. Transgenic mice that express of a gene encoding a human amyloid precursor protein associated with Alzheimer's disease are used to study this disease and other disorders [International Patent Publication WO 96/06927, published March 7, 1996; Quon *et al.*, *Nature* 352:239 (1991)]. Transgenic mice have also been created for the hepatitis delta agent [Polo *et al.*, *J. Virol.* 69:5203 (1995)] and for hepatitis B virus [Chisari,

Curr. Top. Microbiol. Immunol. 206:149 (1996)], and replication occurs in these engineered animals.

Thus, the functional HCV variants described here, or parts thereof, can be used to create transgenic models relevant to HCV replication and pathogenesis. In one example, transgenic animals harboring the entire genome of an HCV variant can be created. Appropriate constructs for transgenic expression of the entire HCV variant genome in a transgenic mouse of the invention could include a nuclear promoter engineered to produce transcripts with the appropriate 5' terminus, the full-length HCV variant cDNA sequence, a cis-cleaving delta ribozyme [Ball, *J. Virol.* 66: 2335-2345 (1992); Pattnaik *et al.*, *Cell* 69: 1011-1020 (1992)] to produce an authentic 3' terminus, followed possibly by signals that promote proper nuclear processing and transport to the cytoplasm (where HCV RNA replication occurs). Besides the entire HCV variant genome, animals can be engineered to express individual or various combinations of HCV proteins and RNA elements. For example, animals engineered to express an HCV gene product or reporter gene under the control of the HCV IRES can be used to evaluate therapies directed against this specific RNA target. Similar animal models can be envisioned for most known HCV targets.

Such alternative animal models are useful for (i) studying the effects of different antiviral agents on replication of HCV variants, including replicons, in a whole animal system; (ii) examining potential direct cytotoxic effects of HCV gene products on hepatocytes and other cell types, defining the underlying mechanisms involved, and identifying and testing strategies for therapeutic intervention; and (iii) studying immune-mediated mechanisms of cell and tissue damage relevant to HCV pathogenesis and identifying and testing strategies for interfering with these processes.

Selection and Analysis of Drug-Resistant Variants

Cell lines and animal models supporting HCV replication can be used to examine the emergence of HCV variants with resistance to existing and novel therapeutics. Like all RNA viruses, the HCV replicase is presumed to lack proofreading activity and RNA replication is therefore error prone, giving rise to a high level of variation [Bukh *et al.*, (1995) *supra*]. The variability manifests itself in the infected patient over time and in the considerable diversity observed between different isolates. The emergence of drug-resistant variants is likely to be an important consideration in the design and evaluation of HCV mono and combination therapies. HCV replication systems of the invention can be used to study the emergence of variants under various therapeutic formulations. These might include monotherapy or various combination therapies (e.g., IFN- α , ribavirin, and new antiviral compounds). Resistant

mutants can then be used to define the molecular and structural basis of resistance and to evaluate new therapeutic formulations, or in screening assays for effective anti-HCV drugs (*infra*).

5

Screening For Anti-HCV Agents

HCV-permissive cell lines or animal models (preferably rodent models) comprising adaptive HCV variants can be used to screen for novel inhibitors or to evaluate candidate anti-HCV therapies. Such therapies include, but would not be limited to, (i) antisense oligonucleotides or ribozymes targeted to conserved HCV RNA targets; (ii) injectable compounds capable of inhibiting HCV replication; and (iii) orally bioavailable compounds capable of inhibiting HCV replication. Targets for such formulations include, but are not restricted to, (i) conserved HCV RNA elements important for RNA replication and RNA packaging; (ii) HCV-encoded enzymes; (iii) protein-protein and protein-RNA interactions important for HCV RNA replication, virus assembly, virus release, viral receptor binding, viral entry, and initiation of viral RNA replication; (iv) virus-host interactions modulating the ability of HCV to establish chronic infections; (v) virus-host interactions modulating the severity of liver damage, including factors affecting apoptosis and hepatotoxicity; (vi) virus-host interactions leading to the development of more severe clinical outcomes including cirrhosis and hepatocellular carcinoma; and (vii) virus-host interactions resulting in other, less frequent, HCV-associated human diseases.

10
15
20

Evaluation of antisense and ribozyme therapies. The present invention extends to the preparation of antisense nucleotides and ribozymes that may be tested for the ability to interfere with HCV replication. This approach utilizes antisense nucleic acid and ribozymes to block translation of a specific mRNA, either by masking that mRNA with an antisense nucleic acid or cleaving it with a ribozyme.

25

Antisense nucleic acids are DNA or RNA molecules that are complementary to at least a portion of a specific mRNA molecule. Reviews of antisense technology include: Baertschi, *Mol. Cell. Endocrinol.* 101:R15-R24 (1994); Crooke et al., *Annu. Rev. Pharmacol. Toxicol.* 36:107-129 (1996); Alama et al., *Pharmacol. Res.* 36:171-178; and Boyer et al., *J. Hepatol.* 32(1 Suppl):98-112(2000). The last review discusses antisense technology as it applies to HCV.

30

In the cell, they hybridize to that mRNA, forming a double stranded DNA:RNA or RNA:RNA molecule. The cell does not translate an mRNA in this double-stranded form. Therefore, antisense nucleic acids interfere with the expression of mRNA into protein. Oligomers of about fifteen nucleotides and molecules that hybridize to the AUG initiation

35

codon will be particularly efficient, since they are easy to synthesize and are likely to pose fewer problems than larger molecules when introducing them into organ cells. Antisense methods have been used to inhibit the expression of many genes *in vitro*. Preferably synthetic antisense nucleotides contain phosphoester analogs, such as phosphorothiolates, or thioesters, rather than natural phosphoester bonds. Such phosphoester bond analogs are more resistant to degradation, increasing the stability, and therefore the efficacy, of the antisense nucleic acids.

In the genetic antisense approach, expression of the wild-type allele is suppressed because of expression of antisense RNA. This technique has been used to inhibit TK synthesis in tissue culture and to produce phenotypes of the *Kruppel* mutation in *Drosophila*, and the *Shiverer* mutation in mice [Izant *et al.*, *Cell*, 36:1007-1015 (1984); Green *et al.*, *Annu. Rev. Biochem.*, 55:569-597 (1986); Katsuki *et al.*, *Science*, 241:593-595 (1988)]. An important advantage of this approach is that only a small portion of the gene need be expressed for effective inhibition of expression of the entire cognate mRNA. The antisense transgene will be placed under control of its own promoter or another promoter expressed in the correct cell type, and placed upstream of the SV40 polyA site.

Ribozymes are RNA molecules possessing the ability to specifically cleave other single stranded RNA molecules in a manner somewhat analogous to DNA restriction endonucleases. Ribozymes were discovered from the observation that certain mRNAs have the ability to excise their own introns. By modifying the nucleotide sequence of these RNAs, researchers have been able to engineer molecules that recognize specific nucleotide sequences in an RNA molecule and cleave it. Recent reviews include Shippy *et al.*, *Mol. Biotechnol.* 12:117-129 (1999); Schmidt, *Mol. Cells* 9:459-463 (1999); Phylactou *et al.*, *Meth. Enzymol.* 313:485-506 (2000); Oketani *et al.*, *J. Hepatol.* 31:628-634 (1999); Macejak *et al.*, *Hepatology* 31:769-776 (2000). The last two references disclose the use of ribozymes for inhibiting HCV. Because they are sequence-specific, only mRNAs with particular sequences are inactivated.

Investigators have identified two types of ribozymes, *Tetrahymena*-type and "hammerhead"-type. *Tetrahymena*-type ribozymes recognize four-base sequences, while "hammerhead"-type recognize eleven- to eighteen-base sequences. The longer the recognition sequence, the more likely it is to occur exclusively in the target mRNA species. Therefore, hammerhead-type ribozymes are preferable to *Tetrahymena*-type ribozymes for inactivating a specific mRNA species, and eighteen base recognition sequences are preferable to shorter recognition sequences.

Screening compound libraries for anti-HCV activity. Various natural product or synthetic libraries can be screened for anti-HCV activity in the *in vitro* or *in vivo* models

comprising HCV variants as provided by the invention. One approach to preparation of a combinatorial library uses primarily chemical methods, of which the Geysen method [Geysen *et al.*, *Molecular Immunology* 23:709-715 (1986); Geysen *et al.*, *J. Immunologic Method* 102:259-274 (1987)] and the method of Fodor *et al.* [*Science* 251:767-773 (1991)] are examples. Furka *et al.* [14th International Congress of Biochemistry, Volume 5, Abstract FR:013 (1988); Furka, *Int. J. Peptide Protein Res.* 37:487-493 (1991)], Houghton [U.S. Patent No. 4,631,211, issued December 1986] and Rutter *et al.* [U.S. Patent No. 5,010,175, issued April 23, 1991] describe methods to produce a mixture of peptides that can be tested for anti-HCV activity.

10 In another aspect, synthetic libraries [Needels *et al.*, *Proc. Natl. Acad. Sci. USA* 90:10700-4 (1993); Ohlmeyer *et al.*, *Proc. Natl. Acad. Sci. USA* 90:10922-10926 (1993); Lam *et al.*, International Patent Publication No. WO 92/00252; Kocis *et al.*, International Patent Publication No. WO 9428028], and the like can be used to screen for anti-HCV compounds according to the present invention. The references describe adaption of the library screening techniques in biological assays.

15 *Defined/engineered HCV variant virus particles for neutralization assays.* The variants described herein can be used to produce defined stocks of HCV particles for infectivity and neutralization assays. Homogeneous stocks can be produced in the chimpanzee model, in cell culture systems, or using various heterologous expression systems (e.g., baculovirus, yeast, mammalian cells; see *supra*). These stocks can be used in cell culture or *in vivo* assays to define molecules or gene therapy approaches capable of neutralizing HCV particle production or infectivity. Examples of such molecules include, but are not restricted to, polyclonal antibodies, monoclonal antibodies, artificial antibodies with engineered/optimized specificity, single-chain antibodies (see the section on antibodies, *infra*), nucleic acids or derivatized nucleic acids selected for specific binding and neutralization, small orally bioavailable compounds, etc. Such neutralizing agents, targeted to conserved viral or cellular targets, can be either genotype or isolate-specific or broadly cross-reactive. They could be used either prophylactically or for passive immunotherapy to reduce viral load and perhaps increase the chances of more effective treatment in combination with other antiviral agents (e.g., IFN- α , ribavirin, etc.). Directed manipulation of HCV infectious clones can also be used to produce HCV stocks with defined changes in the glycoprotein hypervariable regions or in other epitopes to study mechanisms of antibody neutralization, CTL recognition, immune escape and immune enhancement. These studies will lead to identification of other virus-specific functions for anti-viral therapy.

Dissection of HCV Replication

Other HCV replication assays. This invention allows directed molecular genetic dissection of HCV replication. Such analyses are expected to (i) validate antiviral targets which are currently being pursued; and (ii) uncover unexpected new aspects of HCV replication amenable to therapeutic intervention. Targets for immediate validation through mutagenesis studies include the following: the 5' NTR, the HCV polyprotein and cleavage products, and the 3' NTR. As described above, analyses using the HCV variants and permissive cell cultures can be used to compare parental and mutant replication phenotypes after transfection of cell cultures with infectious RNA. Even though RT-PCR allows sensitive detection of viral RNA accumulation, mutations which decrease the efficiency of RNA replication may be difficult to analyze, unless conditional mutations are recovered. As a complement to first cycle analyses, *trans*-complementation assays can be used to facilitate analysis of HCV mutant phenotypes and inhibitor screening. Chimeric variants comprising portions of heterologous systems (vaccinia, Sindbis, or non-viral) can be used to drive expression of the HCV RNA replicase proteins and/or packaging machinery [see Lemm and Rice, *J. Virol.* 67: 1905-1915 (1993a); Lemm and Rice, *J. Virol.* 67: 1916-1926 (1993b); Lemm *et al.*, *EMBO J.* 13: 2925-2934 (1994); Li *et al.*, *J. Virol.* 65: 6714-6723 (1991)]. If these elements are capable of functioning in *trans*, then co-expression of RNAs with appropriate *cis*-elements should result in RNA replication/packaging. Such systems therefore mimic steps in authentic RNA replication and virion assembly, but uncouple production of viral components from HCV replication. If HCV replication is somehow self-limiting, heterologous systems may drive significantly higher levels of RNA replication or particle production, facilitating analysis of mutant phenotypes and antiviral screening. A third approach is to devise cell-free systems for HCV template-dependent RNA replication. A coupled translation/replication and assembly system has been described for poliovirus in HeLa cells [Barton and Flanagan, *J. Virol.* 67: 822-831 (1993); Molla *et al.*, *Science* 254: 1647-1651 (1991)], and a template-dependent *in vitro* assay for initiation of negative-strand synthesis has been established for Sindbis virus. Similar *in vitro* systems using HCV variants are invaluable for studying many aspects of HCV replication as well as for inhibitor screening and evaluation. An example of each of these strategies follows.

Trans-complementation of HCV RNA replication and/or packaging using viral or non-viral expression systems. Heterologous systems can be used to drive HCV replication. For example, the vaccinia/T7 cytoplasmic expression system has been extremely useful for trans-complementation of RNA virus replicase and packaging functions [see Ball, (1992) *supra*; Lemm and Rice, (1993a) *supra*; Lemm and Rice, (1993b) *supra*; Lemm *et al.*, (1994)

supra; Pattnaik *et al.*, (1992) *supra*; Pattnaik *et al.*, *Virology* 206: 760-4 (1995); Porter *et al.*, *J. Virol.* 69: 1548-1555 (1995)]. In brief, a vaccinia recombinant (vTF7-3) is used to express T7 RNA polymerase (T7RNApol) in the cell type of interest. Target cDNAs, positioned downstream from the T7 promoter, are delivered either as vaccinia recombinants or by plasmid transfection. This system leads to high level RNA and protein expression. A variation of this approach, which obviates the need for vaccinia (which could interfere with HCV RNA replication or virion formation), is the pT7T7 system where the T7 promoter drives expression of T7RNApol [Chen *et al.*, *Nucleic Acids Res.* 22: 2114-2120. (1994)]. pT7T7 is mixed with T7RNApol (the protein) and co-transfected with the T7-driven target plasmid of interest. Added T7RNApol initiates transcription, leading to its own production and high level expression of the target gene. Using either approach, RNA transcripts of variants with precise 5' and 3' termini can be produced using the T7 transcription start site (5') and the cis-cleaving HCV ribozyme (Rz) (3') [Ball, (1992) *supra*; Pattnaik *et al.*, (1992) *supra*].

These or similar expression systems can be used to establish assays for HCV RNA replication and particle formation using HCV variants, and for evaluation of compounds which might inhibit these processes. T7-driven protein expression constructs and full-length HCV variants incorporating the HCV ribozyme following the 3' NTR can also be used. A typical experimental plan to validate the assay as described for pT7T7, although essentially similar assays can be envisioned using vTF7-3 or cell lines expressing the T7 RNA polymerase. HCV-permissive cells are co-transfected with pT7T7+T7RNApol+p90/HCVFL long pU Rz (or a negative control, such as ΔGDD). At different times post-transfection, accumulation of HCV proteins and RNAs, driven by the pT7T7 system, are followed by Western and Northern blotting, respectively. To assay for HCV-specific replicase function, actinomycin D is added to block DNA-dependent T7 transcription [Lemm and Rice, (1993a), *supra*] and actinomycin D-resistant RNA synthesis is monitored by metabolic labeling. Radioactivity will be incorporated into full-length HCV RNAs for p90/HCVFL long pU/Rz, but not for p90/HCVFLΔGDD/Rz. Using HCV variants of the invention, this assay system, or elaborated derivatives, can be used to screen for inhibitors and to study their effects on HCV RNA replication.

Cell-free systems for assaying HCV replication and inhibitors thereof. Cell-free assays for studying HCV RNA replication and inhibitor screening can also be established using the variants described in this invention. Either virion or transcribed RNAs are used as substrate RNA. For HCV, full-length HCV variant RNAs transcribed *in vitro* can be used to program such *in vitro* systems and replication assayed essentially as described for poliovirus

[see Barton *et al.*, (1995) *supra*]. In case hepatocyte-specific or other factors are required for HCV variant RNA replication, the system can be supplemented with hepatocyte or other cell extracts, or alternatively, a comparable system can be established using cell lines which have been shown to be permissive for replication of the HCV variants.

5 One concern about this approach is that proper cell-free synthesis and processing of the HCV polyprotein must occur. Sufficient quantities of properly processed replicase components may be difficult to produce. To circumvent this problem, the T7 expression system can be used to express high levels of HCV replicase components in appropriate cells [see Lemm *et al.*, (1997) *supra*]. P15 membrane fractions from these cells (with added
10 buffer, Mg^{2+} , an ATP regenerating system, and NTPs) should be able to initiate and synthesize full-length negative-strand RNAs upon addition of HCV-specific template RNAs.

 Establishment of either or both of the above assays allows rapid and precise analysis of the effects of HCV mutations, host factors, involved in replication and inhibitors of the various steps in HCV RNA replication. These systems will also establish the requirements
15 for helper systems for preparing replication-deficient HCV vectors.

Vaccination and Protective Immunity

There are still many unknown parameters that impact on development of effective HCV vaccines. It is clear in both man and the chimpanzee that some individuals can clear the
20 infection. Also, 10-20% of those treated with IFN or about twice this percentage treated with IFN and ribavirin show a sustained response as evidenced by lack of circulating HCV RNA. Other studies have shown a lack of protective immunity, as evidenced by successful reinfection with both homologous virus as well as with more distantly related HCV types [Farci *et al.*, (1992) *supra*; Prince *et al.*, (1992) *supra*]. Nonetheless, chimpanzees immunized
25 with subunit vaccines consisting of E1E2 oligomers and vaccinia recombinants expressing these proteins are partially protected against low dose challenges [Choo *et al.*, *Proc. Natl. Acad. Sci. USA* 91:1294 (1994)]. The HCV variant technology described in this invention has utility not only for basic studies aimed at understanding the nature of protective immune responses against HCV, but also for novel vaccine production methods.

30 Active immunity against HCV can be induced by immunization (vaccination) with an immunogenic amount of an attenuated or inactivated HCV variant virion, or HCV virus particle proteins, preferably with an immunologically effective adjuvant. An "immunologically effective adjuvant" is a material that enhances the immune response.

 Selection of an adjuvant depends on the subject to be vaccinated. Preferably, a
35 pharmaceutically acceptable adjuvant is used. For example, a vaccine for a human should

avoid oil or hydrocarbon emulsion adjuvants, including complete and incomplete Freund's adjuvant. One example of an adjuvant suitable for use with humans is alum (alumina gel). A vaccine for an animal, however, may contain adjuvants not appropriate for use with humans.

An alternative to a traditional vaccine comprising an antigen and an adjuvant involves the direct *in vivo* introduction of DNA or RNA encoding the antigen into tissues of a subject for expression of the antigen by the cells of the subject's tissue. Such vaccines are termed herein genetic vaccines, DNA vaccines, genetic vaccination, or nucleic acid-based vaccines. Methods of transfection as described above, such as DNA vectors or vector transporters, can be used for DNA vaccines.

DNA vaccines are described, e.g., in International Patent Publication WO 95/20660 and International Patent Publication WO 93/19183, the disclosures of which are hereby incorporated by reference in their entireties. The ability of directly injected DNA that encodes a viral protein or genome to elicit a protective immune response has been demonstrated in numerous experimental systems [Conry *et al.*, *Cancer Res.*, 54:1164-1168 (1994); Cox *et al.*, *Virol.*, 67:5664-5667 (1993); Davis *et al.*, *Hum. Mole. Genet.*, 2:1847-1851 (1993); Sedegah *et al.*, *Proc. Natl. Acad. Sci.*, 91:9866-9870 (1994); Montgomery *et al.*, *DNA Cell Bio.*, 12:777-783 (1993); Ulmer *et al.*, *Science*, 259:1745-1749 (1993); Wang *et al.*, *Proc. Natl. Acad. Sci.*, 90:4156-4160 (1993); Xiang *et al.*, *Virology*, 199:132-140 (1994)]. Studies to assess this strategy in neutralization of influenza virus have used both envelope and internal viral proteins to induce the production of antibodies, but in particular have focused on the viral hemagglutinin protein (HA) [Fynan *et al.*, *DNA Cell. Biol.*, 12:785-789 (1993A); Fynan *et al.*, *Proc. Natl. Acad. Sci.*, 90:11478-11482 (1993B); Robinson *et al.*, *Vaccine*, 11:957, (1993); Webster *et al.*, *Vaccine*, 12:1495-1498 (1994)].

Vaccination through directly injecting DNA or RNA that encodes a protein to elicit a protective immune response produces both cell-mediated and humoral responses. This is analogous to results obtained with live viruses [Raz *et al.*, *Proc. Natl. Acad. Sci.*, 91:9519-9523 (1994); Ulmer, 1993, *supra*; Wang, 1993, *supra*; Xiang, 1994, *supra*]. Studies with ferrets indicate that DNA vaccines against conserved internal viral proteins of influenza, together with surface glycoproteins, are more effective against antigenic variants of influenza virus than are either inactivated or subvirion vaccines [Donnelly *et al.*, *Nat. Medicine*, 6:583-587 (1995)]. Indeed, reproducible immune responses to DNA encoding nucleoprotein have been reported in mice that last essentially for the lifetime of the animal [Yankauckas *et al.*, *DNA Cell Biol.*, 12: 771-776 (1993)].

A vaccine of the invention can be administered via any parenteral route, including but not limited to intramuscular, intraperitoneal, intravenous, intraarterial (e.g., Ripatic artery)

and the like. Preferably, since the desired result of vaccination is to elucidate an immune response to HCV, administration directly, or by targeting or choice of a viral vector, indirectly, to lymphoid tissues, *e.g.*, lymph nodes or spleen. Since immune cells are continually replicating, they are ideal target for retroviral vector-based nucleic acid vaccines, since retroviruses require replicating cells.

Passive immunity can be conferred to an animal subject suspected of suffering an infection with HCV by administering antiserum, neutralizing polyclonal antibodies, or a neutralizing monoclonal antibody against HCV to the patient. Although passive immunity does not confer long-term protection, it can be a valuable tool for the treatment of an acute infection of a subject who has not been vaccinated. Preferably, the antibodies administered for passive immune therapy are autologous antibodies. For example, if the subject is a human, preferably the antibodies are of human origin or have been "humanized," in order to minimize the possibility of an immune response against the antibodies. In addition, genes encoding neutralizing antibodies can be introduced in vectors for expression *in vivo*, *e.g.*, in hepatocytes.

Antibodies for passive immune therapy. Preferably, HCV variant virions or virus particle proteins prepared as described above are used as an immunogen to generate antibodies that recognize HCV. The variants utilized should have wild-type coat. Such antibodies include but are not limited to polyclonal, monoclonal, chimeric, single chain, Fab fragments, and an Fab expression library. Various procedures known in the art may be used for the production of polyclonal antibodies to HCV. For the production of antibody, various host animals can be immunized by injection with the HCV virions or polypeptide, *e.g.*, as describe *infra*, including but not limited to rabbits, mice, rats, sheep, goats, etc. Various adjuvants may be used to increase the immunological response, depending on the host species, including but not limited to Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (*bacille Calmette-Guerin*) and *Corynebacterium parvum*.

For preparation of monoclonal antibodies directed toward HCV as described above, any technique that provides for the production of antibody molecules by continuous cell lines in culture may be used. These include but are not limited to the hybridoma technique originally developed by Kohler and Milstein [*Nature* 256:495-497 (1975)], as well as the trioma technique, the human B-cell hybridoma technique [Kozbor *et al.*, *Immunology Today* 4:72 1983]; Cote *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 80:2026-2030 (1983)], and the EBV-

hybridoma technique to produce human monoclonal antibodies [Cole *et al.*, in *Monoclonal Antibodies and Cancer Therapy*, Alan R. Liss, Inc., pp. 77-96 (1985)]. In an additional embodiment of the invention, monoclonal antibodies can be produced in germ-free animals [International Patent Publication No. WO 89/12690, published 28 December 1989]. In fact, according to the invention, techniques developed for the production of "chimeric antibodies" [Morrison *et al.*, *J. Bacteriol.* 159:870 (1984); Neuberger *et al.*, *Nature* 312:604-608 (1984); Takeda *et al.*, *Nature* 314:452-454 (1985)] by splicing the genes from a mouse antibody molecule specific for HCV together with genes from a human antibody molecule of appropriate biological activity can be used; such antibodies are within the scope of this invention. Such human or humanized chimeric antibodies are preferred for use in therapy of human diseases or disorders (described *infra*), since the human or humanized antibodies are much less likely than xenogenic antibodies to induce an immune response, in particular an allergic response, themselves.

According to the invention, techniques described for the production of single chain antibodies [U.S. Patent Nos. 5,476,786 and 5,132,405 to Huston; U.S. Patent 4,946,778] can be adapted to produce HCV-specific single chain antibodies. An additional embodiment of the invention utilizes the techniques described for the construction of Fab expression libraries [Huse *et al.*, *Science* 246:1275-1281 (1989)] to allow rapid and easy identification of monoclonal Fab fragments with the desired specificity.

Antibody fragments containing the idiotype of the antibody molecule can be generated by known techniques. For example, such fragments include but are not limited to: the F(ab')₂ fragment which can be produced by pepsin digestion of the antibody molecule; the Fab' fragments which can be generated by reducing the disulfide bridges of the F(ab')₂ fragment, and the Fab fragments which can be generated by treating the antibody molecule with papain and a reducing agent.

HCV particles for subunit vaccination. The functional HCV variants of the present invention can be used to produce HCV-like particles for vaccination. Proper glycosylation, folding, and assembly of HCV particles may be important for producing appropriately antigenic and protective subunit vaccines. Several methods can be used for particle production. They include engineering of stable cell lines for inducible or constitutive expression of HCV-like particles (using bacterial, yeast or mammalian cells), or the use of higher level eukaryotic heterologous expression systems such as recombinant baculoviruses, vaccinia viruses [Moss, *Proc. Natl. Acad. Sci. U.S.A.* 93: 11341-11348 (1996)], or alphaviruses [Frolov *et al.*, (1996) *supra*]. HCV particles for immunization may be purified from either the media or disrupted cells, depending upon their localization. Such purified

HCV particles or mixtures of particles representing a spectrum of HCV genotypes, can be injected with or without various adjuvants to enhance immunogenicity.

Infectious non-replicating HCV particles. In another manifestation, particles of HCV variants capable of receptor binding, entry, and translation of genome RNA can be produced.

5 Heterologous expression approaches for production of such particles include, but are not restricted to, *E. coli*, yeast, or mammalian cell lines, appropriate host cells infected or harboring recombinant baculoviruses, recombinant vaccinia viruses, recombinant alphaviruses or RNA replicons, or recombinant adenoviruses, engineered to express appropriate HCV RNAs and proteins. In one example, two recombinant baculoviruses are

10 engineered. One baculovirus expresses the HCV structural proteins (e.g. C-E1-E2-p7) required for assembly of HCV particles. A second recombinant expresses the entire HCV genome RNA, with precise 5' and 3' ends, except that a deletion, such as Δ GDD or GDD→AAG (see example 1), is included to inactivate the HCV NS5B RDRP. Other mutations abolishing productive HCV replication could also be utilized instead or in

15 combination. Cotransfection of appropriate host cells (Sf9, Sf21, etc.) with both recombinants will produce high levels of HCV structural proteins and genome RNA for packaging into HCV-like particles. Such particles can be produced at high levels, purified, and used for vaccination. Once introduced into the vaccinee, such particles will exhibit normal receptor binding and infection of HCV-susceptible cells. Entry will occur and the

20 genome RNA will be translated to produce all of the normal HCV antigens, except that further replication of the genome will be completely blocked given the inactivated NS5B polymerase. Such particles are expected to elicit effective CTL responses against structural and nonstructural HCV protein antigens. This vaccination strategy alone or preferably in conjunction with the subunit strategy described above can be used to elicit high levels of both

25 neutralizing antibodies and CTL responses to help clear the virus. A variety of different HCV genome RNA sequences can be utilized to ensure broadly cross-reactive and protective immune responses. In addition, modification of the HCV particles, either through genetic engineering, or by derivatization *in vitro*, could be used to target infection to cells most effective at eliciting protective and long lasting immune responses.

30 *Live-attenuated HCV derivatives.* The ability to manipulate the HCV genome RNA sequence and thereby produce mutants with altered pathogenicity provides a means of constructing live-attenuated HCV variants appropriate for vaccination. Such vaccine candidates express protective antigens but would be impaired in their ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.

Additionally, viruses propagated in cell culture frequently acquire mutations in their RNA genomes that display attenuated phenotypes *in vivo*, while still retaining their immunogenicity. Attenuated virus strains would be impaired in their ability to cause disease and establish chronic infections. Production of HCV variants adapted for tissue culture may represent potential candidates for live-attenuated vaccines. An attractive possibility is the production of HCV derivatives containing the deletion in NS5A described in this application as clone I (see Example 1). Such a variant is less likely to revert to wild type in the host.

HCV Variant-based Gene Expression Vectors

Some of the same properties of HCV leading to chronic liver infection of humans may also be of great utility for designing vectors for gene expression in cell culture systems, genetic vaccination, and gene therapy. The HCV variants described herein can be engineered to produce chimeric RNAs designed for the expression of heterologous gene products (RNAs and proteins). Strategies have been described above and elsewhere [Bredenbeek and Rice, (1992) *supra*; Frolov *et al.*, (1996) *supra*] and include, but are not limited to (i) in-frame fusion of the heterologous coding sequences with the HCV polyprotein; (ii) creation of additional cistrons in the HCV genome RNA; and (iii) inclusion of IRES elements to create multicistronic self-replicating HCV vector RNAs capable of expressing one or more heterologous genes (Figure 2). Functional HCV RNA backbones utilized for such vectors include, but are not limited to, (i) live-attenuated derivatives capable of replication and spread; (ii) RNA replication competent "dead end" derivatives lacking one or more viral components (*e.g.* the structural proteins) required for viral spread; (iii) mutant derivatives capable of high and low levels of HCV-specific RNA synthesis and accumulation; (iv) mutant derivatives adapted for replication in different human cell types; (v) engineered or selected mutant derivatives capable of prolonged noncytopathic replication in human cells. Vectors competent for RNA replication but not packaging or spread can be introduced either as naked RNA, DNA, or packaged into virus-like particles. Such virus-like particles can be produced as described above and composed of either unmodified or altered HCV virion components designed for targeted transfection of the hepatocytes or other human cell types. Alternatively, HCV RNA vectors can be encapsidated and delivered using heterologous viral packaging machineries or encapsulated into liposomes modified for efficient gene delivery. These packaging strategies, and modifications thereof, can be utilized to efficiently target HCV vector RNAs to specific cell types. Using methods detailed above, similar HCV-derived vector systems, competent for replication and expression in other species, can also be derived.

Various methods, *e.g.*, as set forth *supra* in connection with transfection of cells and DNA vaccines, can be used to introduce an HCV vector of the invention. Of primary interest is direct injection of functional HCV RNA or virions, *e.g.*, in the liver. Targeted gene delivery is described in International Patent Publication WO 95/28494, published October 5 1995. Alternatively, the vector can be introduced *in vivo* by lipofection. For the past decade, there has been increasing use of liposomes for encapsulation and transfection of nucleic acids *in vitro*. Synthetic cationic lipids designed to limit the difficulties and dangers encountered with liposome mediated transfection can be used to prepare liposomes for *in vivo* transfection of a gene encoding a marker [Felgner, *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 84:7413-7417 10 (1987); *see* Mackey, *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 85:8027-8031 (1988); Ulmer *et al.*, *Science* 259:1745-1748 (1993)]. The use of cationic lipids may promote encapsulation of negatively charged nucleic acids, and also promote fusion with negatively charged cell membranes [Felgner and Ringold, *Science* 337:387-388 (1989)]. The use of lipofection to introduce exogenous genes into the specific organs *in vivo* has certain practical advantages. 15 Molecular targeting of liposomes to specific cells represents one area of benefit. It is clear that directing transfection to particular cell types would be particularly advantageous in a tissue with cellular heterogeneity, such as pancreas, liver, kidney, and the brain. Lipids may be chemically coupled to other molecules for the purpose of targeting [*see* Mackey, *et al.*, *supra*]. Targeted peptides, *e.g.*, hormones or neurotransmitters, and proteins such as 20 antibodies, or non-peptide molecules could be coupled to liposomes chemically. Receptor-mediated DNA delivery approaches can also be used [Curiel *et al.*, *Hum. Gene Ther.* 3:147-154 (1992); Wu and Wu, *J. Biol. Chem.* 262:4429-4432 (1987)].

Examples of applications for gene therapy include, but are not limited to, (i) expression of enzymes or other molecules to correct inherited or acquired metabolic defects; 25 (ii) expression of molecules to promote wound healing; (iii) expression of immunomodulatory molecules to promote immune-mediated regression or elimination of human cancers; (iv) targeted expression of toxic molecules or enzymes capable of activating cytotoxic drugs in tumors; (v) targeted expression of anti-viral or anti-microbial agents in pathogen-infected cells. Various therapeutic heterologous genes can be inserted in a gene therapy vector of the 30 invention, such as but not limited to adenosine deaminase (ADA) to treat severe combined immunodeficiency (SCID); marker genes or lymphokine genes into tumor infiltrating (TIL) T cells [Kasis *et al.*, *Proc. Natl. Acad. Sci. U.S.A.* 87:473 (1990); Culver *et al.*, *ibid.* 88:3155 (1991)]; genes for clotting factors such as Factor VIII and Factor IX for treating hemophilia [Dwarki *et al.*, *Proc. Natl. Acad. Sci. USA*, 92:1023-1027 (1995); Thompson, *Thromb. and* 35 *Haemostatis*, 66:119-122 (1991)]; and various other well known therapeutic genes such as,

but not limited to, β -globin, dystrophin, insulin, erythropoietin, growth hormone, glucocerebrosidase, β -glucuronidase, α -antitrypsin, phenylalanine hydroxylase, tyrosine hydroxylase, ornithine transcarbamylase, apolipoproteins, and the like. In general, see U.S. Patent No. 5,399,346 to Anderson *et al.*

5 Examples of applications for genetic vaccination (for protection from pathogens other than HCV) include, but are not limited to, expression of protective antigens from bacterial (*e.g.*, uropathogenic *E. coli*, *Streptococci*, *Staphylococci*, *Nisseria*), parasitic (*e.g.*, *Plasmodium*, *Leishmania*, *Toxoplasma*), fungal (*e.g.*, *Candida*, *Histoplasma*), and viral (*e.g.*, HIV, HSV, CMV, influenza) human pathogens. Immunogenicity of protective antigens
10 expressed using HCV-derived RNA expression vectors can be enhanced using adjuvants, including co-expression of immunomodulatory molecules, such as cytokines (*e.g.*, IL-2, GM-CSF) to facilitate development of desired Th1 versus Th2 responses. Such adjuvants can be either incorporated and co-expressed by HCV vectors themselves or administered in combination with these vectors using other methods.

15

Diagnostic Methods for Infectious HCV

Diagnostic cell lines. The invention described herein can also be used to derive cell lines for sensitive diagnosis of infectious HCV in patient samples. In concept, functional HCV components are used to test and create susceptible cell lines (as identified above) in
20 which easily assayed reporter systems are selectively activated upon HCV infection. Examples include, but are not restricted to, (i) defective HCV RNAs lacking replicase components that are incorporated as transgenes and whose replication is upregulated or induced upon HCV infection; and (ii) sensitive heterologous amplifiable reporter systems activated by HCV infection. In the first manifestation, RNA signals required for HCV RNA
25 amplification flank a convenient or a selectable marker (see above). Expression of such chimeric RNAs is driven by an appropriate nuclear promoter and elements required for proper nuclear processing and transport to the cytoplasm. Upon infection of the engineered cell line with HCV, cytoplasmic replication and amplification of the transgene is induced, triggering higher levels of reporter expression, as an indicator of productive HCV infection.

30 In the second example, cell lines are designed for more tightly regulated but highly inducible reporter gene amplification and expression upon HCV infection. Although this amplified system is described in the context of specific components, other equivalent components can be used. In one such system, an engineered alphavirus replicon transgene is created which lacks the alphavirus nsP4 polymerase, an enzyme absolutely required for
35 alphavirus RNA amplification and normally produced by cleavage from the nonstructural

polyprotein. Additional features of this defective alphavirus replicon include a subgenomic RNA promoter, driving expression of a luciferase or GFP reporter gene. This promoter element is quiescent in the absence of productive cytoplasmic alphavirus replication. The cell line contains a second transgene for expression of gene fusion consisting of the HCV NS4A protein and the alphavirus nsP4 RDRP. This fused gene is expressed and targeted to the cytoplasmic membrane compartment, but this form of nsP4 would be inactive as a functional component of the alphavirus replication complex because a discrete nsP4 protein, with a precise N terminus is required for nsP4 activity [Lemm *et al.*, *EMBO J.* 13:2925 (1994)]. An optional third transgene expresses a defective alphavirus RNA with *cis* signals for replication, transcription of subgenomic RNA encoding a ubiquitin-nsP4 fusion, and an alphavirus packaging signal. Upon infection of such a cell line by HCV, the HCV NS3 proteinase is produced, mediating *trans* cleavage of the NS4A-nsP4 fusion protein, activating the nsP4 polymerase. This active polymerase, which functions in *trans* and is effective in minute amounts, then forms a functional alphavirus replication complex leading to amplification of the defective alphavirus replicon as well as the defective alphavirus RNA encoding ubiquitin-nsP4. Ubiquitin-nsP4, expressed from its subgenomic RNA, is cleaved efficiently by cellular ubiquitin carboxyterminal hydrolase to product additional nsP4, in case this enzyme is limiting. Once activated, this system would produce extremely high levels of the reporter protein. The time scale of such an HCV infectivity assay is expected to be from hours (for sufficient reporter gene expression).

Antibody diagnostics. In addition to the cell lines described here, HCV variant virus particles (virions) or components thereof, produced by the transfected or infected cell lines, or isolated from an infected animal, may be used as antigens to detect anti-HCV antibodies in patient blood or blood products. Because the HCV variant virus particles are derived from an authentic HCV genome, particular components such as the coat proteins are likely to have immunogenic properties that more closely resemble or are identical to natural HCV virus than if those components were produced outside of a replicating HCV. Examples of such immunogenic properties include the display of wild-type HCV immunogenic epitopes, and modulation of transcription of genes encoding cellular immune-modulating cytokines. These reagents can be used to establish that a patient is infected with HCV by detecting seroconversion, *i.e.*, generation of a population of HCV-specific antibodies.

Alternatively, antibodies generated to the HCV variant products prepared as described herein can be used to detect the presence of HCV in biological samples from a subject.

Preferred embodiments of the invention are described in the following example. Other embodiments within the scope of the claims herein will be apparent to one skilled in the art from consideration of the specification or practice of the invention as disclosed herein. It is intended that the specification, together with the examples, be considered exemplary only, with the scope and spirit of the invention being indicated by the claims which follow the examples.

Example 1

This example describes the production and evaluation of replicons comprising a *neo* selectable marker and a polyprotein coding region encoding subtype 1b nonstructural proteins.

Materials and Methods

Cell lines. The Huh7 cell lines were generously provided by Robert Lanford (Southwest Foundation for Biomedical Research, San Antonio, U.S.A.) and Ralf Bartenschlager (Johannes Gutenberg University Mainz, Mainz, Germany) and maintained in Dulbecco's modified minimal essential media (DMEM; Gibco-BRL) supplemented with 10% fetal calf serum (FCS), and nonessential amino acids.

Assembly of a selectable subtype 1b replicon. An HCV subtype 1b replicon was constructed which is similar to the replicon described in Lohmann et al., *Science* 285:110-113 (1999). For that construction, a step-wise PCR-based assay utilizing KlenTaqLA DNA polymerase (Wayne Barnes, Washington University) was developed. cDNAs spanning 600-750 bases in length were assembled from 10-12 gel-purified oligonucleotides (60-80 nucleotides in length) with unique complementary overlaps of 16 nucleotides. Four or six oligonucleotides representing the 5' portion of the region to be assembled were annealed and extended in a standard PCR. The remaining six oligonucleotides for the synthesis of the 3' half of the intended cDNA were mixed in a parallel PCR reaction. After 12 cycles of PCR, the extended double-stranded DNA products were combined and subjected to an additional 12 cycles. The product of this reaction resolved as a smear on agarose gels which was excised and the DNA isolated from the agarose. One-fifth of the purified double-stranded DNA product was amplified by PCR using an outer primer pair containing unique restriction enzyme sites to facilitate directional cloning into the pGEM3Zf(+) plasmid vector (Promega). PCR products were purified, digested with appropriate restriction enzymes, and ligated into similarly cleaved pGEM3Zf(+). Multiple recombinant clones were sequenced and the correct clones identified. The overlapping cDNA fragments were assembled into the contiguous replicon sequence. In parallel, a replicon carrying the lethal mutation in the NS5B active site (Gly-Asp-Asp [GDD] to Ala-Ala-Gly [AGG]; pol-) was constructed.

RNA transcription and transfection. RNA transcripts were synthesized in a 100 μ l reaction mixture containing 40mM Tris-HCl (pH 7.9), 10mM NaCl, 12mM MgCl₂, 2mM spermidine, 3mM each ATP, CTP, GTP and UTP, 10mM dithiothreitol, 100 U RNasin (Promega) and 100 U T7 RNA polymerase (Epicentre), and 2 μ g *Sca I*-linearized DNA. The DNA template was rigorously removed by serial digestions with 30 U DNase I (Boehringer). Ten μ g of the DNase-digested RNA transcripts were electroporated into 6x 10⁶ Huh7 cells using a model T820 squareporator (BTX), and plated on 150mm dishes. For selection of replicon-containing cells, medium was changed to complete medium containing geneticin (G418; 1mg/ml; Gibco-BRL) at 24 hr post-transfection and thereafter the media was changed every 3-4 days.

RNA analysis. Approximately 5x 10⁵ cells were preincubated for 1 h in DMEM lacking phosphate supplemented with 5% dialyzed FCS, 1/20th the normal concentration of phosphate and actinomycin D (4 μ g/ml; Sigma). [³²P]orthophosphate (200 μ Ci/ml; ICN) was added and the incubation continued for an additional 12 h. Total cellular RNA was extracted with TRIZOL, precipitated, and resuspended in H₂O (Gibco-BRL). Radiolabeled RNA was analyzed by denaturing agarose gel electrophoresis and visualized by autoradiography.

Protein analysis. For immunoprecipitation, cell monolayers were incubated for either 4, 8 or 12 h in methionine- and cysteine-deficient MEM containing 1/40th the normal concentration of methionine, 5% dialyzed FCS and Express ³⁵S³⁵S protein labeling mix (100 μ Ci/ml; NEN). Cells were lysed in 100mM NaPO₄ pH 7.0 containing 1% sodium dodecyl sulfate (SDS) and protease inhibitors, and cellular DNA sheared by repeated passage through a 27.5 gauge needle. Viral proteins were immunoprecipitated essentially as described previously (Grakoui *et al*, 1993), using patient serum, JHF, recognizing NS3, NS4B and NS5A or rabbit anti-NS5B and Pansorbin cells (Calbiochem). Immunoprecipitates were separated on 10% SDS-PAGE and visualized by autoradiography.

Immunostaining. Cells cultured in 8 well chamber slides (Falcon) were fixed in acetone for 10min at 4°C and allowed to air dry. Rehydrated monolayers were incubated at 37°C with an antibody directed against NS3, followed by incubation with a species-specific fluorescein-conjugated secondary antibody (Pierce), and mounted in 90% glycerol saline containing 50mM Tris-HCl (pH 8.8).

Reverse transcription (RT)-PCR. RNA was isolated from cells using TRIZOL (Gibco-BRL), precipitated and resuspended in H₂O. Levels of HCV RNA were quantitated using competitive RT-PCR assays designed to amplify the 5' and 3' NTR sequences of HCV (Kolykhalov *et al*, 1996). For RT-PCR designed to amplify long cDNA fragments, about 1000 molecules of HCV RNA was mixed with the HCV-specific primer, and the primer extended at 43.5°C for 1 h using Superscript II reverse transcriptase (Gibco-BRL). cDNAs were then amplified with KlenTaqLA DNA polymerase using 35 cycles of 95°C for 30 s, 55-

60°C for 30 s, and 68°C for 4 min. PCR products were recovered from preparative low melting-point agarose electrophoresis by phenol extraction, and ~40ng of purified PCR product directly sequenced.

5 Results

Establishment of G418-resistant colonies. Replicons similar to that described in Lohmann *et al, supra*, but derived from the H77 infectious clone, failed to confer resistance to G418 in five different hepatoma cell lines. Sequences of subtype 1b were also used to assemble the replicon I377/NS3-3' (EMBL accession number AJ242652). Replicon RNAs
10 were composed of the HCV internal ribosome entry site (IRES) driving neomycin phosphotransferase gene (Neo) expression and the IRES from encephalomyocarditis virus (EMCV), directing translation of HCV proteins NS3 to NS5B, followed by the 3' NTR) (Figure 3). Two derivatives were constructed which either lacked 2 U nucleotides in the poly (U/UC) tract or carried an *Ava*II restriction enzyme site in the variable region of the 3' NTR,
15 designated HCVrep1bBartMan/ Δ 2U's and HCVrep1bBartMan/*Ava*II, respectively. Prior to transfection, translation and correct polyprotein processing was confirmed for each cDNA sequence using the vaccinia-T7 RNA polymerase expression system (data not shown).

DNase-treated replicon RNAs were electroporated into Huh7 cells and after 2-3 weeks in culture G418-resistant colonies were clearly visible. Both replicon derivatives were
20 able to confer G418 resistance, and on average, only 1 in 10^6 cells became G418 resistant. In contrast, colonies were never observed for Huh7 cells electroporated in parallel with the replicon RNAs containing an inactive NS5B polymerase.

Verification of autonomous replication. Twenty two independent colonies were isolated, 5 colonies corresponded to Huh7 cells transfected with RNA transcribed from
25 HCVrep1bBartMan/ Δ 2U's and the remaining 17 colonies were derived from HCVrep1bBartMan/*Ava*II RNA. A number of assays were performed to verify that G418 resistance was mediated by autonomously replicating HCV. Amplification of sequences within the 5' and 3' NTRs in a quantitative RT-PCR assay revealed copy numbers ranging from 50 to 5000 HCV RNA molecules per cell (Figure 4). 32 P-labeled, actinomycin D-
30 resistant RNA of the expected size was observed in the four independent G418-resistant cell clones analyzed (Figure 5A). The HCV proteins, NS3, NS4B, NS5A and NS5B, were immunoprecipitated from radiolabeled cell lysates (Figure 5B). In addition, immunostaining of cell monolayers revealed a punctate staining pattern for NS3 within the cytoplasm (Figure 6), similar to HCV protein localization observed in liver sections from HCV-infected patients
35 (Blight and Gowans, 1996). In G418-resistant cell clones the fluorescent signal tended to vary between cells, probably reflecting the different levels of replication per cell.

Identification of mutations in HCV replicons. The low frequency of G418-resistant colonies may be attributed to either a cell factor(s) requirement for replication or adaptive changes within the replicon sequence necessary for the establishment of HCV replication. To address the latter possibility, the entire replicon sequence was amplified from cDNA reverse transcribed from RNA isolated from five independent G418-resistant cell clones. Upon direct sequencing of the purified PCR population, multiple mutations were identified. The striking observation was that each cell clone carried a single nucleotide change within NS5A resulting in a coding change (Figure 7). In one instance, a deletion of 47 amino acids (I; Figure 7), encompassing the interferon sensitivity determining region (ISDR), was found. Sequence analysis of NS5A from another 8 G418-resistant cell clones revealed similar point mutations, although 2 clones, which have low levels of HCV replication and slow growth rates (e.g., clone E in Figure 4), were found to contain wild type NS5A. In addition to the identified NS5A mutations, nucleotide substitutions were also noted in NS3 and NS4B; Clone II (SEQ ID NO:9) contains substitutions at nt 3550 (NS3) and nt 4573 (NS4B) (Lys (584) to Glu, and Ser(925) to Gly of SEQ ID NO:3, embodied in SEQ ID NO:17), whereas nt 2060 (NS3) was mutated in Clone VI (Figure 7, corresponding to Gln (87) to Arg of SEQ ID NO:3, embodied in SEQ ID NO:15).

Reconstruction of mutant replicons. To determine if the nucleotide changes and the deletion identified in NS5A were adaptive, each mutation, except mutation II, was independently engineered back into the HCVrep1bBartMan/AvaII backbone. RNA transcribed from each reconstructed replicon was electroporated into naive Huh7 cells, and the number of G418-resistant colonies compared to that obtained for the HCVrep1bBartMan/AvaII replicon containing wild type NS5A. The 47 amino acid deletion, as well as the point mutations, were capable of increasing the frequency of G418-resistant colonies to at least 1% of the initial electroporated cell population (Figure 8), indicating these mutations targeting NS5A are adaptive allowing efficient HCV replication in Huh7 cells. In addition, G418-resistant colonies were observed after transfection of HeLa cells, a human epithelial cell line, with replicon RNA of clone I. Therefore, at least one of the mutations that was adaptive in Huh7 cells also allows the establishment of HCV replication in a non-hepatic cell line.

Example 2

This example describes the production of cell lines permissive for HCV replication; a replicon comprising the NS2 coding region; and full-length HCV cDNA clones comprising the Ser to Ile substitution at position 1179 of SEQ ID NO: 3.

Generation of cell lines. As shown in the previous example, G418-resistant cell clones harboring persistently replicating HCV RNAs were isolated. Two of these G418-resistant cell

clones were treated extensively with the antiviral, interferon- α , to obtain 2 cell lines void of HCV RNA. These are referred to as interferon-treated cell lines I and II.

HCVrep1bBartMan/AvaII, HCV adaptive replicon I or HCV adaptive replicon VII were transfected into the interferon-treated cell lines, I and II. This resulted in a greater G418 transduction efficiency than that observed for the parental Huh-7 cells (see Table 1). Early post-transfection HCV RNA amplification was greatest for the IFN-treated cell line. These results indicate that the cell lines, interferon-treated cell lines I and II, are more permissive for HCV replication than is the parental Huh-7 cell line.

Such cell lines are not only valuable for genetic study of HCV, but also for examining the cellular environments more permissive for HCV replication. For example, microarray technology will allow us to look globally at differences in gene expression profiles between the different cell lines.

Construction of replicons. A replicon was constructed wherein the 5'NTR of HCV was fused to the IRES of EMCV upstream of NS3, thus creating a replicon lacking the neomycin phosphotransferase gene. This replicon, 5'NTR-EMCV/HCVrepVII (SEQ ID NO:25), replicates to high levels in Huh7 cells, as shown in Figure 10. Another replicon, HCVrep/NS2-5B (SEQ ID NO:22) was made wherein the non-structural protein, NS2, is upstream of NS3. As shown in Figure 10, this replicon is also replication-competent in Huh7 cells. This latter replicon can be used advantageously, for example, in testing compounds for inhibiting HCV replication. The addition of the NS2 coding region provides an additional target for such antiviral compounds, as well as providing an additional protein for genetic study.

Full-length HCV RNAs. Two full-length HCV cDNA clones were assembled. The first, HCV FL (SEQ ID NO:24), contains the mutation that encodes a Ser to Ile substitution in NS5A, as shown at position 1179 of SEQ ID NO:3 (see Figure 9). The second, HCV FL-Neo (SEQ ID NO:23), also encodes the Ser to Ile mutation, and in addition, comprises the neomycin phosphotransferase gene immediately 3' of the 5' NTR and the EMCV IRES immediately 5' to the HCV open reading frame (see Figure 9). Both of these full-length clones replicate in the interferon-treated cell line I, as shown in Figure 10. This result indicates that HCV replication is not dependent on the EMCV IRES driving the non-structural proteins of HCV, because the non-structural proteins of the HCV FL clone are driven by the HCV IRES in the full-length clone HCV FL.

In addition, a G418 resistant cell line comprising the HCV FL-Neo clone has been generated from the interferon-treated cell line I described above. This cell line supports high levels of persistently replicating HCV FL-Neo RNA.

All references cited in this specification are hereby incorporated by reference. The discussion of the references herein is intended merely to summarize the assertions made by the authors and no admission is made that any reference constitutes prior art. Applicants reserve the right to challenge the accuracy and pertinence of the cited references.

5 In view of the above, it will be seen that the several advantages of the invention are achieved and other advantages attained.

As various changes could be made in the above methods and compositions without departing from the scope of the invention, it is intended that all matter contained in the above description and shown in the accompanying drawings and appendix shall be interpreted as
10 illustrative and not in a limiting sense.

65

Appendix

SEQ ID NOs

- 5 SEQ ID NO:1: 5' portion of an HCV 5' NTR
GGCGACACTC CACCATAGAT C
- 10 SEQ ID NO:2: 3' portion of a 3' NTR from a wild-type HCV subtype 1a
TGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGC
ATGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCTGATCATGT
- 15 SEQ ID NO:3: Amino acid sequence of the polyprotein region of HCVrep1bBartMan
MAPITAYSQQTRGLLGCITSLTGRDRNQVEGEVQVVSTATQSFLATCVNGVCWTVY
HGAGSKTLAGPKGPITQMYTNVDQDLVGWQAPPGARSLTPCTCGSSDLYLVTRHAD
VIPVRRRGDSRGSLLSPRPVSYLKSSGGPLLCPSGHAVGIFRAAVCTRGVAKAVDFV
20 PVESMETTMRSPVFTDNSSPPAVPQTFQVAHLHAPTGS GKSTKVPAAYAAQGYKVL
VLNPSVAATLGFGAYMSKAHGIDPNIRTGVRTITTTGAPITYSTY GKFLADGGCSGGAY
DIICDECHSTDSTTILGIGTVLDQAETAGARLVVLATATPPGSVTVPHPNIEEVALSST
GEIPFYGKAPIETIKGGRHLIFCHSKKKCDELA AKLSGLGLNAVAYYRGLDVSVIPTS
GDVIVVATDALMTGFTGDFDSVIDCNTCVTQTVD FSLDPTFTIETTTVPQDAVSRSQR
25 RGRTRGRMGIRFVTPGERPSGMFDSSVLCECYDAGCAWYELTPAETSVRLRAYL
NTPGLPVCQDHLEFWESVFTGLTHIDAHFLSQT KQAGDNFPYLVAYQATVCARAQA
PPPSWDQMWKCLIRLKP TLHGPTLLYRLGAVQNEVTTTHPITKYIMACMSADLEV
TSTWVLVGGVLAALAAAYCLTTGSVVTVGRILSGKPAIPDREVL YREFDEMEECASH
LPYIEQGMQLAEQFKQKAIGLLQTATKQAEAAAPV VESKWR TLEAFWAKHMWNFIS
30 GIQYLAGLSTLPGNPAIASLMAFTASITSPL TTQHTLLFNILGGWVAAQLAPPSAASAF
VGAGIAGAAVGSIGLGKVLVDILAGYGAGVAGAL VAFKVMMSGEMPSTEDLVNLLPA
ILSPGALVVGVVCAAILRRHVGPGE GAVQWMNRLIAFASRGNHVSP THYVPESDAA
ARVTQILSSLTITQLLKR LHQWINE DCSTPCSGSWLRD VWDWICTVL TDFKTWLQSK
LLPRLPGVPFFSCQ RGYKGVWRGDGIMQTTCP CGAQITGHVKNGSMRIVGPRTCSNT
35 WHGTFPINAYTTGPCTPSPAPNYSRALWRVA AEYVEVTRVGD FHYVTGMTTDNVK
CPCQVPAPEFFTEVDGVRLHRYAPACKPLL REEVTF LVGLNQYL VGSQLPCEPEPDV
AVLTSM LTPSHITAETA KRRLARGSPPSLASS SASQLSAPSLKATCTTRHDS PDADLI
EANLLWRQEMGGNITRVESENKVVLDSFEPLQAEEDEREVS VPAEILRRSRKFPRAM
PIWARPDYNPPLLESWKDPDYVPPVHGCPLPPAK APPIPPPRRKRTVVLSESTVSSAL
40 AELATKTFGSSSESAVDSGTATASPDQPSDDGDAGSDVESYSSMPPLEGEPGDPDLSD
GSWSTVSEEASEDVCCSMSYTWGTALITPCAAEETKLPINALSNSLLRHHNLVYAT
TSRSASLRQKKVTFDRLQVLDDHYRDVLKEMKAKASTVKAKLLSVEEACKLTPPHS
ARSKFGYGAKDVRNLSSKAVNHRSVWKDLLED TETPIDTTIMAKNEVFCVQPEKGG
RKPARLIVFPDLGVRVCEKMALYDVVSTLPQAVMGSSYGFQYSPGQ RVEFLVNAWK
45 AKKCPMGFAYDTRCFDSTVTENDIRVEESIYQCCDLAPEARQAIRSLTERLYIGGPLT
NSKGQNCGYRRCRASGVLTTSCGNTLT CYLKA AAAACRAAKLQDCTMLVCGDDL VV
ICESAGTQEDEASLRAFTEAMTRYSA PPGDPPKPEYDLELITSCSSNVSV AHDASGKR
VYYLTRDPTTPLARAAWETARHTPVNSWLGNIMYAPTLWARMILMTHFFSILLAQE
QLEKALDCQIYGACYSIEPLDLPQIIQRLHGLSAFSLHSYSPGEINRVASCLRKLGV PPL
50 RVWRHRARSVRARLLSQGGRAATCGKYLFWAVRTKLKLTPIPAASQLDLSSWFVA
GYSGGDIYHSLSRARPRWFMWCLLLSVGVGIYLLPNR

SEQ ID NO:4: Amino acid sequence of the NS5A protein of HCVrep1bBartMan

5 SGSWLRDVWDWICTVLTDFTKWLQSKLLPRLPGVPPFFSCQRGYKGVWRGDGIMQTT
 CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINAYTTGPCTPSPAPNYSRALWRV
 AAEEYVEVTRVGDFFHYVTGMTTDNVKCPQVPAPEFFTEVDGVRLHRYAPACKPLL
 REEVTFVLVGLNQYLVGSQLPCEPEPDVAVLTSMMLTDP SHITAETA KRRLARGSPPSLA
 SSSASQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNTRVESENKVVILDSFE
 10 PLQAEEDEREVSVP AEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPVHGC
 LPPAKAPPIPPRRKRTVVLSESTVSSALAE LTKTFGSSESSAVDSGTATASPDQPSD
 DGDAGSDVESYSSMPLEGE PGDPDLSDGSWSTVSEEASEDVVCC

15 SEQ ID NO:5: Nucleotide sequence of DNA clone of HCVrep1bBartMan/Δ2U's

GCCAGCCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
 TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG
 CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
 20 CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT
 GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTGCGCA
 AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT
 AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC
 GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA
 25 GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT
 GTTCCGGCTGTCAGCGCAGGGGCGCCCGGTTCTTTTGTCAAGACCGACCTGTCC
 GGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACG
 ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT
 GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCTCATCTCACCTTGCTCC
 30 TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT
 CCGGCTACCTGCCCATTGACCAACCAAGCGAAACATCGCATCGAGCGAGCACGT
 ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG
 GGGCTCGCGCCAGCCGAAGTTCGCGCAGGCTCAAGGCGCGCATGCCCGACGGC
 GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGA
 35 ATGGCCGCTTTTCTGGATTTCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA
 TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG
 GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTTCGCAGCGCATCGC
 CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC
 CTCTAGCGGGATCAATTCCGCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCG
 40 AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT
 TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG
 CATTCTAGGGGTCTTTCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC
 GTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCG
 ACCCTTTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA
 45 AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCAGTGCCACGTTG
 TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA
 GGGGCTGAAGGATGCCCAGAAGGTACCCATTGTATGGGATCTGATCTGGGGCCT
 CGGTGCACATGCTTTACATGTGTTTGTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC
 GAACCACGGGGACGTGGTTTTCTTTGAAAAACACGATAATACCATGGCGCCTAT
 50 TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC
 ACAGGCCGGGACAGGAACAGGTGCGAGGGGGAGGTCCAAGTGGTCTCCACCGCA
 ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG
 GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA

CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCCTT
GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT
GTCATTCCGGTGCGCCGGCGGGGCGACAGAGGGGGAGCCTACTCTCCCCCAGG
CCCGTCTCCTACTTGAAGGGCTCTTCGGGGCGGTCCACTGCTCTGCCCCCTCGGGGC
5 ACGCTGTGGGCATCTTTCGGGGCTGCCGTGTGCACCCGAGGGGTTCGGAAGGCGGT
GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG
GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG
CCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG
GGTATAAGGTGCTTGTCTGAACCCGTCCGTGCGCGCCACCCTAGGTTTCGGGGC
10 GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAAGGAC
CATCACACGGGTGCCCCCATCACGTA CTCCACCTATGGCAAGTTTCTTGCCGAC
GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA
CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG
CTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGCCTCCGGGATCGGTACCCGT
15 GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT
TATGGCAAAGCCATCCCCATCGAGACCATCAAGGGGGGGAGGCACCTCATTTTCT
GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT
CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA
GACGTCAATTGTCGTAGCAACGGACGCTCTAATGACGGGGCTTTACCGGCGATTTCG
20 ACTCAGTGATCGACTGCAATACATGTGTACCCAGACAGTCGACTTCAGCCTGGA
CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG
CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT
CCAGGAGAACGGCCCTCGGGCATGTTTCGATTCTCGGTTCTGTGCGAGTGCTATG
ACGCGGGGCTGTGCTTGGTACGAGCTCACGCCCCGCGAGACCTCAGTTAGGTTGCG
25 GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG
GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCAGACTA
AGCAGGCAGGAGACA ACTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG
CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG
GCTAAAGCCTACGCTGCACGGGCCAACGCCCCCTGCTGTATAGGCTGGGAGCCGTT
30 CAAAACGAGGTTACTACCACACACCCCATAAACCAAATACATCATGGCATGCATGT
CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG
CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT
CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG
TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC
35 AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA
AGCAAGCGGAGGCTGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG
CCTTCTGGGCGAAGCATATGTGGAATTTTCATCAGCGGGATACAATATTTAGCAGG
CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTACAGCC
TCTATCACCAAGCCGCTCACCACCCAACATAACCCTCCTGTTTAACATCCTGGGGG
40 GATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC
GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA
TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT
GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC
TCCCCTGGCGCCCTAGTCGTCGGGGTCTGTGTGCGCAGCGATACTGCGTCGGCACG
45 TGGGCCCAGGGGAGGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTTCGCTT
CGCGGGGTAAACCACGTCTCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC
ACGTGTCACTCAGATCCTCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC
ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG
ATGTTTGGGATTGGATATGCACGGTGTGACTGATTTCAGACCTGGCTCCAGTC
50 CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC
AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACTGCCCATGTGGAGCA
CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC
TGTAGTAACACGTGGCATGGAACATTCCCATTAAACGCGTACACCACGGGCCCCCT

GCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA
GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC
CACTGACAACGTAAAGTGCCCGTGTGAGGTTCCGGCCCCCGAATTCTTCACAGAA
GTGGATGGGGTGCAGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG
5 AGGAGGTCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCC
ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC
CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCTCCT
TGGCCAGCTCATCAGCTAGCCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCAC
TACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGG
10 CAGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATT
TTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTC
CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCTCGAGCGATGCCCATATGGG
CACGCCCCGATTACAACCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT
CCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCTCCGATACCA
15 CCTCCACGGAGGAAGAGGACGGTTGTCTGTGAGAATCTACCGTGTCTTCTGCCT
TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA
GCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCGACGACGGCGACGCGGGAT
CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC
CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT
20 CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT
GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC
ACAACCTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG
TCACCTTTGACAGACTGCAGGTCTGGACGACCACTACCGGGACGTGCTCAAGGA
GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC
25 CTGTAAGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG
GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG
ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAATG
AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCGCAAGCCAGCTCGCCTTATCGT
ATTCCCAGATTTGGGGGTTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC
30 TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG
ACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG
CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT
GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA
TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG
35 GCAGAACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGACTGACGACCAGCTG
CGGTAATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG
CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA
GCGCGGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGA
CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACTGAGTGTGAGTT
40 GATAACATCATGCTCCTCCAATGTGTGAGTCGCGCACGATGCATCTGGCAAAAGG
GTGTACTATCTACCCGTGACCCACCAACCCCTTGCGCGGGCTGCGTGGGAGA
CAGCTAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC
CACCTTGTTGGGCAAGGATGATCCTGATGACTCATTTCTTCTCCATCCTTCTAGCTC
AGGAACAACCTTGAAAAAGCCCTAGATTGTGAGATCTACGGGGCCTGTTACTCCAT
45 TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT
CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA
ACTTGGGGTACCGCCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT
AGGCTACTGTCCAGGGGGGGAGGGCTGCCACTTGTGGCAAGTACCTCTTCAACT
GGGCAGTAAGGACCAAGCTCAAACCTCACTCCAATCCCGGCTGCGTCCAGTTGGA
50 TTTATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG
TCTCGTGCCCGACCCGCTGGTTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT
AGGCATCTATCTACTCCCCAACCGATGAACGGGGAGCTAAACACTCCAGGCCAAT
AGGCCATCCTGTTTTTTTCCCTTTTTTTTTTTCTTTTTTTTTTTTTTTTTTTTTT

TTTTCTCCTTTTTTTTTTCTCTTTTTTTCTCTTTCTTTCTTTGGTGGCTCCATCTTA
GCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAGTG
CTGATACTGGCCTCTCTGCAGATCAAGT

5

SEQ ID NO:6: Nucleotide sequence of DNA clone of HCVrep1bBartMan/AvaII, where the
nucleotide change creating the AvaII site is in lower case and highlighted in bold

10 GCCAGCCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG
CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
CACCGGAATTGCCAGGACGACCGGGTCTTTCTTGGATCAACCCGCTCAATGCCT
GGAGATTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTGCGGA
AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCAGGTGCCCGGGAGGTCTCGT
15 AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC
GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA
GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT
GTTCCGGCTGTCAGCGCAGGGGGCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCC
GGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACG
20 ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT
GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC
TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT
CCGGCTACCTGCCCATTCGACCACCAAGCGAAACATCGCATCGAGCGAGCACGT
ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG
25 GGGCTCGCGCCAGCCGAAGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC
GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAA
ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA
TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG
GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTTCGCAGCGCATCGC
30 CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC
CTCTAGCGGGATCAATTCCGCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCG
AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTCCACCATAT
TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG
CATTCCTAGGGGTCTTTCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC
35 GTGAAGGAAGCAGTTCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCG
ACCCTTTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA
AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCAGTGCCACGTTG
TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA
GGGGCTGAAGGATGCCCAGAAGGTACCCCATTTGATGGGATCTGATCTGGGGCCT
40 CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAACGTCTAGGCCCCCC
GAACCACGGGGACGTGGTTTTCTTTGAAAAACACGATAATACCATGGCGCCTAT
TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC
ACAGGCCGGGACAGGAACCAGGTGAGGGGGAGGTCCAAGTGGTCTCCACCGCA
ACACAATCTTTCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG
45 GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA
CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCTCT
GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT
GTCATTCCGGTGCGCCGGCGGGGCGACAGAGGGGGAGCCTACTCTCCCCCAGG
CCCGTCTCCTACTTGAAGGGCTCTTCGGGGCGGTCCAAGTCTGCCCCTCGGGGC
50 ACGCTGTGGGCATCTTTTCGGGCTGCCGTGTGCACCCGAGGGGTGCGAAGGCGGT
GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG
GACAACCTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG
CCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG

GGTATAAGGTGCTTGTCCTGAACCCGTCGGTCGCCGCCACCCTAGGTTTCGGGGC
GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC
CATCACACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC
GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA
5 CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG
CTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGCCTCCGGGATCGGTCACCGT
GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT
TATGGCAAAGCCATCCCCATCGAGACCATCAAGGGGGGGAGGCACCTCATTTTCT
GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT
10 CAATGCTGTAGCATATTACCGGGGCTTGATGTATCCGTCATACCAACTAGCGGA
GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGGCTTTACCGGCGATTTCG
ACTCAGTGATCGACTGCAATACATGTGTCACCCAGACAGTCGACTTCAGCCTGGA
CCCGACCTTCACCATGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG
CAGCGGCGAGGCAGGACTGGTAGGGGAGGATGGGCATTTACAGGTTTGTGACT
15 CCAGGAGAACGGCCCTCGGGCATGTTTCGATTCCCTCGGTTCTGTGCGAGTGCTATG
ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCCGCGAGACCTCAGTTAGGTTGCG
GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG
GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA
AGCAGGCAGGAGACAACCTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG
20 CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG
GCTAAAGCCTACGCTGCACGGGCCAACGCCCTGCTGTATAGGCTGGGAGCCGTT
CAAAACGAGGTTACTACCACACACCCCATAAACCAAATACATCATGGCATGCATGT
CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG
CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT
25 CATCTTGTCCGGAAAGCCGGCCATCATTTCCCGACAGGGAAGTCCTTTACCGGGAG
TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC
AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA
AGCAAGCGGAGGCTGCTGCTCCCGTGGTGAATCCAAGTGGCGGACCCTCGAAG
CCTTCTGGGCGAAGCATATGTGGAATTTATCATCAGCGGGATACAATATTAGCAGG
30 CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTACAGCC
TCTATCACAGCCCGCTCACCAACCAACATACCCTCCTGTTTAACATCCTGGGGG
GATGGGTGGCCGCCCAACTTGCTCCTCCAGCGCTGCTTCTGCTTTCGTAGGCGCC
GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA
TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT
35 GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC
TCCCCTGGCGCCCTAGTCGTGCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACG
TGGGCCAGGGGAGGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTTCGCTT
CGCGGGGTAACCACGTCTCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC
ACGTGTCACTCAGATCCTCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC
40 ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG
ATGTTTGGGATTGGATATGCACGGTGTGACTGATTTCAAGACCTGGCTCCAGTC
CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC
AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACTGCCCATGTGGAGCA
CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC
45 TGTAAGTAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCT
GCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA
GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC
CACTGACAACGTAAAGTGCCCGTGTGAGGTTCCGGCCCCCGAATTCTTCACAGAA
GTGGATGGGGTGCAGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG
50 AGGAGGTCACATTCCCTGGTCGGGCTCAATCAATACCTGGTTGGGTACAGCTCCC
ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC
CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCTCCT
TGGCCAGCTCATCAGCTAGCCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCAC

TACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGG
 CAGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATT
 TTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTC
 CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCTCGAGCGATGCCCATATGGG
 5 CACGCCCCGGATTACAACCCTCCACTGTAGAGTCCTGGAAGGACCCGGACTACGT
 CCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCTCCGATACCA
 CCTCCACGGAGGAAGAGGACGGTTGTCTGTGAGAAATCTACCGTGTCTTCTGCCT
 TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA
 GCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCGACGACGGCGACGCGGGAT
 10 CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC
 CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT
 CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT
 GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTACC
 ACAACTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG
 15 TCACCTTTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGA
 GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC
 CTGTAAGCTGACGCCCCACATTTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG
 GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG
 ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAATG
 20 AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCGCAAGCCAGCTCGCCTTATCGT
 ATTCCCAGATTTGGGGGTTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC
 TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG
 ACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG
 CTTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT
 25 GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA
 TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG
 GCAGAACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGTACTGACGACCAGCTG
 CGGTAATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG
 CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA
 30 GCGCGGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGA
 CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTT
 GATAACATCATGCTCCTCCAATGTGTGAGTCGCGCACGATGCATCTGGCAAAAGG
 GTGTACTATCTCACCCGTGACCCCAACACCCCTTGCAGCGGGCTGCGTGGGAGA
 CAGCTAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC
 35 CACCTTGTGGGCAAGGATGATCCTGATGACTCATTTCTTCTCCATCCTTCTAGCTC
 AGGAACAACCTTGAAAAAGCCCTAGATTGTGAGATCTACGGGGCCTGTTACTCCAT
 TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT
 CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA
 ACTTGGGGTACCGCCCTTGCAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT
 40 AGGCTACTGTCCCAGGGGGGGAGGGCTGCCACTTGTGGCAAGTACCTCTTCAACT
 GGGCAGTAAGGACCAAGCTCAAACCTCACTCCAATCCCGGCTGCGTCCCAGTTGGA
 TTTATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG
 TCTCGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT
 AGGCATCTATCTACTCCCAACCGATGAACGGGGGA_cCTAAACACTCCAGGCCAAT
 45 AGGCCATCCTGTTTTTTTTCCCTTTTTTTTTTTCTTTTTTTTTTTTTTTTTTTTT
 TTTTTTCTCCTTTTTTTTTTCTCTTTTTTCTTTTCTTCTTCTTGGTGGCTCCATCT
 TAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAG
 TGCTGATACTGGCCTCTCTGCAGATCAAGT

50

SEQ ID NO:7: Nucleotide sequence of DNA clone of HCV adaptive replicon I, where the
 amino acid generated by the deletion is identified in lower case and highlighted in bold

GCCAGCCCCCGATTGGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTGCGTGCAG
CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
CACCGGAATTGCCAGGACGACCGGGTCTTTCTTGGATCAACCCGCTCAATGCCT
5 GGAGATTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTGGGTGCGGA
AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT
AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC
GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA
GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT
10 GTTCCGGCTGTCAGCGCAGGGGGCGCCCGGTTCTTTTGTCAAGACCGACCTGTCC
GGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACG
ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT
GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC
TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT
15 CCGGCTACCTGCCCATTCGACCACCAAGCGAAACATCGCATCGAGCGAGCACGT
ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG
GGGCTCGCGCCAGCCGAACCTGTTCCGCCAGGCTCAAGGCGCGCATGCCCGACGGC
GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGA
ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA
20 TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG
GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTTCGCAGCGCATCGC
CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC
CTCTAGCGGGATCAATTCCGCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCG
AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTCCACCATAT
25 TGCCGTCTTTTGGCAATGTGAGGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG
CATTCCTAGGGGTCTTTCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC
GTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCG
ACCCTTTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA
AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCAGTGCCACGTTG
30 TGAGTTGGATAGTTGTGGAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA
GGGGCTGAAGGATGCCCAGAAGGTACCCCATTTGTATGGGATCTGATCTGGGGCCT
CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCCC
GAACCACGGGGACGTGGTTTTCTTTGAAAAACACGATAATACCATGGCGCCTAT
TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC
35 ACAGGCCGGGACAGGAACCAGGTTCGAGGGGGAGGTCCAAGTGGTCTCCACCGCA
ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG
GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA
CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCCTT
GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT
40 GTCATTCCGGTGCGCCGGCGGGGCGACAGCAGGGGGAGCCTACTCTCCCCCAGG
CCCGTCTCCTACTTGAAGGGCTCTTCGGGGCGGTCCACTGCTCTGCCCCTCGGGGC
ACGCTGTGGGCATCTTTCGGGGCTGCCGTGTGCACCCGAGGGGTGCGAAGGCGGT
GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG
GACAACTCGTCCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG
45 CCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG
GGTATAAGGTGCTTGTCTGAACCCGTCCGTGCGCCGCCACCCTAGGTTTCGGGGC
GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC
CATCACACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC
GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA
50 CTGACTCGACCACTATCCTGGGCATCGGCACAGTCTTGACCAAGCGGAGACGG
CTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGCTCCGGGATCGGTACCGT
GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT
TATGGCAAAGCCATCCCCATCGAGACCATCAAGGGGGGGAGGCACCTCATTTTCT

GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT
CAATGCTGTAGCATATTACCGGGGCTTGATGTATCCGTCATACCAACTAGCGGA
GACGTCATTGTCTGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTG
ACTCAGTGATCGACTGCAATACATGTGTACCCAGACAGTCGACTTCAGCCTGGA
5 CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG
CAGCGGCGAGGCAGGACTGGTAGGGGCGAGGATGGGCATTTACAGGTTTGTGACT
CCAGGAGAACGGCCCTCGGGCATGTTTCGATTCTCGGTTCTGTGCGAGTGCTATG
ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCCGCGAGACCTCAGTTAGGTTGCG
GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG
10 GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTCTTGTCCCAGACTA
AGCAGGCAGGAGACAACCTCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG
CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG
GCTAAAGCCTACGCTGCACGGGCAACGCCCCCTGCTGTATAGGCTGGGAGCCGTT
CAAAACGAGGTTACTACCACACACCCCATAAACCAATAACATCATGGCATGCATGT
15 CGGCTGACCTGGAGGTCGTACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG
CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT
CATCTTGTCCGGAAGCCGGCCATCATTCGACAGGGAAGTCCTTTACCGGGAG
TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC
AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA
20 AGCAAGCGGAGGCTGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG
CCTTCTGGGCGAAGCATATGTGGAATTTTCATCAGCGGGATACAATATTAGCAGG
CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTACAGCC
TCTATCACCGCCCGCTCACCAACCAACATAACCTCCTGTTTAACATCCTGGGGG
GATGGGTGGCCGCCCAACTTGCTCCTCCAGCGCTGCTTCTGCTTTCGTAGGCGCC
25 GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA
TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT
GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC
TCCCCTGGCGCCCTAGTCGTGCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCAG
TGGGCCCAGGGGAGGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT
30 CGCGGGGTAAACCAGTCTCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC
ACGTGTCACTCAGATCCTCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC
ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG
ATGTTTGGGATTGGATATGCACGGTGTGACTGATTTCAAGACCTGGCTCCAGTC
CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC
35 AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA
CAGATCACCGGACATGTGAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC
TGTAATAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGGCCCT
GCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA
GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC
40 CACTGACAACGTAAAGTGCCCGTGTGAGGTTCCGGCCCCCGAATTCTTCACAGAA
GTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG
AGGAGGTCACATTCCTGGTCCGGCTCAATCAATACCTGGTTGGGTACAGCTCCC
ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC
CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCTCCT
45 TGGCCAGCTCATCAGCTAGCCAGCTGtacTCTTTCGAGCCGCTCCAAGCGGAGGAG
GATGAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATTC
CCTCGAGCGATGCCCATATGGGCACGCCGGATTACAACCCTCCACTGTTAGAGT
CCTGGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCC
TGCCAAGGCCCTCCGATAACACCTCCACGGAGGAAGAGGACGGTTGTCTGTCA
50 GAATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCT
CCGAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTC
CGACGACGGCGACGCGGGATCCGACGTTGAGTCGTAATCCTCCATGCCCCCCTT
GAGGGGGAGCCGGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGC

GAGGAGGCTAGTGAGGACGTCGTCTGCTGCTCGATGTCCTACACATGGACAGGC
 GCCCTGATCACGCCATGCGCTGCGGAGGAAACCAAGCTGCCCATCAATGCACTG
 AGCAACTCTTTGCTCCGTCACCACAACCTTGGTCTATGCTACAACATCTCGCAGCG
 CAAGCCTGCGGCAGAAGAAGGTCACCTTTGACAGACTGCAGGTCCTGGACGACC
 5 ACTACCGGGACGTGCTCAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAGGCTA
 AACTTCTATCCGTGGAGGAAGCCTGTAAGCTGACGCCCCACATTTCGGCCAGATC
 TAAATTTGGCTATGGGGCAAAGGACGTCCGGAACCTATCCAGCAAGGCCGTTAA
 CCACATCCGCTCCGTGTGGAAGGACTTGCTGGAAGACACTGAGACACCAATTGAC
 ACCACCATCATGGCAAAAAATGAGGTTTTCTGCGTCCAACCAGAGAAGGGGGGC
 10 CGCAAGCCAGCTCGCCTTATCGTATTCCAGATTTGGGGGTTCTGTGTGCGAGA
 AAATGGCCCTTTACGATGTGGTCTCCACCCTCCCTCAGGCCGTGATGGGCTCTTCA
 TACGGATTCCAATACTCTCCTGGACAGCGGGTCGAGTTCCTGGTGAATGCCTGGA
 AAGCGAAGAAATGCCCTATGGGCTTCGCATATGACACCCGCTGTTTTGACTCAAC
 GGTCAGTGAAGATGACATCCGTGTTGAGGAGTCAATCTACCAATGTTGTGACTTG
 15 GCCCCGAAGCCAGACAGGCCATAAGGTCGCTCACAGAGCGGCTTTACATCGGG
 GGCCCCCTGACTAATTCTAAAGGGCAGAAGTTCGGCTATCGCCGGTGCCGCGCGA
 GCGGTGTACTGACGACCAGCTGCGGTAATAACCCTCACATGTTACTTGAAGGCCGC
 TGCGGCCTGTCGAGCTGCGAAGCTCCAGGACTGCACGATGCTCGTATGCGGAGAC
 GACCTTGTCGTTATCTGTGAAAGCGCGGGGACCCAAGAGGACGAGGCGAGCCTA
 20 CGGGCCTTCACGGAGGCTATGACTAGATACTCTGCCCCCCTGGGGACCCGCCCA
 AACCAGAATACGACTTGGAGTTGATAACATCATGCTCCTCCAATGTGTCAGTCGC
 GCACGATGCATCTGGCAAAAGGGTGTACTATCTCACCCGTGACCCACCAACCC
 CTTGCGCGGGCTGCGTGGGAGACAGCTAGACACACTCCAGTCAATTCCTGGCTAG
 GCAACATCATCATGTATGCGCCACCTTGTGGGCAAGGATGATCCTGATGACTCA
 25 TTTCTTCTCCATCCTTCTAGCTCAGGAACAACCTGAAAAAGCCCTAGATTGTCAGA
 TCTACGGGGCCTGTTACTCCATTGAGCCACTTGACCTACCTCAGATCATTCAACG
 ACTCCATGGCCTTAGCGCATTTCCTACTCCATAGTTACTCTCCAGGTGAGATCAATA
 GGGTGGCTTCATGCCTCAGGAAACTTGGGGTACCGCCCTTGCGAGTCTGGAGACA
 TCGGGCCAGAAGTGTCCGCGCTAGGCTACTGTCCCAGGGGGGGAGGGCTGCCAC
 30 TTGTGGCAAGTACCTCTTCAACTGGGCAGTAAGGACCAAGCTCAAACCTCACTCCA
 ATCCCGGCTGCGTCCCAGTTGGATTATCCAGCTGGTTCTGTTGCTGGTTACAGCGG
 GGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCTGGTTTCATGTGGTGC
 CTACTCCTACTTTCTGTAGGGGTAGGCATCTATCTACTCCCCAACCGATGAACGG
 GGACCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTTTCCCTTTTTTTTTTCT
 35 TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTCTCCTTTTTTTTTTCCCTTTTTTTTCTT
 TTCTTTCTTTTGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCC
 GTGAGCCGCTTGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCAGATCAAGT

40 SEQ ID NO:8: Nucleotide sequence of DNA clone of HCV adaptive replicon VI, where
 nucleotide changes are in lower case and highlighted in bold

GCCAGCCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
 TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTGTCGTCAG
 45 CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
 CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT
 GGAGATTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA
 AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT
 AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC
 50 GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA
 GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT
 GTTCCGGCTGTCAGCGCAGGGGCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCC
 GGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACG

ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT
GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC
TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT
CCGGCTACCTGCCCATTTCGACCACCAAGCGAAACATCGCATCGAGCGAGCACGT
5 ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG
GGGCTCGCGCCAGCCGAACCTGTTTCGCCAGGCTCAAGGCGCGCATGCCCCGACGGC
GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGA
ATGGCCGCTTTTCTGGATTTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA
TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGCGGGCGAATGG
10 GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTTCGCAGCGCATCGC
CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC
CTCTAGCGGGATCAATTCCGCCCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCG
AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT
TGCCGTCTTTTGGCAATGTGAGGGCCCCGAAACCTGGCCCTGTCTTCTTGACGAG
15 CATTCTAGGGGTCTTTCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC
GTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCG
ACCCTTTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA
AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCAGTGCCACGTTG
TGAGTTGGATAGTTGTGGAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA
20 GGGGCTGAAGGATGCCCAGAAGGTACCCCATTTGTATGGGATCTGATCTGGGGCCT
CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCC
GAACCACGGGGACGTGGTTTTCTTTGAAAAACACGATAATACCATGGCGCCTAT
TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC
ACAGGCCGGGACAGGAACAGGTTCGAGGGGGAGGTCCAAGTGGTCTCCACCGCA
25 ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG
GTGCCGGCTCAAAGACCCTTGCCGGCCCCAAAGGGCCCAATCACCCAAATGTACA
CCAATGTGGACCAGGACCTCGTCGGCTGGCgAGCGCCCCCGGGGCGCGTTCCTT
GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT
GTCATTCCGGTGCGCCGGCGGGGCGACAGCAGGGGGAGCCTACTCTCCCCCAGG
30 CCCGTCTCCTACTTGAAGGGCTCTTCGGGGCGGTCCACTGCTCTGCCCCCTCGGGGC
ACGCTGTGGGCATCTTTCGGGGCTGCCGTGTGCACCCGAGGGGTGCGAAGGCGGT
GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG
GACAACCTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG
CCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG
35 GGTATAAGGTGCTTGTCTGAACCCGTCCGTGCGCCGCCACCCTAGGTTTCGGGGC
GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC
CATCACACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC
GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA
CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG
40 CTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGCCTCCGGGATCGGTACCGT
GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT
TATGGCAAAGCCATCCCCATCGAGACCATCAAGGGGGGGAGGCACCTCATTTTCT
GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT
CAATGCTGTAGCATATTACCGGGGCTTGATGTATCCGTCATACCAACTAGCGGA
45 GACGTCATTGTCTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCG
ACTCAGTGATCGACTGCAATACATGTGTACCCAGACAGTCGACTTCAGCCTGGA
CCCGACCTTCACCATTTGAGACGACGACCGTGCCACAAGACGCGGTGTACGCTCG
CAGCGGCGAGGCAGGACTGGTAGGGGCGAGGATGGGCATTTACAGGTTTGTGACT
CCAGGAGAACGGCCCTCGGGCATGTTTCGATTCTCGGTTCTGTGCGAGTGCTATG
50 ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCCGCGAGACCTCAGTTAGGTTGCG
GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG
GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA
AGCAGGCAGGAGACAACCTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG

CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG
GCTAAAGCCTACGCTGCACGGGGCCAACGCCCCTGCTGTATAGGCTGGGAGCCGTT
CAAAACGAGGTTACTACCACACACCCCATAACCAAATACATCATGGCATGCATGT
CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG
5 CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT
CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG
TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC
AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA
AGCAAGCGGAGGCTGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG
10 CCTTCTGGGCGAAGCATATGTGGAATTTTCATCAGCGGGATACAATATTTAGCAGG
CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTACAGCC
TCTATCACCAGCCCGCTCACCACCCAACATAACCCTCCTGTTTAAACATCCTGGGGG
GATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC
GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA
15 TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT
GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC
TCCCCTGGCGCCCTAGTCGTCGGGGTTCGTGTGCGCAGCGATACTGCGTCGGCACG
TGGGCCCAGGGGAGGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT
CGCGGGGTAACCACGTCTCCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC
20 ACGTGTCACTCAGATCCTCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC
ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG
ATGTTTGGGATTGGATATGCACGGTGTGACTGATTTCAAGACCTGGCTCCAGTC
CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC
AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA
25 CAGATCACCGGACATGTGAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC
TGTAATAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGGCCCCT
GCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA
GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC
CACTGACAACGTAAAGTGCCCGTGTGAGGTTCCGGCCCCCGAATTCTTCACAGAA
30 GTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG
AGGAGGTCACATTCCTGGTTCGGGCTCAATCAATACCTGGTTGGGTACAGCTCCC
ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC
CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCCTCCT
TGGCCAGCTCATCAGCTAACCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCACT
35 ACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGGC
AGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATTT
TGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTT
CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGG
CACGCCCCGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT
40 CCCTCCAGTGGTACACGGGTGTCCATTGCCGCTGCCAAGGCCCTCCGATACCA
CCTCCACGGAGGAAGAGGACGGTTGTCTGTGAGAATCTACCGTGTCTTCTGCCT
TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA
GCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCGACGACGGCGACGCGGGAT
CCGACGTTGAGTCGTAATCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC
45 CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT
CGTCTGCTGCTCGATGTCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT
GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC
ACAACCTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG
TCACCTTTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGA
50 GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC
CTGTAAGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG
GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG
ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAATG

AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCGCAAGCCAGCTCGCCTTATCGT
ATTCCCAGATTGTTGGGGGTTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC
TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG
ACAGCGGGTTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG
5 CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT
GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA
TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG
GCAGAACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGTAAGTACGACGACGCTG
CGGTAATAACCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG
10 CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA
GCGCGGGGACCCAAGAGGACGAGGCGAGCCTACGGGCTTCACGGAGGCTATGA
CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTT
GATAACATCATGCTCCTCCAATGTGTGTCAGTCGCGCACGATGCATCTGGCAAAAGG
GTGTACTATCTCACCCGTGACCCACCACCCCTTGCGCGGGCTGCGTGGGAGA
15 CAGCTAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC
CACCTTGTTGGGCAAGGATGATCCTGATGACTCATTCTTCTCCATCCTTCTAGCTC
AGGAACAACCTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCAT
TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT
CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA
20 ACTTGGGGTACCGCCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT
AGGCTACTGTCCAGGGGGGGAGGGCTGCCACTTGTGGCAAGTACCTCTTCAACT
GGGCAGTAAGGACCAAGCTCAAACCTCACTCCAATCCCGGCTGCGTCCAGTTGGA
TTTATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG
TCTCGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT
25 AGGCATCTATCTACTCCCAACCGATGAACGGGGAGCTAAACACTCCAGGCCAAT
AGGCCATCCTGTTTTTTTCCCTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTT
TTTTTCTCCTTTTTTTTTTCCCTTTTTTTTTTCCCTTTTCTTCCCTTTGGTGGCTCCATCTTA
GCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAGTG
CTGATACTGGCCTCTCTGCAGATCAAGT
30

SEQ ID NO:9: Nucleotide sequence of DNA clone of HCV adaptive replicon II, where
nucleotide changes are in lower case and highlighted in bold

35 GCCAGCCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTGTCGTCAG
CCTCCAGGACCCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT
GGAGATTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA
40 AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT
AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGGCGC
GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA
GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT
GTTCCGGCTGTCAGCGCAGGGGGCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCC
45 GGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACG
ACGGGCGTTCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT
GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCTCATCTCACCTTGCTCC
TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT
CCGGCTACCTGCCCATTGACCAACCAAGCGAAACATCGCATCGAGCGAGCACGT
50 ACTCGGATGGAAGCCGGTCTTGTGTCGATCAGGATGATCTGGACGAAGAGCATCAG
GGGCTCGCGCCAGCCGAAGTGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC
GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGA
ATGGCCGCTTTTCTGGATTTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA

TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG
GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTTCGCAGCGCATCGC
CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC
CTCTAGCGGGATCAATTCCGCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCG
5 AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT
TGCCGTCTTTTGGCAATGTGAGGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG
CATTCTAGGGGTCTTTCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC
GTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCG
ACCCTTTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA
10 AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG
TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA
GGGGCTGAAGGATGCCCAGAAGGTACCCCATTTGTATGGGATCTGATCTGGGGCCT
CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAACGTCTAGGCCCCCC
GAACCACGGGGACGTGGTTTTCTTTGAAAAACACGATAATACCATGGCGCCTAT
15 TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC
ACAGGCCGGGACAGGAACCAGGTTCGAGGGGGAGGTCCAAGTGGTCTCCACCGCA
ACACAATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG
GTGCCGGCTCAAAGACCCTTGCCGGCCCAAAGGGCCCAATCACCCAAATGTACA
CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCTCT
20 GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT
GTCATTCCGGTGCGCCGGCGGGGCGACAGCAGGGGGAGCCTACTCTCCCCCAGG
CCCGTCTCCTACTTGAAGGGCTCTTCGGGGCGGTCCACTGCTCTGCCCTCGGGGC
ACGCTGTGGGCATCTTTCGGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT
GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG
25 GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG
CCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG
GGTATAAGGTGCTTGTCTGAACCCGTCCGTGCGCGCCACCCTAGGTTTCGGGGC
GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAAGGAC
CATCACACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC
30 GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA
CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG
CTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGCCTCCGGGATCGGTACCGT
GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT
TATGGCAAAGCCATCCCCATCGAGACCATCAAGGGGGGGAGGCACCTCATTTTCT
35 GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT
CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA
GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTTCG
ACTCAGTGATCGACTGCAATACATGTGTACCCAGACAGTCGACTTCAGCCTGGA
CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTACGCTCG
40 CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT
CCAGGAGAACGGCCCTCGGGCATGTTTCGATTCTCGGTTCTGTGCGAGTGCTATG
ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCGCCGAGACCTCAGTTAGGTTGCG
GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG
GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCAGACTA
45 AGCAGGCAGGAGACAACCTCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG
CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGgAGTGTCTCATACG
GCTAAAGCCTACGCTGCACGGGCCAACGCCCTGCTGTATAGGCTGGGAGCCGTT
CAAAACGAGGTTACTACCACACACCCCATACCAAATACATCATGGCATGCATGT
CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG
50 CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT
CATCTTGTCCGGAAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAG
TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC
AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA

AGCAAGCGGAGGCTGCTGCTCCCGTGGTGGGAATCCAAGTGGCGGACCCTCGAAG
CCTTCTGGGCGAAGCATATGTGGAATTTTCATCAGCGGGATACAATATTTAGCAGG
CTTGTCCTACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTACAGCC
TCTATCACCAGCCCGCTCACCACCCAACATACCCTCCTGTTTAAACATCCTGGGGG
5 GATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCGTAGGCGCC
GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA
TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT
GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC
TCCCCTGGCGCCCTAGTCGTCGGGGTTCGTGTGCGCAGCGATACTGCGTCGGCACG
10 TGGGCCCAGGGGAGGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT
CGCGGGGTAAACCAGTCTCCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC
ACGTGTCACTCAGATCCTCTCTgGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC
ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG
ATGTTTGGGATTGGATATGCACGGTGTGACTGATTTCAAGACCTGGCTCCAGTC
15 CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC
AAGGGAGTCTGGCGGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA
CAGATCACCGGACATGTGAAAAACGGTTCATGAGGATCGTGGGGCCTAGGACC
TGTAGTAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCT
GCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA
20 GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCTACTACGTGACGGGCATGAC
CACTGACAACGTAAAGTGCCCGTGTGAGGTTCCGGCCCCCGAATTCTTCACAGAA
GTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG
AGGAGGTCACATTCTGTCGGGCTCAATCAATACCTGGTTGGGTACAGCTCCC
ATGCGAGCCCGAACCAGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC
25 CACATTACGGCGGAGACGGCTAAGCGTgGGCTGGCCAGGGGATCTCCCCCTCCT
TGGCCAGCTCATCAGCTAGCCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCAC
TACCCGTCACTGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGG
CAGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATT
TTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTT
30 CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCTCGAGCGATGCCCATATGGG
CACGCCCCGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT
CCCTCCAGTGGTACACGGGTGTCCATTGCCGCTGCCAAGGCCCCCTCCGATACCA
CCTCCACGGAGGAAGAGGACGGTGTCTGTCAGAATCTACCGTGTCTTCTGCCT
TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA
35 GCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCGACGACGGCGACGCGGGAT
CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC
CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT
CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT
GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC
40 ACAACTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG
TCACCTTTGACAGACTGCAGGTCTGGACGACCACTACCGGGACGTGCTCAAGGA
GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC
CTGTAAGCTGACGCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG
GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG
45 ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAATG
AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGGCCGCAAGCCAGCTCGCCTTATCGT
ATTCCCAGATTTGGGGGTTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC
TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG
ACAGCGGGTTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG
50 CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT
GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA
TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG
GCAGAACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGTACTGACGACCAGCTG

CGGTAATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTCGAGCTGCGAAG
 CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAA
 GCGCGGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGA
 CTAGATACTCTGCCCCCCTGGGGACCCGCCAAACCAGAATACGACTTGGAGTT
 5 GATAACATCATGCTCCTCCAATGTGTCAGTCGCGCACGATGCATCTGGCAAAAGG
 GTGTACTATCTCACCCGTGACCCCAACCACCCCTTGCGCGGGCTGCGTGGGAGA
 CAGCTAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC
 CACCTTGTGGGCAAGGATGATCCTGATGACTCATTCTCTCCATCCTTCTAGCTC
 AGGAACAACCTTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCAT
 10 TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT
 CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA
 ACTTGGGGTACCGCCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT
 AGGCTACTGTCCCAGGGGGGGAGGGCTGCCACTTGTGGCAAGTACCTCTTCAACT
 GGGCAGTAAGGACCAAGCTCAAACCTCACTCCAATCCCGGCTGCGTCCCAGTTGGA
 15 TTTATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG
 TCTCGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT
 AGGCATCTATCTACTCCCAACCGATGAACGGGGACCTAAACACTCCAGGCCAAT
 AGGCCATCCTGTTTTTTTCCCTTTTTTTTTTCTTTTTTTTTTTTTTTTTTTTTT
 TTTTTTCTCCTTTTTTTTTTCCCTTTTTTTTCTTTTCTTTCCCTTTGGTGGCTCCATCT
 20 TAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAG
 TGCTGATACTGGCCTCTCTGCAGATCAAGT

25 SEQ ID NO:10: Nucleotide sequence of DNA clone of HCV adaptive replicon V, where
 nucleotide change is in lower case and highlighted in bold

GCCAGCCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
 TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTGTCGTCAG
 CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
 30 CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT
 GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTGCGGA
 AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT
 AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC
 GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA
 35 GGCTATTGCGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT
 GTTCCGGCTGTCAGCGCAGGGGGCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCC
 GGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACG
 ACGGGCGTTCTTGCAGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT
 GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC
 40 TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT
 CCGGCTACCTGCCCATTCGACCACCAAGCGAAACATCGCATCGAGCGAGCACGT
 ACTCGGATGGAAGCCGGTCTTGTCGATCAGGATGATCTGGACGAAGAGCATCAG
 GGGCTCGCGCCAGCCGAACCTGTTCCGCGAGGCTCAAGGCGCGCATGCCCGACGGC
 GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGAAA
 45 ATGGCCGCTTTTCTGGATTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA
 TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG
 GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTTCGAGCGCATCGC
 CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC
 CTCTAGCGGGATCAATTCCGCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCG
 50 AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT
 TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG
 CATTCCTAGGGGTCTTTCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC
 GTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCG

ACCCTTTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA
AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAAGTGCCACGTTG
TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA
GGGGCTGAAGGATGCCCAGAAGGTACCCCATTTGTATGGGATCTGATCTGGGGCCT
5 CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCC
GAACCACGGGGACGTGGTTTTCTTTGAAAAACACGATAATACCATGGCGCCTAT
TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC
ACAGGCCGGGACAGGAACCAGGTTCGAGGGGGAGGTCCAAGTGGTCTCCACCGCA
ACACAATCTTTCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG
10 GTGCCGGCTCAAAGACCCTTGCCGGGCCAAAGGGCCCAATCACCCAAATGTACA
CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCTT
GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT
GTCATTCCGGTGCGCCGGCGGGGCGACAGCAGGGGGAGCCTACTCTCCCCCAGG
CCCGTCTCCTACTTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCTCGGGGC
15 ACGCTGTGGGCATCTTTCTGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT
GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG
GACAACTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG
CCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG
GGTATAAGGTGCTTGTCTGAACCCGTCCGTGCGCCGCCACCCTAGGTTTCGGGGC
20 GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAGGAC
CATCACACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC
GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA
CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG
CTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGCCTCCGGGATCGGTACCGT
25 GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT
TATGGCAAAGCCATCCCCATCGAGACCATCAAGGGGGGGAGGCACCTCATTTTCT
GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT
CAATGCTGTAGCATATTACCGGGGCCCTTGATGTATCCGTCATAACCACTAGCGGA
GACGTCATTGTCGTAGCAACGGACGCTCTAATGACGGGGCTTTACCGGCGATTTCTG
30 ACTCAGTGATCGACTGCAATACATGTGTACCCAGACAGTCGACTTCAGCCTGGA
CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTACGCTCG
CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTTACAGGTTTGTGACT
CCAGGAGAACGGCCCTCGGGCATGTTTCGATTCTCGGTTCTGTGCGAGTGCTATG
ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCCGCGAGACCTCAGTTAGGTTGCG
35 GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG
GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTA
AGCAGGCAGGAGACAACCTTCCCCTACCTGGTAGCATAACAGGCTACGGTGTGCG
CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATAACG
GCTAAAGCCTACGCTGCACGGGCCAACGCCCCCTGCTGTATAGGCTGGGAGCCGTT
40 CAAAACGAGGTTACTACCACACACCCCATAAACCAATACATCATGGCATGCATGT
CGGCTGACCTGGAGGTGCTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG
CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT
CATCTTGTCCGGAAAGCCGGCCATCATTTCCCGACAGGGAAGTCCTTTACCGGGAG
TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC
45 AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA
AGCAAGCGGAGGCTGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAG
CCTTCTGGGCGAAGCATATGTGGAATTTATCAGCGGGATACAATATTTAGCAGG
CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTACAGCC
TCTATCACCGCCGCTCACCAACCAACATACCCTCCTGTTTAACATCCTGGGGG
50 GATGGGTGGCCGCCCAACTTGCTCCTCCAGCGCTGCTTCTGCTTTCGTAGGCGCC
GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA
TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT
GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC

TCCCCTGGCGCCCTAGTCGTCGGGGTTCGTGTGCGCAGCGATACTGCGTCGGGCACG
TGGGCCCAGGGGAGGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT
CGCGGGGTAAACCACGTCTCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC
ACGTGTCACTCAGATCCTCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC
5 ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG
ATGTTTGGGATTGGATATGCACGGTGTGACTGATTTCAAGACCTGGCTCCAGTC
CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC
AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACTGCCCATGTGGAGCA
CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC
10 TGTAGTAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGGCCCCT
GCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA
GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC
CACTGACAACGTAAAGTGCCCGTGTGAGGTTCCGGCCCCCGAATTCTTCACAGAA
GTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG
15 AGGAGGTCACATTCCTGGTCCGGCTCAATCAATACCTGGTTGGGTACAGCTCCC
ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC
CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCTCCT
TGtCCAGCTCATCAGCTAGCCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCACT
ACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGGC
20 AGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATTT
TGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTT
CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGG
CACGCCCGGATTACAACCCTCCACTGTTAGAGTCTTGAAGGACCCGGACTACGT
CCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCTCCGATACCA
25 CCTCCACGGAGGAAGAGGACGGTTGTCTGTGAGAATCTACCGTGTCTTCTGCCT
TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTGACA
GCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCGACGACGGCGACGCGGGAT
CCGACGTTGAGTCGTAATCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC
CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT
30 CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT
GCGGAGGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC
ACAACCTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG
TCACCTTTGACAGACTGCAGGTCTTGACGACCACTACCGGGACGTGCTCAAGGA
GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC
35 CTGTAAGCTGACGCCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG
GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG
ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAATG
AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCGCAAGCCAGCTCGCCTTATCGT
ATTCCCAGATTTGGGGGTTCTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC
40 TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG
ACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG
CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT
GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA
TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG
45 GCAGAACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGTACTGACGACCAGCTG
CGGTAATAACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTGAGCTGCGAAG
CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTGCTTATCTGTGAAA
GCGCGGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGA
CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAAATACGACTTGGAGTT
50 GATAACATCATGCTCCTCCAATGTGTGTCAGTCGCGCACGATGCATCTGGCAAAAGG
GTGTACTATCTCACCCGTGACCCCAACCCCCCTTGCGCGGGGCTGCGTGGGAGA
CAGCTAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC
CACCTTGTGGGCAAGGATGATCCTGATGACTCATTCTTCTCCATCCTTCTAGCTC

AGGAACAACCTTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCAT
TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT
CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA
ACTTGGGGTACCGCCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT
5 AGGCTACTGTCCCAGGGGGGGAGGGCTGCCACTTGTGGCAAGTACCTCTTCAACT
GGGCAGTAAGGACCAAGCTCAAACCTCACTCCAATCCCGGCTGCGTCCCAGTTGGA
TTTATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG
TCTCGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT
AGGCATCTATCTACTCCCAACCGATGAACGGGGACCTAAACACTCCAGGCCAAT
10 AGGCCATCCTGTTTTTTTCCCTTTTTTTTTTCTTTTTTTTTTTTTTTTTTTTTTTT
TTTTTTCTCCTTTTTTTTTTCCCTCTTTTTTCCCTTTCTTTCCCTTTGGTGGCTCCATCT
TAGCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAG
TGCTGATACTGGCCTCTCTGCAGATCAAGT

15

SEQ ID NO:11: NS5A gene of DNA clone of HCV adaptive replicon IV, where nucleotide
change is in lower case and highlighted in bold

TCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGTGTGACTGATT
20 TCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTT
CTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGCGACGGCATCATGCAAAC
CACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAACGGTTCCATGAG
GATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATTCCCCATTAAC
GCGTACACCACGGGCCCCTGCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGC
25 TGTGGCGGGTGGCTGCTGAGGAGTACGTGGAGGTTACGCGGGTGGGGGATTTC
ACTACGTGACGGGCATGACCACTGACAACGTAAAGTGCCCGTGTGAGGTTCCGGC
CCCCGAATTCTTCACAGAAGTGGATGGGGTGGCGTTGCACAGGTACGCTCCAGCG
TGCAAACCCCTCCTACGGGAGGAGGTCACATTCCTGGTGGGCTCAATCAATACC
TGGTTGGGTACAGCTCCCATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTC
30 CATGCTCACCGACCCCTCCACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCC
AGGGGATCTCCCCCT**g**CTTGGCCAGCTCATCAGCTAGCCAGCTGTCTGCGCCTTC
CTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCTGACCTCATCGAG
GCCAACCTCCTGTGGCGGCAGGAGATGGGCGGGAACATCACCCGCGTGGAGTCA
GAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGAT
35 GAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCT
CGAGCGATGCCCATATGGGCACGCCCGGATTACAACCCTCCACTGTTAGAGTCCT
GGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGC
CAAGGCCCTCCGATACCACCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGA
ATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCC
40 GAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCG
ACGACGGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGA
GGGGGAGCCGGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGA
GGAGGCTAGTGAGGACGTCGTCTGCTGC

45

SEQ ID NO:12: NS5A gene of HCV adaptive replicon III, where nucleotide change is in
lower case and highlighted in bold

TCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGTGTGACTGATT
50 TCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTT
CTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGCGACGGCATCATGCAAAC
CACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAACGGTTCCATGAG
GATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATTCCCCATTAAC

GCGTACACCACGGGCCCCTGCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGC
 TGTGGCGGGTGGCTGCTGAGGAGTACGTGGAGGTTACGCGGGTGGGGGATTTC
 ACTACGTGACGGGCATGACCACTGACAACGTAAAGTGCCCGTGTACAGGTTCCGGC
 CCCC GAATTCTTCACAGAAGTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGCG
 5 TGCAAACCCCTCCTACGGGAGGAGGTCACATTCCTGGTCGGGCTCAATCAATACC
 TGGTTGGGTACAGCTCCCATGCGAGCCCGAACC GGACGTAGCAGTGCTCACTTC
 CATGCTCACCGACCCCTCCACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCC
 AGGGGATCTCCCCC C CTTGGCCAGCTCATCAGCTAGCCAGCTGTCTGCGCCTTC
 CTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCTGACCTCATCGAG
 10 GCCAACCTCCTGTGGCGGCAGGAGATGGGCGGGAACATCACCCGCGTGGAGTCA
 GAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGAT
 GAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATCCCT
 CGAGCGATGCCCATATGGGACGCCCCGATTACAACCCTCCACTGTTAGAGTCCT
 GGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTGC
 15 CAAGGCCCTCCGATACCACCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAGA
 ATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCC
 GAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCG
 ACGACGGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGA
 GGGGGAGCCGGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGA
 20 GGAGGCTAGTGAGGACGTCGTCTGCTGC

SEQ ID NO:13: Nucleotide sequence of DNA clone of HCV adaptive replicon VII, where
 nucleotide change is in lower case and highlighted in bold

25 GCCAGCCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
 TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG
 CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
 CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT
 30 GGAGATTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTGCGCA
 AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCAGTGCCCCGGGAGGTCTCGT
 AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC
 GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA
 GGCTATTGCGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT
 35 GTTCCGGCTGTCAGCGCAGGGGCGCCCGGTTCTTTTGTCAAGACCGACCTGTCC
 GGTGCCCTGAATGAAGTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACG
 ACGGGCGTTCTTGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT
 GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC
 TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT
 40 CCGGCTACCTGCCATTGACCACCAAGCGAAACATCGCATCGAGCGAGCACGT
 ACTCGGATGGAAGCCGGTCTTGTGTCGATCAGGATGATCTGGACGAAGAGCATCAG
 GGGCTCGCGCCAGCCGAAGTTCGCCAGGCTCAAGGCGCGCATGCCCGACGGC
 GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGA
 ATGGCCGCTTTTCTGGATTTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA
 45 TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG
 GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTGCGAGCGCATCGC
 CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC
 CTCTAGCGGGATCAATTCCGCCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCG
 AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT
 50 TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG
 CATTCTAGGGGTCTTTCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC
 GTGAAGGAAGCAGTTCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCG
 ACCCTTTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA

AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCCAGTGCCACGTTG
TGAGTTGGATAGTTGTGGAAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA
GGGGCTGAAGGATGCCCAGAAGGTACCCCATTTGTATGGGATCTGATCTGGGGCCT
CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCC
5 GAACCACGGGGACGTGGTTTTCTTTGAAAAACACGATAATACCATGGCGCCTAT
TACGGCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTC
ACAGGCCGGGACAGGAACCAGGTCGAGGGGGAGGTCCAAGTGGTCTCCACCGCA
ACACAATCTTTCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATG
GTGCCGGCTCAAAGACCCTTGCCGGCCCAAGGGCCCAATCACCCAAATGTACA
10 CCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCTT
GACACCATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGAT
GTCATTCCGGTGCGCCGGCGGGGCGACAGCGGGGGAGCCTACTCTCCCCCAGG
CCCGTCTCCTACTTGAAGGGCTCTTCGGGGCGGTCCACTGCTCTGCCCTCGGGGC
ACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGT
15 GGACTTTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACG
GACAACCTCGTCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACG
CCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAG
GGTATAAGGTGCTTGTCTGAACCCGTCCGTGCGCGCCACCCTAGGTTTCGGGGC
GTATATGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAAGGAC
20 CATCACACGGGTGCCCCCATCACGTACTCCACCTATGGCAAGTTTCTTGCCGAC
GGTGGTTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAA
CTGACTCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGG
CTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGCCTCCGGGATCGGTACCGT
GCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTT
25 TATGGCAAAGCCATCCCCATCGAGACCATCAAGGGGGGGAGGCACCTCATTTTCT
GCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACT
CAATGCTGTAGCATATTACCGGGGCCTTGATGTATCCGTCATACCAACTAGCGGA
GACGTCAATTGTCGTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTG
ACTCAGTGATCGACTGCAATACATGTGTACCCAGACAGTCGACTTCAGCCTGGA
30 CCCGACCTTCACCATTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCG
CAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGGGCATTACAGGTTTGTGACT
CCAGGAGAACGGCCCTCGGGCATGTTTCGATTCTCGGTTCTGTGCGAGTGCTATG
ACGCGGGCTGTGCTTGGTACGAGCTCACGCCCCGCGAGACCTCAGTTAGGTTGCG
GGCTTACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGG
35 GAGAGCGTCTTTACAGGCCTCACCCACATAGACGCCCATTCTTGTCCCAGACTA
AGCAGGCAGGAGACAACCTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCG
CCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACG
GCTAAAGCCTACGCTGCACGGGCCAACGCCCTGCTGTATAGGCTGGGAGCCGTT
CAAAACGAGGTTACTACCACACACCCCAATAACCAAATACATCATGGCATGCATGT
40 CGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAG
CAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTCATTGTGGGCAGGAT
CATCTTGTCCGGAAGCCGGCCATCATTCGCGACAGGGAAGTCCTTTACCGGGAG
TTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGC
AGCTCGCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCA
45 AGCAAGCGGAGGCTGCTGCTCCCGTGGTGGAAATCCAAGTGGCGGACCCTCGAAG
CCTTCTGGGCGAAGCATATGTGGAATTTTCATCAGCGGGGATACAATATTTAGCAGG
CTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTACAGCC
TCTATCACCAAGCCGCTCACCAACCAACATACCCTCCTGTTTAACATCCTGGGGG
GATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTTCGTAGGCGCC
50 GGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATA
TTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCAT
GAGCGGCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTC
TCCCCTGGCGCCCTAGTCGTGCGGGTCTGTGTGCGCAGCGATACTGCGTCGGCACG

TGGGCCCAGGGGAGGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCGCTT
CGCGGGGTAACCACGTCTCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGC
ACGTGTCACTCAGATCCTCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTC
ACCAGTGGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAG
5 ATGTTTGGGATTGGATATGCACGGTGTGACTGATTTCAAGACCTGGCTCCAGTC
CAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTAC
AAGGGAGTCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCA
CAGATCACCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACC
TGTAATAACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCT
10 GCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGA
GGAGTACGTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGAC
CACTGACAACGTAAAGTGCCCGTGTGAGGTTCCGGCCCCCGAATTCTTCACAGAA
GTGGATGGGGTGCGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGG
AGGAGGTCACATTCCTGGTCGGGCTCAATCAATACCTGGTTGGGTCACAGCTCCC
15 ATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCC
CACATTACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCTCCT
TGGCCAGCTCATCAGCTAACCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCACT
ACCCGTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGGC
AGGAGATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATTT
20 TGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTT
CGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCCTCGAGCGATGCCCATATGGG
CACGCCCCGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGT
CCCTCCAGTGGTACACGGGTGTCCATTGCCGCTGCCAAGGCCCTCCGATACCA
CCTCCACGGAGGAAGAGGACGGTTGTCTGTGAGAATCTACCGTGTCTTCTGCCT
25 TGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACA
GCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCCGACGACGGCGACGCGGGAT
CCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGAGCCGGGGGATCC
CGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGT
CGTCTGCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCT
30 GCGGAGGAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACC
ACAACCTTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGG
TCACCTTTGACAGACTGCAGGTCTGGACGACCACTACCGGGACGTGCTCAAGGA
GATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGC
CTGTAAGCTGACGCCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAG
35 GACGTCCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGG
ACTTGCTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAATG
AGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCGCAAGCCAGCTCGCCTTATCGT
ATTCCCAGATTTGGGGGTTCTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTC
TCCACCCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGG
40 ACAGCGGGTCGAGTTCTTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGG
CTTCGCATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGT
GTTGAGGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCA
TAAGGTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGG
GCAGAACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGTACTGACGACCAGCTG
45 CGGTAATAACCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTGAGCTGCGAAG
CTCCAGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCTGTTATCTGTGAAA
GCGCGGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCTTCACGGAGGCTATGA
CTAGATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTT
GATAACATCATGCTCCTCCAATGTGTGAGTCGCGCACGATGCATCTGGCAAAAGG
50 GTGTACTATCTACCCGTGACCCCAACCCCTTTCGCGGGGCTGCGTGGGAGA
CAGCTAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCC
CACCTTGTGGGCAAGGATGATCCTGATGACTCATTTCTTCTCCATCCTTCTAGCTC
AGGAACAACCTGAAAAAGCCCTAGATTGTCAGATCTACGGGGCCTGTTACTCCAT

TGAGCCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTT
 CACTCCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAA
 ACTTGGGGTACCGCCCTTGCAGTCTGGAGACATCGGGCCAGAAGTGTCCGCGCT
 AGGCTACTGTCCCAGGGGGGGAGGGCTGCCACTTGTGGCAAGTACCTCTTCAACT
 5 GGGCAGTAAGGACCAAGCTCAAACCTCACTCCAATCCCGGCTGCGTCCCAGTTGGA
 TTTATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATATCACAGCCTG
 TCTCGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGT
 AGGCATCTATCTACTCCCAACCGATGAACGGGGAGCTAAACACTCCAGGCCAAT
 AGGCCATCCTGTTTTTTTCCCTTTTTTTTTTCTTTTTTTTTTTTTTTTTTTTTT
 10 TTTTCTCCTTTTTTTTTTCCCTCTTTTTTCCTTTTCTTTCCTTTGGTGGCTCCATCTTA
 GCCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAGTG
 CTGATACTGGCCTCTCTGCAGATCAAGT

15 SEQ ID NO:14: Amino acid sequence of the NS5A protein of HCV adaptive replicon I,
 where amino acid generated is highlighted in bold

SGSWLRDVWDWICTVLTDFTWLQSKLLPRLPGVPPFFSCQRGYKGVWRGDGIMQTT
 CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINAYTTGPCTPSPAPNYSRALWRV
 20 AAEEYVEVTRVGDFFHYVTGMTTDNVKCPQVPAPEFFTEVDGVRLHRYAPACKPLL
 REEVTFVLVGLNQYLVGSQLPCEPEPDVAVLTSMMLTDPSHITAETAKRRLARGSPPSLA
 SSSASQLYSFEPLQAEEDEREVSVP AEILRRSRKFPRAMPIWARPDYNPPLLESWKDP
 DYVPPVHGCPLPPAKAPPIPPRRKRTVVLSESTVSSALAEATKTFGSSESSAVDSG
 TATASPDQPSDDGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC
 25

SEQ ID NO:15: Amino acid sequence of the polyprotein coding region of HCV adaptive
 replicon VI, where amino acid changes are highlighted in bold

30 MAPITAYSQQTRGLLGCIITSLTGRDRNQVEGEVQVVSTATQSFLATCVNGVCWTVY
 HGAGSKTLAGPKGPITQMYTNVDQDLVGWRAPPGARSLTPCTCGSSDLYLVTRHAD
 VIPVRRRGDSRGSLLSPRPVSYLKGSSGGLLCPSGHAVGIFRAAVCTRGVAKAVDFV
 PVESMETTMRSVPFTDNSSPPAVPQTFQVAHLHAPTGSKGSTKVPAAYAAQGYKVL
 VLNPSVAATLGFGAYMSKAHGIDPNRTGVRTITTTGAPITYSTYKGFLADGGCSGGAY
 35 DIICDECHSTDSTTILGIGTVLDQAETAGARLVVLATATPPGSVTVPHPNIEEVALSST
 GEIPFYGKAIPETIKGGRHLIFCHSKKKCDELA AKLSGLGLNAVAYYRGLDVSVIPTS
 GDVIVVATDALMTGFTGDFDSVIDCNTCVTQTVD FSLDPTFTIETTTVPQDAVSRQR
 RGRTGRGRMGIRFVTPGERPSGMFDSSVLCECYDAGCAWYELTPAETSVRLRAYL
 NTPGLPVCQDHLEFWESVFTGLTHIDAHFLSQTKQAGDNFPYLVAYQATVCARAQA
 40 PPSWDQMWKCLIRLKP TLHGPTPLLYRLGAVQNEVTTTHPITKYIMACMSADLEV
 TSTWVLVGGVLAALAAAYCLTTG SVVIVGRILSGKPAJPDREVL YREFDEMEECASH
 LPYIEQGMQLAEQFKQKAIGLLQTATKQAEAAAPV VESKWR TLEAFWAKHMWNFIS
 GIQYLAGLSTLPGNPAIASLMAFTASITSPLTTQHTLLFNILGGWVAAQLAPPSAASAF
 VGAGIAGAAVGSIGLGKVLVDILAGY GAGVAGALVAFKVMMSGEMPSTEDLVNLLPA
 45 ILSPGALVVG VVCAAILRRHVGPGE GAVQWMNRLIAFASRGNHVSPHYVPESDAA
 ARVTQILSSLTTTQLLKRLHQWINE DCSTPCSGSWLRDVWDWICTVLTDFTWLQSK
 LLPRLPGVPPFFSCQRGYKGVWRGDGIMQTT CPCGAQITGHVKNGSMRIVGPRTCSNT
 WHGTFPINAYTTGPCTPSPAPNYSRALWRVAAEEYVEVTRVGDFFHYVTGMTTDNVK
 CPCQVPAPEFFTEVDGVRLHRYAPACKPLL REEVTFVLVGLNQYLVGSQLPCEPEPDV
 50 AVLTSMLTDPSHITAETAKRRLARGSPPSLASSSAIQLSAPSLKATCTTRHDS PADLI
 EANLLWRQEMGGNITRVESENKV VILDSFEPLQAEEDEREVSVP AEILRRSRKFPRAM
 PIWARPDYNPPLLESWKDPDYVPPVHGCPLPPAKAPPIPPRRKRTVVLSESTVSSAL
 AEATKTFGSSESSAVDSGTATASPDQPSDDGDAGSDVESYSSMPPLEGEPGDPDLSD

GSWSTVSEEASEDVVCCSMSYTWGTALITPCAAEETKLPINALSNSLLRHHNLVYAT
 TSRSASLRQKKVTFDRLQVLDDHYRDVLKEMKAKASTVKAKLLSVEEACKLTPPHS
 ARSKFGYGAKDVRNLSSKAVNHRSVWKDLLEDTEPIDTTIMAKNEVFCVQPEKGG
 RKPARLIVFPDLGVRVCEKMALYDVVSTLPQAVMGSSYGFQYSPGQRVEFLVNAWK
 5 AKKCPMGFAYDTRCFDSTVTENDIRVEESIYQCCDLAPPEARQAIRSLTERLYIGGPLT
 NSKGQNCGYRRCRASGVLTTS CGNTLT CYLKAAAACRAAKLQDCTMLVCGDDL VV
 ICESAGTQEDEASLRAFTEAMTRYSAAPPDPPKPEYDLELITSCSSNVSVAH DASGKR
 VYYLTRDPTTPLARAAWETARHTPVNSWLGNIMYAPTLWARMILMTHFFSILLAQE
 QLEKALDCQIYGACYSIEPLDLPQIIQRLHGLSAFSLHSYSPGEINRVASCLRKLGVPPPL
 10 RVWRHRARSVRARLLSQGGRAATCGKYLFNWAVRTKLKLTPIPAASQLDLSSWFVA
 GYSGGDIYHSLSRARPRWFMWCLLLSVGVGIYLLPNR

15 SEQ ID NO:16: Amino acid sequence of the NS5A protein of HCV adaptive replicon VII,
 where amino acid change is highlighted in bold

SGSWLRDVWDWICTVL TDFKTWLQSKLLPRLPGVPPFFSCQRGYKGVWRGDGIMQTT
 CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINA YTTGPCTPSPAPNYSRALWRV
 AAEEYVEVTRVGDFHYVTGMTTDNVK CPCQVPAPEFFTEVDGVRLHRYAPACKPLL
 20 REEVTFVLVGLNQYL VGSQLPCEPEPDVAVLTSM L TDPSHITAETAKRRLARGSPPSLA
 SSSAIQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKV VILDSFEP
 LQAEEDEREVSVP AEILRRSRKFPRAMP IWARPDYNPPLLESWKDPDYVPPV VHGCPL
 LPPAKAPPIPPRRKRTVVLSESTVSSALAE L ATKTFGSSESAVDSGTATASPDQPSD
 DGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC
 25

SEQ ID NO:17: Amino acid sequence of the polyprotein of HCV adaptive replicon II, where
 amino acid changes are highlighted in bold

30 MAPITAYSQQTRGLLGCIITSLTGRDRNQVEGEVQVVSTATQSFLATCVNGVCWTVY
 HGAGSKTLAGPKGPITQMYTNVDQDLVGWQAPPGARSLTPCTCGSSDLYLVTRHAD
 VIPVRRRGDSRGSLLSPRPVSYLKGSSGGPLLCP SGH AVGIFRAAVCTRGVAKAVDFV
 PVESMETTMRSPVFTDNSSPPAVPQTFQVAHLHAPTGS GKSTKVPAAYAAQGYKVL
 VLNPSVAATLGFGAYMSKAHGIDPNIRTGVRTTTTGAPITYSTY GKFLADGGCSGGAY
 35 DIICDECHSTDSTTILGIGTVLDQAETAGARLVVLATATPPG SVTVPHPNIEEVALSST
 GEIPFYGKAPIETIKGGRHLIFCHSKKKCDELA AKLSGLGLNAVAYYRGLDVS VIPTS
 GDVTVVATDALMTGFTGDFDSVIDCNTCVTQTVD FSLDPTFTIETTTVPQDAVSRQR
 RGRTGRGRMGIYRFVTPGERPSGMFDSSVLCECYDAGCAWYELTPAETSVRLRAYL
 NTPGLPVCQDHLEFWESVFTGLTHIDAHFLSQT KQAGDNFPYLVAYQATVCARAQA
 40 PPPSWDQMWECLIRLKP TLHGPTPLLYRLGAVQNEVTTTHPITKYIMACMSADLEV
 TSTWVLVGGVLAALAAAYCLTTGSVVTVGRILSGKPAIPDREVLYREFDEMEECASH
 LPYIEQGMQLAEQFKQKAIGLLQTATKQAEAAAPV VESKWR TLEAFWAKHMWNFIS
 GIQYLAGLSTLPGNPAIASLMAFTASITSPLTTQH TLLFNILGGWVAAQLAPPSAASAF
 VGAGIAGAAVGSIGLGKVLVDILAGYGAGVAGALVAFKVMMSGEMPSTEDLVNLLPA
 45 ILSPGALVVG VVCAAILRRHVGPGE GAVQWMNRLIAFASRGNHVSPHYVPESDAA
 ARVTQILSGLTITQLLKRLHQWINE DCSTPCSGSWLRDVWDWICTVL TDFKTWLQSK
 LLPRLPGVPPFFSCQRGYKGVWRGDGIMQTT CPCGAQITGHVKNGSMRIVGPRTCSNT
 WHGTFPINA YTTGPCTPSPAPNYSRALWRVAAEEYVEVTRVGDFHYVTGMTTDNVK
 CPCQVPAPEFFTEVDGVRLHRYAPACKPLL REEVTFVLVGLNQYL VGSQLPCEPEPDV
 50 AVLTSMLTDPSHITAETAKRGLARGSPPSLASSSASQLSAPSLKATCTTRHDSPDADLI
 EANLLWRQEMGGNITRVESENKV VILDSFEPLQAEEDEREVSVP AEILRRSRKFPRAM
 PIWARPDYNPPLLESWKDPDYVPPV VHGCPLPPAKAPPIPPRRKRTVVLSESTVSSAL
 AELATKTFGSSESAVDSGTATASPDQPSDDGDAGSDVESYSSMPPLEGEPGDPDLSD

GSWSTVSEEASEDVVCCSMSYTWGTGALITPCAAEETKLPINALSNSLLRHHNLVYAT
 TSRSASLRQKKVTFDRLQVLDDHYRDVLKEMKAKASTVKAKLLSVEEACKLTPPHS
 ARSKFGYGAKDVRNLSSKAVNHRSVWKDLLEDTEPTIDTTIMAKNEVFCVQPEKGG
 RKPARLIVFPDLGVRVCEKMALYDVVSTLPQAVMGSSYGFQYSPGQORVEFLVNAWK
 5 AKKCPMGFAYDTRCFDSTVTENDIRVEESIYQCCDLAPEARQAIRSLTERLYIGGPLT
 NSKGQNCGYRRCRASGVLTTS CGNTLT CYL KAAAACRAAKLQDCTMLVCGDDL VV
 ICESAGTQEDEASLRAFTEAMTRYSA APPGDPPKPEYDLELITSCSSNVSAHDASGKR
 VYYLTRDPTTPLARAAWETARHTPVNSWLGNIIMYAPTLWARMILMTHFFSILLAQE
 QLEKALDCQIYGACYSIEPLDLPQIIQRLHGLSAFSLHSYSPGEINRVASCLRKLGVPP
 10 RVWRHRARSVRARLLSQGGRAATCGKYLEFNWAVRTKLKLTPIPAASQLDLSSWFVA
 GYSGGDIYHSLSRARPRWFMWCLLLSVGVGIYLLPNR

15 SEQ ID NO:18: Amino acid sequence of the NS5A protein of HCV adaptive replicon II,
 where amino acid change is highlighted in bold

SGSWLRDVWDWICTVL TDFKTWLQSKLLPRLPGV PFFSCQRGYKGVWRGDGIMQTT
 CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINA YTTGPCTPSPAPNYSRALWRV
 AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL
 20 REEVTFVLVGLNQYL VGSQLPCEPEPDVAVLT SMLTDPSHITAETA KRGLARGSPPSLA
 SSSASQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKVVILDSFE
 PLQAEEDEREVSVP AEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPV VHGCP
 LPPAKAPPIPPRRKRTVVLSESTVSSALAE L ATKTFGSSESSAVDSGTATASPDQPSD
 DGDAGSDVESYSSMPPLEGEPGDPDLS DGSWSTVSEEASEDVVCC
 25

SEQ ID NO:19: Amino acid sequence of the NS5A protein of HCV adaptive replicon V,
 where amino acid change is highlighted in bold

30 SGSWLRDVWDWICTVL TDFKTWLQSKLLPRLPGV PFFSCQRGYKGVWRGDGIMQTT
 CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINA YTTGPCTPSPAPNYSRALWRV
 AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL
 REEVTFVLVGLNQYL VGSQLPCEPEPDVAVLT SMLTDPSHITAETA KRRLARGSPPSLS
 SSSASQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKVVILDSFE
 35 PLQAEEDEREVSVP AEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPV VHGCP
 LPPAKAPPIPPRRKRTVVLSESTVSSALAE L ATKTFGSSESSAVDSGTATASPDQPSD
 DGDAGSDVESYSSMPPLEGEPGDPDLS DGSWSTVSEEASEDVVCC

40 SEQ ID NO:20: Amino acid sequence of the NS5A protein of HCV adaptive replicon IV,
 where amino acid change is highlighted in bold

45 SGSWLRDVWDWICTVL TDFKTWLQSKLLPRLPGV PFFSCQRGYKGVWRGDGIMQTT
 CPCGAQITGHVKNGSMRIVGPRTCSNTWHGTFPINA YTTGPCTPSPAPNYSRALWRV
 AAEEYVEVTRVGDFHYVTGMTTDNVKCPCQVPAPEFFTEVDGVRLHRYAPACKPLL
 REEVTFVLVGLNQYL VGSQLPCEPEPDVAVLT SMLTDPSHITAETA KRRLARGSPPCLA
 SSSASQLSAPSLKATCTTRHDSPDADLIEANLLWRQEMGGNITRVESENKVVILDSFE
 PLQAEEDEREVSVP AEILRRSRKFPRAMPIWARPDYNPPLLESWKDPDYVPPV VHGCP
 LPPAKAPPIPPRRKRTVVLSESTVSSALAE L ATKTFGSSESSAVDSGTATASPDQPSD
 50 DGDAGSDVESYSSMPPLEGEPGDPDLS DGSWSTVSEEASEDVVCC

SEQ ID NO:21: Amino acid sequence of the NS5A protein of HCV adaptive replicon III, where amino acid change is highlighted in bold

5 SGSWLRDVWDWICTVLTDFTWLQSKLLPRLPGVPPFFSCQRGYKGVWRGDGIMQTT
CPCGAQITGHVKNNGSMRIVGPRTCSNTWHGTFPINA YTTGPCTPSPAPNYSRALWRV
AAEEYVEVTRVGDFFHYVTGMTTDNVKCPQVPAPEFFTEVDGVRLHRYAPACKPLL
REEVTFLVGLNQYLVGSQLPCEPEPDVAVLTSMLTDP SHITAETAKRRLARGSPPLA
SSSASQLSAPSLKATCTTRHDS PDADLIEANLLWRQEMGGNITRVESENKVVILDSFE
10 PLQAEEDEREVSVP AEILRRSRKFPRAMPIWARPDYNP LLESWKDPDYVPPVHGC
LPPAKAPPIPPRRKRTVVLSESTVSSALAE LTKTFGSSESAVDSGTATASPDQPSD
DGDAGSDVESYSSMPPLEGEPGDPDLSDGSWSTVSEEASEDVVCC

SEQ ID NO:22: Nucleotide sequence of DNA clone of HCV adaptive replicon HCVrep/NS2-5B (see Figure 9)

15 GCCAGCCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG
CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT
20 GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTCGCGA
AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT
AGACCGTGCACCAGACCACAACGGTTTCCCTCTAGCGGGATCAATTCCGCCCTC
TCCCTCCCCCCCCCTAACGTTACTGGCCGAAGCCGCTTGGAATAAGGCCGGTGT
GCGTTTGTCTATATGTTATTTCCACCATATTGCCGTCCTTTGGCAATGTGAGGGC
25 CCGGAAACCTGGCCCTGTCTTCTTGACGAGCATTCTAGGGGTCTTTCCCCTCTCG
CCAAAGGAATGCAAGGTCTGTTGAATGTCGTGAAGGAAGCAGTTCCTCTGGAAG
CTTCTTGAAGACAAACAACGTCTGTAGCGACCCTTTGCAGGCAGCGGAACCCCC
ACCTGGCGACAGGTGCCTCTGCGGCCAAAAGCCACGTGTATAAGATACACCTGC
AAAGGCGGCACAACCCAGTGCCACGTTGTGAGTTGGATAGTTGTGGAAAGAGT
30 CAAATGGCTCTCCTCAAGCGTATTCAACAAGGGGCTGAAGGATGCCCAGAAGGT
ACCCCATTTGTATGGGATCTGATCTGGGGCCTCGGTGCACATGCTTTACATGTGTTT
AGTCGAGGTTAAAAAACGTCTAGGCCCCCCGAACCACGGGGACGTGGTTTTCTT
TGAAAAACACGATAATACCATGGACCGGGAGATGGCAGCATCGTGCGGAGGCGC
GGTTTTCGTAGGTCTGATACTCTTGACCTTGTCACCGCACTATAAGCTGTTCTCG
35 CTAGGCTCATATGGTGGTTACAATATTTTATCACCAGGGCCGAGGCACACTTGCA
AGTGTGGATCCCCCCCCCTCAACGTTCCGGGGGGGCCGCGATGCCGTATCCTCCTC
ACGTGCGCGATCCACCCAGAGCTAATCTTTACCATCACCAAATCTTGCTCGCCA
TACTCGGTCCACTCATGGTGCTCCAGGCTGGTATAACCAAAGTGCCGTACTTCGT
GCGCGCACACGGGCTCATTCGTGCATGCATGCTGGTGCGGAAGGTTGCTGGGGGT
40 CATTATGTCCAAATGGCTCTCATGAAGTTGGCCGCACTGACAGGTACGTACGTTT
ATGACCATCTCACCCCACTGCGGGACTGGGCCCACGCGGGCCTACGAGACCTTGC
GGTGGCAGTTGAGCCCGTCGTCTTCTCTGATATGGAGACCAAGGTTATCACCTGG
GGGGCAGACACCGCGGCGTGTGGGGACATCATCTTGGGCCTGCCCGTCTCCGCCC
GCAGGGGGAGGGAGATACATCTGGGACCGGCAGACAGCCTTGAAGGGCAGGGG
45 TGCGGACTCCTCGCGCCTATTACGGCCTACTCCCAACAGACGCGAGGCCTACTTG
GCTGCATCATCACTAGCCTCACAGGCCGGGACAGGAACCAGGTGAGGGGGGAGG
TCCAAGTGGTCTCCACCGCAACACAATCTTTCTTGGCGACCTGCGTCAATGGCGT
GTGTTGGACTGTCTATCATGGTGCCGGCTCAAAGACCCTTGCCGGGCCAAAGGGC
CCAATCACCCAAATGTACACCAATGTGGACCAGGACCTCGTCGGCTGGCAAGCG
50 CCCCCGGGGCGCGTTCTTGTACACCATGCACCTGCGGCAGCTCGGACCTTTACT
TGGTCACGAGGCATGCCGATGTCATTCCGGTGCGCCGGGCGGGGCGACAGCAGGG
GGAGCCTACTCTCCCCAGGCCCGTCTCCTACTTGAAGGGCTCTTCGGGCGGTCC
ACTGCTCTGCCCCCTCGGGGCACGCTGTGGGCATCTTTCGGGCTGCCGTGTGCACC

CGAGGGGTTGCGAAGGCGGTGGACTTTGTACCCGTCGAGTCTATGGAAACCACTA
TGCGGTCCCCGGTCTTCACGGACAACCTCGTCCCCTCCGGCCGTACCGCAGACATT
CCAGGTGGCCCATCTACACGCCCCTACTGGTAGCGGCAAGAGCACTAAGGTGCC
GGCTGCGTATGCAGCCCAAGGGTATAAGGTGCTTGTCTGAACCCGTCCGTCCGCC
5 GCCACCCTAGGTTTCGGGGCGTATATGTCTAAGGCACATGGTATCGACCCTAACA
TCAGAACCGGGGTAAGGACCATCACACGGGTGCCCCCATCACGTA CTCCACCTA
TGGCAAGTTTCTTGCCGACGGTGGTTGCTCTGGGGGCGCCTATGACATCATAATA
TGTGATGAGTGCCACTCAACTGACTCGACCACTATCCTGGGCATCGGCACAGTCC
TGGACCAAGCGGAGACGGCTGGAGCGCGACTCGTCGTGCTCGCCACCGCTACGC
10 CTCCGGGATCGGTACCGTGCCACATCCAAACATCGAGGAGGTGGCTCTGTCCAG
CACTGGAGAAATCCCCTTTTATGGCAAAGCCATCCCCATCGAGACCATCAAGGGG
GGGAGGCACCTCATTCTTGCCATTCCAAGAAGAAATGTGATGAGCTCGCCGCGA
AGCTGTCCGGCCTCGGACTCAATGCTGTAGCATATTACCGGGGCCTTGATGTATC
CGTCATACCAACTAGCGGAGACGTCATTGTCTAGCAACGGACGCTCTAATGACG
15 GGCTTTACCGGCGATTTCGACTCAGTGATCGACTGCAATACATGTGTACCCAGA
CAGTCGACTTCAGCCTGGACCCGACCTTCACCATTGAGACGACGACCGTGCCAC
AAGACGCGGTGTCACGCTCGCAGCGGCGAGGCAGGACTGGTAGGGGCAGGATGG
GCATTTACAGGTTTGTGACTCCAGGAGAACGGCCCTCGGGCATGTTTCGATTCTC
GGTTCTGTGCGAGTGCTATGACGCGGGCTGTGCTTGGTACGAGCTCACGCCC GCC
20 GAGACCTCAGTTAGGTTGCGGGCTTACCTAAACACACCAGGGTTGCCCGTCTGCC
AGGACCATCTGGAGTTCTGGGAGAGCGTCTTTACAGGCCTCACCCACATAGACGC
CCATTTCTTGTTCCAGACTAAGCAGGCAGGAGACAACCTTCCCCTACCTGGTAGCA
TACCAGGCTACGGTGTGCGCCAGGGCTCAGGCTCCACCTCCATCGTGGGACCAAA
TGTGGAAGTGTCTCATAACGGCTAAAGCCTACGCTGCACGGGCCAACGCCCCTGCT
25 GTATAGGCTGGGAGCCGTTCAAACGAGGTTACTACCACACACCCCATAACCAA
ATACATCATGGCATGCATGTCGGCTGACCTGGAGGTCGTCACGAGCACCTGGGTG
CTGGTAGGCGGAGTCTAGCAGCTCTGGCCGCGTATTGCCTGACAACAGGCAGCG
TGGTCATTGTGGGCAGGATCATCTTGTCCGGAAGCCGGCCATCATTCCCGACAG
GGAAGTCCTTTACCGGGAGTTCGATGAGATGGAAGAGTGCGCCTCACACCTCCCT
30 TACATCGAACAGGGAATGCAGCTCGCCGAACAATTCAAACAGAAGGCAATCGGG
TTGCTGCAAACAGCCACCAAGCAAGCGGAGGCTGCTGCTCCCGTGGTGGAATCC
AAGTGGCGGACCCTCGAAGCCTTCTGGGCGAAGCATATGTGGAATTTTCATCAGCG
GGATAACAATATTTAGCAGGCTTGTCCACTCTGCCTGGCAACCCCGCGATAGCATC
ACTGATGGCATTACAGCCTCTATCACCAGCCCGCTCACCACCCAACATAACCTC
35 CTGTTTAACATCCTGGGGGGATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGCT
GCTTCTGCTTTTCGTAGGCGCCGGCATCGCTGGAGCGGCTGTTGGCAGCATAGGCC
TTGGGAAGGTGCTTGTGGATATTTTGGCAGGTTATGGAGCAGGGGTGGCAGGCGC
GCTCGTGGCCTTTAAGGTCATGAGCGGCGAGATGCCCTCCACCGAGGACCTGGTT
AACCTACTCCCTGCTATCCTCTCCCCTGGCGCCCTAGTCGTCGGGGTCTGTGTGCGC
40 AGCGATACTGCGTCGGCACGTGGGCCCAGGGGAGGGGGCTGTGCAGTGGATGAA
CCGGCTGATAGCGTTTCGCTTCGCGGGGTAACCACGTCTCCCCACGCACTATGTG
CCTGAGAGCGACGCTGCAGCACGTGTCACTCAGATCCTCTCTAGTCTTACCATCA
CTCAGCTGCTGAAGAGGCTTCACCAGTGGATCAACGAGGACTGCTCCACGCCATG
CTCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGTGTGACTGAT
45 TTCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCTT
CTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGCGACGGCATCATGCAAAC
CACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAACGGTTCCATGAG
GATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATTCCCATTAAAC
GCGTACACCACGGGGCCCCTGCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCGC
50 TGTGGCGGGTGGCTGCTGAGGAGTACGTGGAGGTTACGCGGGTGGGGGATTTC
ACTACGTGACGGGCATGACCACTGACAACGTAAAGTGCCCGTGTGAGGTTCC
GGCCCCGAATTCTTCACAGAAGTGATGGGGTGGCGTTGCACAGGTACGCTCCA
GCGTGCAAACCCCTCCTACGGGAGGAGGTCACATTCCTGGTCGGGCTCAATCAAT

ACCTGGTTGGGTCACAGCTCCCATGCGAGCCCGAACCGGACGTAGCAGTGCTCAC
TTCCATGCTCACCGACCCCTCCACATTACGGCGGAGACGGCTAAGCGTAGGCTG
GCCAGGGGATCTCCCCCTCCTTGGCCAGCTCATCAGCTATCCAGCTGTCTGCGC
CTTCCTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCTGACCTCAT
5 CGAGGCCAACCTCCTGTGGCGGCAGGAGATGGGCGGGAACATCACCCGCGTGGA
GTCAGAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAG
GATGAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATTC
CCTCGAGCGATGCCCATATGGGCACGCCCGGATTACAACCCTCCACTGTTAGAGT
CCTGGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCC
10 TGCCAAGGCCCTCCGATAACCACTCCACGGAGGAAGAGGACGGTTGTCTGTCA
GAATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCT
CCGAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTC
CGACGACGGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCCCCCCTT
GAGGGGGAGCCGGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGC
15 GAGGAGGCTAGTGAGGACGTCGTCTGCTGCTCGATGTCCTACACATGGACAGGC
GCCCTGATCACGCCATGCGCTGCGGAGGAAACCAAGCTGCCCATCAATGCACTG
AGCAACTCTTTGCTCCGTCACCACAACCTTGGTCTATGCTACAACATCTCGCAGCG
CAAGCCTGCGGCAGAAGAAGGTCACCTTTGACAGACTGCAGGTCCTGGACGACC
ACTACCGGGACGTGCTCAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAGGCTA
20 AACTTCTATCCGTGGAGGAAGCCTGTAAGCTGACGCCCCACATTCGGCCAGATC
TAAATTTGGCTATGGGGCAAAGGACGTCCGGAACCTATCCAGCAAGGCCGTTAA
CCACATCCGCTCCGTGTGGAAGGACTTGCTGGAAGACACTGAGACACCAATTGAC
ACCACCATCATGGCAAAAAATGAGGTTTTCTGCGTCCAACCAGAGAAGGGGGGC
CGCAAGCCAGCTCGCCTTATCGTATTCCCAGATTTGGGGGTTTCGTGTGTGCGAGA
25 AAATGGCCCTTTACGATGTGGTCTCCACCCTCCCTCAGGCCGTGATGGGCTCTTCA
TACGGATTCCAATACTCTCCTGGACAGCGGGTCGAGTTCCTGGTGAATGCCTGGA
AAGCGAAGAAATGCCCTATGGGCTTCGCATATGACACCCGCTGTTTTGACTCAAC
GGTCACTGAGAATGACATCCGTGTTGAGGAGTCAATCTACCAATGTTGTGACTTG
GCCCCCGAAGCCAGACAGGCCATAAGGTCGCTCACAGAGCGGCTTTACATCGGG
30 GGCCCCCTGACTAATTCTAAAGGGCAGAAGTGCAGGCTATCGCCGGTGCCGCGCGA
GCGGTGTACTGACGACCAGCTGCGGTAATAACCCTCACATGTTACTTGAAGGCCGC
TGCGGCCTGTCGAGCTGCGAAGCTCCAGGACTGCACGATGCTCGTATGCGGAGAC
GACCTTGTCGTTATCTGTGAAAGCGCGGGGACCCAAGAGGACGAGGCGAGCCTA
CGGGCCTTCACGGAGGCTATGACTAGATACTCTGCCCCCCTGGGGACCCGCCCA
35 AACCAGAATACGACTTGGAGTTGATAACATCATGCTCCTCCAATGTGTCAAGTCGC
GCACGATGCATCTGGCAAAAGGGTGTACTATCTCACCCGTGACCCCAACACCCCT
CTTGCGCGGGCTGCGTGGGAGACAGCTAGACACACTCCAGTCAATTCCTGGCTAG
GCAACATCATCATGTATGCGCCACCTTGTGGGCAAGGATGATCCTGATGACTCA
TTTCTTCTCCATCCTTCTAGCTCAGGAACAACCTTGAAAAAGCCCTAGATTGTGAGA
40 TCTACGGGGCCTGTTACTCCATTGAGCCACTTGACCTACCTCAGATCATTCAACG
ACTCCATGGCCTTAGCGCATTTTCACTCCATAGTTACTCTCCAGGTGAGATCAATA
GGGTGGCTTCATGCCTCAGGAACTTGGGGTACCGCCCTTGCGAGTCTGGAGACA
TCGGGCCAGAAGTGTCCGCGCTAGGCTACTGTCCCAGGGGGGGAGGGCTGCCAC
TTGTGGCAAGTACCTCTTCAACTGGGCAGTAAGGACCAAGCTCAAACCTCACTCCA
45 ATCCCGGCTGCGTCCAGTTGGATTTATCCAGCTGGTTCGTTGCTGGTTACAGCGG
GGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCTGGTTCATGTGGTGC
CTACTCCTACTTTCTGTAGGGGTAGGCATCTATCTACTCCCAACCGATGAACGG
GGACCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTTTTTCCCTTTTTTTTTTCT
TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTCTCCTTTTTTTTTTCCCTTTTTTTTCTT
50 TTCTTTCCTTTGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCC
GTGAGCCGCTTGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCAGATCAAGT

SEQ ID NO:23: Nucleotide sequence of full-length HCV cDNA clone containing the mutation that results in Ser to Ile at position 1179 of SEQ ID NO:3, and where the 5' NTR is fused to the neomycin phosphotransferase gene and the EMCV IRES is inserted upstream of the HCV open reading frame (see Figure 9)

5
GCCAGCCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG
CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
CACCGGAATTGCCAGGACGACCGGGTCCCTTTCTTGGATCAACCCGCTCAATGCCT
10 GGAGATTGTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTGCGCA
AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCAGAGTGCCCCGGGAGGTCTCGT
AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAAGGGCGC
GCCATGATTGAACAAGATGGATTGCACGCAGGTTCTCCGGCCGCTTGGGTGGAGA
GGCTATTCGGCTATGACTGGGCACAACAGACAATCGGCTGCTCTGATGCCGCCGT
15 GTTCCGGCTGTCAGCGCAGGGGGCGCCCGGTTCTTTTTGTCAAGACCGACCTGTCC
GGTGCCCTGAATGAACTGCAGGACGAGGCAGCGCGGCTATCGTGGCTGGCCACG
ACGGGCGTTCCCTTGCGCAGCTGTGCTCGACGTTGTCACTGAAGCGGGAAGGGACT
GGCTGCTATTGGGCGAAGTGCCGGGGCAGGATCTCCTGTCATCTCACCTTGCTCC
TGCCGAGAAAGTATCCATCATGGCTGATGCAATGCGGCGGCTGCATACGCTTGAT
20 CCGGCTACCTGCCCATTCGACCACCAAGCGAAACATCGCATCGAGCGAGCACGT
ACTCGGATGGAAGCCGGTCTTGTGTCGATCAGGATGATCTGGACGAAGAGCATCAG
GGGCTCGCGCCAGCCGAACCTGTTGCGCCAGGCTCAAGGCGCGCATGCCCGACGGC
GAGGATCTCGTCGTGACCCATGGCGATGCCTGCTTGCCGAATATCATGGTGGA
ATGGCCGCTTTTCTGGATTTCATCGACTGTGGCCGGCTGGGTGTGGCGGACCGCTA
25 TCAGGACATAGCGTTGGCTACCCGTGATATTGCTGAAGAGCTTGGCGGCGAATGG
GCTGACCGCTTCCTCGTGCTTTACGGTATCGCCGCTCCCGATTTCGCAGCGCATCGC
CTTCTATCGCCTTCTTGACGAGTTCTTCTGAGTTTAAACAGACCACAACGGTTTCC
CTCTAGCGGGATCAATTCCGCCCTCTCCCTCCCCCCCCCTAACGTTACTGGCCG
AAGCCGCTTGGAATAAGGCCGGTGTGCGTTTGTCTATATGTTATTTTCCACCATAT
30 TGCCGTCTTTTGGCAATGTGAGGGCCCGGAAACCTGGCCCTGTCTTCTTGACGAG
CATTCCTAGGGGTCTTTCCCTCTCGCCAAAGGAATGCAAGGTCTGTTGAATGTC
GTGAAGGAAGCAGTTCCTCTGGAAGCTTCTTGAAGACAAACAACGTCTGTAGCG
ACCCTTTGCAGGCAGCGGAACCCCCACCTGGCGACAGGTGCCTCTGCGGCCAAA
AGCCACGTGTATAAGATACACCTGCAAAGGCGGCACAACCCAGTGCCACGTTG
35 TGAGTTGGATAGTTGTGGAAGAGTCAAATGGCTCTCCTCAAGCGTATTCAACAA
GGGGCTGAAGGATGCCCAGAAGGTACCCATTGTATGGGATCTGATCTGGGGCCT
CGGTGCACATGCTTTACATGTGTTTAGTCGAGGTTAAAAAACGTCTAGGCCCCC
GAACCACGGGGACGTGGTTTTCTTTGAAAAACACGATAATAATGAGCACGAAT
CCTAAACCTCAAAGAAAAACCAAACGTAAACACCAACCGCCGCCACAGGACGTC
40 AAGTTCCCGGGCGGTGGTTCAGATCGTCGGTGGAGTTTACCTGTTGCCGCGCAGGG
GCCCCAGGTTGGGTGTGCGCGCGACTAGGAAGACTTCCGAGCGGTGCAACCTC
GTGGAAGGCGACAACCTATCCCAAGGCTCGCCAGCCCGAGGGTAGGGCCTGGG
CTCAGCCCGGGTACCCCTGGCCCTCTATGGCAATGAGGGCTTGGGGTGGGCAGG
ATGGCTCCTGTCACCCCGTGGCTCTCGGCCTAGTTGGGGCCCCACGGACCCCCGG
45 CGTAGGTCGCGCAATTTGGGTAAAGGTCATCGATACCCTCACGTGCGGCTTCGCCG
ATCTCATGGGGTACATTCCGCTCGTCGGCGCCCCCTAGGGGGCGCTGCCAGGGC
CCTGGCGCATGGCGTCCGGGTCTTGAGGACGGCGTGAACCTATGCAACAGGGAA
TCTGCCCCGGTTGCTCCTTTTCTATCTTCTTTGGCTTTGCTGTCCTGTTTGACCAT
CCCAGCTTCCGCTTATGAAGTGCGCAACGTATCCGGAGTGTACCATGTCACGAAC
50 GACTGCTCCAACGCAAGCATTGTGTATGAGGCAGCGGACATGATCATGCATACCC
CCGGGTGCGTGCCCTGCGTTCGGGAGAACAACTCCTCCCGCTGCTGGGTAGCGCT
CACTCCACGCTCGCGGCCAGGAACGCTAGCGTCCCCACTACGACGATACGACGC
CATGTCGATTTGCTCGTTGGGGCGGCTGCTCTCTGCTCCGCTATGTACGTGGGAG

ATCTCTGCGGATCTGTTTTCTCGTCGCCCAGCTGTTACCTTCTCGCCTCGCCGG
CACGAGACAGTACAGGACTGCAATTGCTCAATATATCCCGGCCACGTGACAGGTC
ACCGTATGGCTTGGGATATGATGATGAACTGGTCACCTACAGCAGCCCTAGTGGT
ATCGCAGTTACTCCGGATCCCACAAGCTGTCGTGGATATGGTGGCGGGGGCCCAT
5 TGGGGAGTCCTAGCGGGCCTTGCCTACTATTCCATGGTGGGGAACCTATGTGACAGG
TTCTGATTGTGATGCTACTCTTTGCCGGCGTTGACGGGGGAACCTATGTGACAGG
GGGGACGATGGCCAAAAACACCCTCGGGATTACGTCCCTCTTTTCACCCGGGTCA
TCCCAGAAAATCCAGCTTGTAACACCAACGGCAGCTGGCACATCAACAGGACT
GCCCTGAACTGCAATGACTCCCTCAACACTGGGTTCCTTGCTGCGCTGTTCTACGT
10 GCACAAGTTCAACTCATCTGGATGCCAGAGCGCATGGCCAGCTGCAGCCCCATC
GACGCGTTCGCTCAGGGGTGGGGGCCCATCACTTACAATGAGTCACACAGCTCGG
ACCAGAGGCCTTATTGTTGGCACTACGCACCCCGGCCGTGCGGTATCGTACCCGC
GGCGCAGGTGTGTGGTCCAGTGTACTGCTTCACCCCAAGCCCTGTCGTGGTGGGG
ACGACCGACCGGTTTCGGCGTCCCTACGTACAGTTGGGGGGAGAATGAGACGGAC
15 GTGCTGCTTCTTAACAACACGCGGCCGCCGCAAGGCAACTGGTTTGGCTGTACAT
GGATGAATAGCACTGGGTTCACCAAGACGTGCGGGGGCCCCCGTGTAACATCG
GGGGGATCGGCAATAAAACCTTGACCTGCCCCACGGACTGCTTCCGGAAGCACC
CCGAGGCCACTTACACCAAGTGTGGTTCGGGGCCTTGGTTGACACCCAGATGCTT
GGTCCACTACCCATACAGGCTTTGGCACTACCCCTGCACTGTCAACTTTACCATCT
20 TCAAGGTTAGGATGTACGTGGGGGGAGTGGAGCACAGGCTCGAAGCCGCATGCA
ATTGGACTCGAGGAGAGCGTTGTAACCTGGAGGACAGGGACAGATCAGAGCTTA
GCCCCGCTGCTGCTGTCTACAACGGAGTGGCAGGTATTGCCCTGTTCTTCACCAC
CCTACCGGCTCTGTCCACTGGTTTGATCCATCTCCATCAGAACGTCGTGGACGTAC
AATACCTGTACGGTATAGGGTCGGCGGTTGTCTCCTTTGCAATCAAATGGGAGTA
25 TGTCTGTGTGCTCTTCCTTCTTCTGGCGGACGCGCGCGTCTGTGCCTGCTTGTGGA
TGATGCTGCTGATAGCTCAAGCTGAGGCCGCCCTAGAGAACCTGGTGGTCCCTCAA
CGCGGCATCCGTGGCCGGGGCGCATGGCATTCTCTCCTTCCTCGTGTCTTCTGTG
CTGCCTGGTACATCAAGGGCAGGCTGGTCCCTGGGGCGGCATATGCCCTCTACGG
CGTATGGCCGCTACTCCTGCTCCTGCTGGCGTTACCACCACGAGCATAACGCCATG
30 GACCGGGAGATGGCAGCATCGTGCGGAGGCGCGGTTTTCTAGGTCTGATACTCT
TGACCTTGTACCCGCACTATAAGCTGTTCCCTCGCTAGGCTCATATGGTGGTTACAA
TATTTTATCACCAGGGCCGAGGCACACTTGCAAGTGTGGATCCCCCCCCCTCAACG
TTCGGGGGGGGCCGCGATGCCGTCATCCTCCTCACGTGCGCGATCCACCCAGAGCT
AATCTTTACCATCACCAAAATCTTGCTCGCCATACTCGGTCCACTCATGGTGCTCC
35 AGGCTGGTATAACCAAAGTGCCGTACTTCGTGCGCGCACACGGGCTCATTCGTGC
ATGCATGCTGGTGCAGGAAGGTTGCTGGGGGTCAATTATGTCCAAATGGCTCTCATG
AAGTTGGCCGCACTGACAGGTACGTACGTTTATGACCATCTCACCCCACTGCGGG
ACTGGGCCCACGCGGGCCTACGAGACCTTGCGGTGGCAGTTGAGCCCGTCGTCTT
CTCTGATATGGAGACCAAGGTTATCACCTGGGGGGCAGACACCGCGGGCGTGTGG
40 GGACATCATCTTGGGCCTGCCCGTCTCCGCCCGCAGGGGGGAGGGAGATACATCTG
GGACCGGCAGACAGCCTTGAAGGGCAGGGGTGGCGACTCCTCGCGCCTATTACG
GCCTACTCCCAACAGACGCGAGGCCTACTTGGCTGCATCATCACTAGCCTCACAG
GCCGGGACAGGAACCAGGTCGAGGGGGGAGGTCCAAGTGGTCTCCACCGCAACAC
AATCTTTCCTGGCGACCTGCGTCAATGGCGTGTGTTGGACTGTCTATCATGGTGCC
45 GGCTCAAAGACCCTTGCCGGGCCAAAGGGGCCAATCACCCAAATGTACACCAAT
GTGGACCAGGACCTCGTCGGCTGGCAAGCGCCCCCGGGGCGCGTTCCTTGACAC
CATGCACCTGCGGCAGCTCGGACCTTTACTTGGTCACGAGGCATGCCGATGTCAT
TCCGGTGCGCCGGCGGGGCGACAGAGGGGGAGCCTACTCTCCCCAGGCCCCGT
CTCCTACTTGAAGGGCTCTTCGGGCGGTCCACTGCTCTGCCCTCGGGGCACGCT
50 GTGGGCATCTTTCGGGCTGCCGTGTGCACCCGAGGGGTTGCGAAGGCGGTGGACT
TTGTACCCGTCGAGTCTATGGAAACCACTATGCGGTCCCCGGTCTTCACGGACAA
CTCGTCCCCCTCCGGCCGTACCGCAGACATTCCAGGTGGCCCATCTACACGCCCT
ACTGGTAGCGGCAAGAGCACTAAGGTGCCGGCTGCGTATGCAGCCCAAGGGTAT

AAGGTGCTTGTCTGAACCCGTCCGTCGCCGCCACCCTAGGTTTCGGGGCGTATA
TGTCTAAGGCACATGGTATCGACCCTAACATCAGAACCGGGGTAAAGGACCATCA
CCACGGGTGCCCCCATCACGTA CTCCACCTATGGCAAGTTTCTTGCCGACGGTGG
TTGCTCTGGGGGCGCCTATGACATCATAATATGTGATGAGTGCCACTCAACTGAC
5 TCGACCACTATCCTGGGCATCGGCACAGTCCTGGACCAAGCGGAGACGGCTGGA
GCGCGACTCGTCGTGCTCGCCACCGCTACGCCTCCGGGATCGGTCACCGTGCCAC
ATCCAAACATCGAGGAGGTGGCTCTGTCCAGCACTGGAGAAATCCCCTTTTATGG
CAAAGCCATCCCCATCGAGACCATCAAGGGGGGGAGGCACCTCATTTTCTGCCAT
TCCAAGAAGAAATGTGATGAGCTCGCCGCGAAGCTGTCCGGCCTCGGACTCAAT
10 GCTGTAGCATATTACCGGGGCTTGATGTATCCGTCATACCAACTAGCGGAGACG
TCATTGTCTAGCAACGGACGCTCTAATGACGGGCTTTACCGGCGATTTCTGACTC
AGTGATCGACTGCAATACATGTGTCAACCAGACAGTCGACTTCAGCCTGGACCCG
ACCTTCACCATTTGAGACGACGACCGTGCCACAAGACGCGGTGTCACGCTCGCAGC
GGCGAGGCAGGACTGGTAGGGGCGAGGATGGGCATTTACAGGTTTGTGACTCCAG
15 GAGAACGGCCCTCGGGCATGTTTCGATTCTCGGTTCTGTGCGAGTGCTATGACGC
GGGCTGTGCTTGGTACGAGCTCACGCCCGCCGAGACCTCAGTTAGGTTGCGGGCT
TACCTAAACACACCAGGGTTGCCCGTCTGCCAGGACCATCTGGAGTTCTGGGAGA
GCGTCTTTACAGGCCTCACCCACATAGACGCCCATTTCTTGTCCCAGACTAAGCA
GGCAGGAGACAACCTTCCCCTACCTGGTAGCATACCAGGCTACGGTGTGCGCCAG
20 GGCTCAGGCTCCACCTCCATCGTGGGACCAAATGTGGAAGTGTCTCATACGGCTA
AAGCCTACGCTGCACGGGCCAACGCCCCCTGCTGTATAGGCTGGGAGCCGTTCAAA
ACGAGGTTACTACCACACACCCCATAACCAAATACATCATGGCATGCATGTCGGC
TGACCTGGAGGTCGTACGAGCACCTGGGTGCTGGTAGGCGGAGTCCTAGCAGCT
CTGGCCGCGTATTGCCTGACAACAGGCAGCGTGGTTCATTGTGGGCAGGATCATCT
25 TGTCCGGAAGCCGGCCATCATTCCCGACAGGGAAGTCCTTTACCGGGAGTTCGA
TGAGATGGAAGAGTGCGCCTCACACCTCCCTTACATCGAACAGGGAATGCAGCTC
GCCGAACAATTCAAACAGAAGGCAATCGGGTTGCTGCAAACAGCCACCAAGCAA
GCGGAGGCTGCTGCTCCCGTGGTGGAATCCAAGTGGCGGACCCTCGAAGCCTTCT
GGGCGAAGCATATGTGGAATTTTCATCAGCGGGATACAATATTTAGCAGGCTTGTC
30 CACTCTGCCTGGCAACCCCGCGATAGCATCACTGATGGCATTACAGCCTCTATC
ACCAGCCCGCTCACCAACCAACATACCCTCCTGTTTAACATCCTGGGGGGATGGG
TGGCCGCCCAACTTGCTCCTCCCAGCGCTGCTTCTGCTTTCTGCTAGGCGCCGGCATC
GCTGGAGCGGCTGTTGGCAGCATAGGCCTTGGGAAGGTGCTTGTGGATATTTTGG
CAGGTTATGGAGCAGGGGTGGCAGGCGCGCTCGTGGCCTTTAAGGTCATGAGCG
35 GCGAGATGCCCTCCACCGAGGACCTGGTTAACCTACTCCCTGCTATCCTCTCCCCT
GGCGCCCTAGTCGTGCGGGGTCGTGTGCGCAGCGATACTGCGTCGGCACGTGGGGC
CAGGGGAGGGGGCTGTGCAGTGGATGAACCGGCTGATAGCGTTCTGCTTCGCGGG
GTAACCAAGTCTCCCCACGCACTATGTGCCTGAGAGCGACGCTGCAGCACGTGT
CACTCAGATCCTCTCTAGTCTTACCATCACTCAGCTGCTGAAGAGGCTTCACCACT
40 GGATCAACGAGGACTGCTCCACGCCATGCTCCGGCTCGTGGCTAAGAGATGTTTG
GGATTGGATATGCACGGTGTGACTGATTTCAAGACCTGGCTCCAGTCCAAGCTC
CTGCCGCGATTGCCGGGAGTCCCCTTCTTCTCATGTCAACGTGGGTACAAGGGAG
TCTGGCGGGGCGACGGCATCATGCAAACCACCTGCCCATGTGGAGCACAGATCA
CCGGACATGTGAAAAACGGTTCCATGAGGATCGTGGGGCCTAGGACCTGTAGTA
45 ACACGTGGCATGGAACATTCCCCATTAACGCGTACACCACGGGCCCCCTGCACGCC
CTCCCCGGCGCCAAATTATTCTAGGGCGCTGTGGCGGGTGGCTGCTGAGGAGTAC
GTGGAGGTTACGCGGGTGGGGGATTTCCACTACGTGACGGGCATGACCACTGAC
AACGTAAAGTGCCCGTGTGAGGTTCCGGCCCCCGAATTCTTCACAGAAGTGGATG
GGGTGCGGTTGCACAGGTACGCTCCAGCGTGCAAACCCCTCCTACGGGAGGAGG
50 TCACATTCTGGTCGGGCTCAATCAATACCTGGTTGGGTACAGCTCCCATGCGA
GCCCGAACCGGACGTAGCAGTGCTCACTTCCATGCTCACCGACCCCTCCACATT
ACGGCGGAGACGGCTAAGCGTAGGCTGGCCAGGGGATCTCCCCCTCCTTGGCC
AGCTCATCAGCTATCCAGCTGTCTGCGCCTTCCTTGAAGGCAACATGCACTACCC

GTCATGACTCCCCGGACGCTGACCTCATCGAGGCCAACCTCCTGTGGCGGCAGGA
GATGGGCGGGAACATCACCCGCGTGGAGTCAGAAAATAAGGTAGTAATTTTGGGA
CTCTTTCGAGCCGCTCCAAGCGGAGGAGGATGAGAGGGAAGTATCCGTTCCGGC
GGAGATCCTGCGGAGGTCCAGGAAATTCCTCGAGCGATGCCCATATGGGCACG
5 CCCGGATTACAACCCTCCACTGTTAGAGTCCTGGAAGGACCCGGACTACGTCCCT
CCAGTGGTACACGGGTGTCCATTGCCGCCTGCCAAGGCCCTCCGATACCACCTC
CACGGAGGAAGAGGACGGTTGTCTGTGTCAGAATCTACCGTGTCTTCTGCCTTGGC
GGAGCTCGCCACAAGACCTTCGGCAGCTCCGAATCGTCGGCCGTCGACAGCGG
CACGGCAACGGCCTCTCCTGACCAGCCCTCCGACGACGGCGACGCGGGATCCGA
10 CGTTGAGTCGTACTCCTCCATGCCCCCCTTGAGGGGGGAGCCGGGGGATCCCGAT
CTCAGCGACGGGTCTTGGTCTACCGTAAGCGAGGAGGCTAGTGAGGACGTGCTCT
GCTGCTCGATGTCCTACACATGGACAGGCGCCCTGATCACGCCATGCGCTGCGGA
GGAAACCAAGCTGCCCATCAATGCACTGAGCAACTCTTTGCTCCGTCACCACAAC
TTGGTCTATGCTACAACATCTCGCAGCGCAAGCCTGCGGCAGAAGAAGGTCACCT
15 TTGACAGACTGCAGGTCCTGGACGACCACTACCGGGACGTGCTCAAGGAGATGA
AGGCGAAGGCGTCCACAGTTAAGGCTAAACTTCTATCCGTGGAGGAAGCCTGTA
AGCTGACGCCCCCACATTCGGCCAGATCTAAATTTGGCTATGGGGCAAAGGACGT
CCGGAACCTATCCAGCAAGGCCGTTAACCACATCCGCTCCGTGTGGAAGGACTTG
CTGGAAGACACTGAGACACCAATTGACACCACCATCATGGCAAAAAATGAGGTT
20 TTCTGCGTCCAACCAGAGAAGGGGGGCGCAAGCCAGCTCGCCTTATCGTATTCC
CAGATTTGGGGGTTCGTGTGTGCGAGAAAATGGCCCTTTACGATGTGGTCTCCAC
CCTCCCTCAGGCCGTGATGGGCTCTTCATACGGATTCCAATACTCTCCTGGACAG
CGGGTCGAGTTCCTGGTGAATGCCTGGAAAGCGAAGAAATGCCCTATGGGCTTCG
CATATGACACCCGCTGTTTTGACTCAACGGTCACTGAGAATGACATCCGTGTTGA
25 GGAGTCAATCTACCAATGTTGTGACTTGGCCCCCGAAGCCAGACAGGCCATAAG
GTCGCTCACAGAGCGGCTTTACATCGGGGGCCCCCTGACTAATTCTAAAGGGCAG
AACTGCGGCTATCGCCGGTGCCGCGCGAGCGGTGTACTGACGACCAGCTGCGGT
AATACCCTCACATGTTACTTGAAGGCCGCTGCGGCCTGTGAGCTGCGAAGCTCC
AGGACTGCACGATGCTCGTATGCGGAGACGACCTTGTCGTTATCTGTGAAAGCGC
30 GGGGACCCAAGAGGACGAGGCGAGCCTACGGGCCCTTCACGGAGGCTATGACTAG
ATACTCTGCCCCCCTGGGGACCCGCCCAAACCAGAATACGACTTGGAGTTGATA
ACATCATGCTCCTCCAATGTGTGTCAGTCGCGCACGATGCATCTGGCAAAAGGGTGT
ACTATCTCACCCGTGACCCACCAACCCCTTGCGCGGGCTGCGTGGGAGACAGC
TAGACACACTCCAGTCAATTCCTGGCTAGGCAACATCATCATGTATGCGCCCACC
35 TTGTGGGCAAGGATGATCCTGATGACTCATTTCTTCTCCATCCTTCTAGCTCAGGA
ACAACCTGAAAAAGCCCTAGATTGTGTCAGATCTACGGGGCCTGTTACTCCATTGAG
CCACTTGACCTACCTCAGATCATTCAACGACTCCATGGCCTTAGCGCATTTTCACT
CCATAGTTACTCTCCAGGTGAGATCAATAGGGTGGCTTCATGCCTCAGGAAACTT
GGGGTACCGCCCTTGCGAGTCTGGAGACATCGGGCCAGAAGTGTCGCGCTAGG
40 CTAAGTGTCCAGGGGGGGAGGGCTGCCACTTGTGGCAAGTACCTCTTCAACTGGG
CAGTAAGGACCAAGCTCAAACCTCACTCCAATCCCGGCTGCGTCCCAGTTGGATTT
ATCCAGCTGGTTCGTTGCTGGTTACAGCGGGGGAGACATATACAGCCTGTCT
CGTGCCCGACCCCGCTGGTTCATGTGGTGCCTACTCCTACTTTCTGTAGGGGTAGG
CATCTATCTACTCCCAACCGATGAACGGGGACCTAAACACTCCAGGCCAATAGG
45 CCATCCTGTTTTTTTCCCTTTTTTTTTTCTTTTTTTTTTTTTTTTTTTTTTTTTT
TTTTCTCCTTTTTTTTTTCTCTTTTTTCTTTTTCTTTCTTTGGTGGCTCCATCTTAG
CCCTAGTCACGGCTAGCTGTGAAAGGTCCGTGAGCCGCTTGACTGCAGAGAGTGC
TGATACTGGCCTCTCTGCAGATCAAGT

50

SEQ ID NO:24: Nucleotide sequence of full-length HCV cDNA clone containing the mutation that results in Ser to Ile at position 1179 of SEQ ID NO:3 (see Figure 9)

GCCAGCCCCCGATTGGGGGCGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG
CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
CACCGGAATTGCCAGGACGACCGGGTCCTTTCTTGGATCAACCCGCTCAATGCCT
5 GGAGATTTGGGCGTGCCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTGCGGA
AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCAGGTGCCCCGGGAGGTCTCGT
AGACCGTGCACCATGAGCACGAATCCTAAACCTCAAAGAAAAACCAAACGTAAAC
ACCAACCGCCGCCACAGGACGTCAAGTTCCCGGGCGGTGGTCAGATCGTCGGT
GGAGTTTACCTGTTGCCGCGCAGGGGCCCCAGGTTGGGTGTGCGCGCGACTAGGA
10 AGACTTCCGAGCGGTGCGAACCTCGTGGAAGGCGACAACCTATCCCCAAGGCTC
GCCAGCCCGAGGGTAGGGCCTGGGCTCAGCCCGGGTACCCCTGGCCCCCTCTATGG
CAATGAGGGCTTGGGGTGGGCAGGATGGCTCCTGTCAACCCGTGGCTCTCGGCCT
AGTTGGGGCCCCACGGACCCCCGGCGTAGGTGCGCAATTTGGGTAAGGTCATCG
ATACCCTCACGTGCGGCTTCGCCGATCTCATGGGGTACATTCCGCTCGTCGGCGC
15 CCCCCTAGGGGGCGCTGCCAGGGCCCTGGCGCATGGCGTCCGGGTTCTGGAGGA
CGGCGTGAACATGCAACAGGGAATCTGCCCGGTTGCTCCTTTTCTATCTTCCTTT
TGGCTTTGCTGTCCTGTTTGACCATCCCAGCTTCCGCTTATGAAGTGCGCAACGTA
TCCGGAGTGTACCATGTACGAACGACTGCTCCAACGCAAGCATTGTGTATGAGG
CAGCGGACATGATCATGCATACCCCCGGGTGCGTGCCCTGCGTTCGGGAGAACA
20 ACTCCTCCCGCTGCTGGGTAGCGCTCACTCCACGCTCGCGGCCAGGAACGCTAG
CGTCCCCACTACGACGATACGACGCCATGTCGATTTGCTCGTTGGGGCGGCTGCT
CTCTGCTCCGCTATGTACGTGGGAGATCTCTGCGGATCTGTTTTCTCTCGTCCCA
GCTGTTACCTTCTCGCCTCGCCGGCACGAGACAGTACAGGACTGCAATTGCTCA
ATATATCCCGGCCACGTGACAGGTCACCGTATGGCTTGGGATATGATGATGAACT
25 GGTCACCTACAGCAGCCCTAGTGGTATCGCAGTTACTCCGGATCCCACAAGCTGT
CGTGGATATGGTGGCGGGGGGCCATTGGGGAGTCCTAGCGGGCCTTGCCTACTAT
TCCATGGTGGGGAACCTGAGGCTAAGGTTCTGATTGTGATGCTACTCTTTGCCGGCG
TTGACGGGGGAACCTATGTGACAGGGGGGACGATGGCCAAAAACACCCTCGGGA
TTACGTCCCTCTTTTACCCGGGTCATCCCAGAAAATCCAGCTTGTAACACCAA
30 CGGCAGCTGGCACATCAACAGGACTGCCCTGAACTGCAATGACTCCCTCAACACT
GGGTTCCCTTGCTGCGCTGTTCTACGTGCACAAGTTCAACTCATCTGGATGCCAG
AGCGCATGGCCAGCTGCAGCCCCATCGACGCGTTCGCTCAGGGGTGGGGGCCCA
TCACTTACAATGAGTCACACAGCTCGGACCAGAGGCCTTATTGTTGGCACTACGC
ACCCCGGCCGTGCGGTATCGTACCCGCGGCGCAGGTGTGTGGTCCAGTGTACTGC
35 TTCACCCAAGCCCTGTCGTGGTGGGGACGACCGACCGGTTCCGGCGTCCCTACGT
ACAGTTGGGGGGGAGAATGAGACGGACGTGCTGCTTCTTAACAACACGCGGCCGC
CGCAAGGCAACTGGTTTGGCTGTACATGGATGAATAGCACTGGGTTACCAAGAC
GTGCGGGGGCCCCCGTGTAACATCGGGGGGATCGGCAATAAAACCTTGACCTG
CCCCACGGACTGCTTCCGGAAGCACCCCGAGGCCACTTACACCAAGTGTGGTTCG
40 GGGCCTTGGTTGACACCCAGATGCTTGGTCCACTACCCATACAGGCTTTGGCACT
ACCCCTGCACTGTCAACTTTACCATCTTCAAGGTTAGGATGTACGTGGGGGGAGT
GGAGCACAGGCTCGAAGCCGCATGCAATTGGACTCGAGGAGAGCGTTGTAACCT
GGAGGACAGGGACAGATCAGAGCTTAGCCCGCTGCTGCTGTCTACAACGGAGTG
GCAGGTATTGCCCTGTTCCCTTACCACCCTACCGGCTCTGTCCACTGGTTTGATCC
45 ATCTCCATCAGAACGTGCTGGACGTACAATACCTGTACGGTATAGGGTCGGCGGT
TGTCTCCTTTGCAATCAAATGGGAGTATGTCCTGTTGCTCTTCTTCTTCTGGCGG
ACGCGCGCGTCTGTGCCTGCTTGTGGATGATGCTGCTGATAGCTCAAGCTGAGGC
CGCCCTAGAGAACCTGGTGGTCCTCAACGCGGCATCCGTGGCCGGGGCGCATGG
CATTCTCTCCTTCCCTCGTGTCTTCTGTGCTGCCTGGTACATCAAGGGCAGGCTGG
50 TCCCTGGGGCGGCATATGCCCTCTACGGCGTATGGCCGCTACTCCTGCTCCTGCTG
GCGTTACCAACACGAGCATAACGCATGGACCGGGAGATGGCAGCATCGTGCGGA
GGCGCGGTTTTCGTAGGTCTGATACTCTTGACCTTGTACCCGCACTATAAGCTGTT
CCTCGCTAGGCTCATATGGTGGTTACAATATTTTATCACCAGGGCCGAGGCACAC

TTGCAAGTGTGGATCCCCCCCCCTCAACGTTTCGGGGGGGGCCGCGATGCCGTCATCC
TCCTCACGTGCGCGATCCACCCAGAGCTAATCTTTACCATCACCAAAATCTTGCTC
GCCATACTCGGTCCACTCATGGTGCTCCAGGCTGGTATAACCAAAGTGCCGTACT
TCGTGCGCGCACACGGGGCTCATTTCGTGCATGCATGCTGGTGCGGAAGGTTGCTGG
5 GGGTCATTATGTCCAAATGGCTCTCATGAAGTTGGCCGCACTGACAGGTACGTAC
GTTTATGACCATCTCACCCCACTGCGGGACTGGGCCCACGCGGGCCTACGAGACC
TTGCGGTGGCAGTTGAGCCCGTCGTCTTCTCTGATATGGAGACCAAGGTTATCAC
CTGGGGGGGAGACACCGCGGGCTGTGGGGACATCATCTTGGGCCTGCCCGTCTCC
GCCCCGAGGGGGAGGGAGATACATCTGGGACCGGCAGACAGCCTTGAAGGGCAG
10 GGGTGGCGACTCCTCGCGCCTATTACGGCCTACTCCCAACAGACGCGAGGCCTAC
TTGGCTGCATCATCACTAGCCTCACAGGCCGGGACAGGAACCAGGTCGAGGGGG
AGGTCCAAGTGGTCTCCACCGCAACACAATCTTTCCTGGCGACCTGCGTCAATGG
CGTGTGTTGGACTGTCTATCATGGTGCCGGCTCAAAGACCCTTGCCGGCCCAAAG
GGCCAATCACCCAAATGTACACCAATGTGGACCAGGACCTCGTCGGCTGGCAA
15 GCGCCCCCGGGGGCGCGTTCCCTTGACACCATGCACCTGCGGCAGCTCGGACCTTT
ACTTGGTCACGAGGCATGCCGATGTCAATTCCGGTGCGCCGGCGGGGGCGACAGCA
GGGGGAGCCTACTCTCCCCAGGCCCGTCTCCTACTTGAAGGGCTCTTCGGGGCGG
TCCACTGCTCTGCCCCCTCGGGGGCACGCTGTGGGCATCTTTCGGGGCTGCCGTGTGC
ACCCGAGGGGTTGCGAAGGCGGTGGACTTTGTACCCGTCGAGTCTATGGAAACC
20 ACTATGCGGTCCCCGGTCTTCACGGACAACCTCGTCCCCTCCGGCCGTACCGCAGA
CATTCCAGGTGGCCCATCTACACGCCCCCTACTGGTAGCGGCAAGAGCACTAAGGT
GCCGGCTGCGTATGCAGCCCAAGGGTATAAGGTGCTTGTCTGAACCCGTCCGTC
GCCGCCACCCTAGGTTTCGGGGCGTATATGTCTAAGGCACATGGTATCGACCCTA
ACATCAGAACCAGGGGTAAAGGACCATCACACGGGTGCCCCCATCACGTACTCCA
25 CCTATGGCAAGTTTCTTGCCGACGGTGGTTGCTCTGGGGGCGCCTATGACATCAT
AATATGTGATGAGTGCCACTCAACTGACTCGACCACTATCCTGGGCATCGGCACA
GTCCTGGACCAAGCGGAGACGGCTGGAGCGCGACTCGTCGTGCTCGCCACCGCT
ACGCCTCCGGGATCGGTACCGTGCCACATCCAAACATCGAGGAGGTGGCTCTGT
CCAGCACTGGAGAAATCCCCTTTTATGGCAAAGCCATCCCCATCGAGACCATCAA
30 GGGGGGGAGGCACCTCATTTTCTGCCATTCCAAGAAGAAATGTGATGAGCTCGCC
GCGAAGCTGTCCGGCCTCGGACTCAATGCTGTAGCATATTACCGGGGCCTTGATG
TATCCGTCATAACCAACTAGCGGAGACGTCATTGTCTAGCAACGGACGCTCTAAT
GACGGGCTTTACCGGCGATTTCGACTCAGTGATCGACTGCAATACATGTGTACCC
CAGACAGTCGACTTCAGCCTGGACCCGACCTTCACCATTGAGACGACGACCGTGC
35 CACAAGACGCGGTGTACGCTCGCAGCGGCGAGGCAGGACTGGTAGGGGCAGGA
TGGGCATTTACAGGTTTGTGACTCCAGGAGAACGGCCCTCGGGCATGTTTCGATTC
CTCGGTTCTGTGCGAGTGCTATGACGCGGGCTGTGCTTGGTACGAGCTCACGCCC
GCCGAGACCTCAGTTAGGTTGCGGGCTTACCTAAACACACCAGGGTTGCCCGTCT
GCCAGGACCATCTGGAGTTCTGGGAGAGCGTCTTTACAGGCCTCACCCACATAGA
40 CGCCCATTTCTTGTCCCAGACTAAGCAGGCAGGAGACAACCTTCCCCTACCTGGTA
GCATACCAGGCTACGGTGTGCGCCAGGGCTCAGGCTCCACCTCCATCGTGGGACC
AAATGTGGAAGTGTCTCATACGGCTAAAGCCTACGCTGCACGGGCCAACGCCCT
GCTGTATAGGCTGGGAGCCGTTCAAAACGAGGTTACTACCACACACCCCATACC
AAATACATCATGGCATGCATGTCGGCTGACCTGGAGGTCGTCACGAGCACCTGGG
45 TGCTGGTAGGCGGAGTCCTAGCAGCTCTGGCCGCGTATTGCCTGACAACAGGCAG
CGTGGTCATTGTGGGCAGGATCATCTTGTCCGGAAAGCCGGCCATCATTCCCGAC
AGGGAAGTCCTTTACCGGGAGTTTCGATGAGATGGAAGAGTGCGCCTCACACCTCC
CTTACATCGAACAGGGAATGCAGCTCGCCGAACAATTCAAACAGAAGGCAATCG
GGTTGCTGCAAACAGCCACCAAGCAAGCGGAGGCTGCTGCTCCCGTGGTGGAAT
50 CCAAGTGGCGGACCCTCGAAGCCTTCTGGGCGAAGCATATGTGGAATTTTCATCAG
CGGGATACAATATTTAGCAGGCTTGTCCACTCTGCCTGGCAACCCCGCGATAGCA
TCACTGATGGCATTACAGCCTCTATCACCAGCCCGCTCACCACCCAACATACCC
TCCTGTTTAACATCCTGGGGGGATGGGTGGCCGCCCAACTTGCTCCTCCCAGCGC

TGCTTCTGCTTTCGTAGGCGCCGGCATCGCTGGAGCGGCTGTTGGCAGCATAGGC
CTTGGGAAGGTGCTTGTGGATATTTTGGCAGGTTATGGAGCAGGGGTGGCAGGGC
CGCTCGTGGCCTTTAAGGTCATGAGCGGCGAGATGCCCTCCACCGAGGACCTGGT
TAACCTACTCCCTGCTATCCTCTCCCCTGGCGCCCTAGTCGTCGGGGTCTGTGTGCG
5 CAGCGATACTGCGTCGGCACGTGGGCCAGGGGAGGGGGCTGTGCAGTGGATGA
ACCGGCTGATAGCGTTCGCTTCGCGGGGTAAACCAGTCTCCCCACGCACTATGT
GCCTGAGAGCGACGCTGCAGCACGTGTCACTCAGATCCTCTCTAGTCTTACCATC
ACTCAGCTGCTGAAGAGGCTTCACCAGTGGATCAACGAGGACTGCTCCACGCCAT
GCTCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGTGTGACTGA
10 TTTCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGAGTCCCCTTCT
TCTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGCGACGGCATCATGCAAA
CCACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAACGGTTCATGA
GGATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATTCCCCATTAA
CGCGTACACCACGGGCCCCTGCACGCCCTCCCCGGCGCCAAATTATTCTAGGGCG
15 CTGTGGCGGGTGGCTGCTGAGGAGTACGTGGAGGTTACGCGGGTGGGGGATTTC
CACTACGTGACGGGCATGACCACTGACAACGTAAAGTGCCCGTGTCAAGGTTCCGG
CCCCGAATTCTTCACAGAAGTGGATGGGGTGGCGTTGCACAGGTACGCTCCAGC
GTGCAAACCCCTCCTACGGGAGGAGGTCACATTCCTGGTCCGGGCTCAATCAATAC
CTGGTTGGGTACAGCTCCCATGCGAGCCCGAACCGGACGTAGCAGTGCTCACTT
20 CCATGCTCACCGACCCCTCCCACATTACGGCGGAGACGGCTAAGCGTAGGCTGGC
CAGGGGATCTCCCCCTCCTTGGCCAGCTCATCAGCTATCCAGCTGTCTGCGCCTT
CCTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCTGACCTCATCGA
GGCCAACCTCCTGTGGCGGCAGGAGATGGGCGGGAACATCACCCGCGTGGAGTC
AGAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAGCGGAGGAGGA
25 TGAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCAGGAAATTCCC
TCGAGCGATGCCCATATGGGCACGCCCGGATTACAACCCTCCACTGTTAGAGTCC
TGGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCATTGCCGCCTG
CCAAGGCCCCTCCGATACCACCTCCACGGAGGAAGAGGACGGTTGTCCTGTCAG
AATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTCGGCAGCTC
30 CGAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACCAGCCCTCC
GACGACGGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCCCCCCTTG
AGGGGGAGCCGGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACCGTAAGCG
AGGAGGCTAGTGAGGACGTCGTCTGCTGCTCGATGTCCTACACATGGACAGGCGC
CCTGATCACGCCATGCGCTGCGGAGGAAACCAAGCTGCCCATCAATGCACTGAG
35 CAACTCTTTGCTCCGTCACCACAACTTGGTCTATGCTACAACATCTCGCAGCGCA
AGCCTGCGGCAGAAGAAGGTCACCTTTGACAGACTGCAGGTCCTGGACGACCAC
TACCGGGACGTGCTCAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAGGCTAAA
CTTCTATCCGTGGAGGAAGCCTGTAAGCTGACGCCCCACATTCGGCCAGATCTA
AATTTGGCTATGGGGCAAAGGACGTCCGGAACCTATCCAGCAAGGCCGTTAACC
40 ACATCCGCTCCGTGTGGAAGGACTTGCTGGAAGACACTGAGACACCAATTGACA
CCACCATCATGGCAAAAAATGAGGTTTTCTGCGTCCAACCAGAGAAGGGGGGCC
GCAAGCCAGCTCGCCTTATCGTATTCCCAGATTTGGGGGTTCGTGTGTGCGAGAA
AATGGCCCTTTACGATGTGGTCTCCACCCTCCCTCAGGCCGTGATGGGCTCTTCAT
ACGGATTCCAATACTCTCCTGGACAGCGGGTCGAGTTCCTGGTGAATGCCTGGAA
45 AGCGAAGAAATGCCCTATGGGCTTCGCATATGACACCCGCTGTTTTGACTCAACG
GTCACTGAGAATGACATCCGTGTTGAGGAGTCAATCTACCAATGTTGTGACTTGG
CCCCGAAGCCAGACAGGCCATAAGGTGCTCACAGAGCGGCTTTACATCGGGG
GCCCCCTGACTAATTCTAAAGGGCAGAACTGCGGCTATCGCCGGTGCCGCGCGAG
CGGTGTACTGACGACCAGCTGCGGTAATAACCCTCACATGTTACTTGAAGGCCGCT
50 GCGGCCTGTCGAGCTGCGAAGCTCCAGGACTGCACGATGCTCGTATGCGGAGAC
GACCTTGTCGTTATCTGTGAAAGCGCGGGGACCCAAGAGGACGAGGCGAGCCTA
CGGGCCTTCACGGAGGCTATGACTAGATACTCTGCCCCCCTGGGGACCCGCCCA
AACCAGAATACGACTTGGAGTTGATAACATCATGCTCCTCCAATGTGTGAGTCGC

GCACGATGCATCTGGCAAAAGGGTGTACTATCTCACCCGTGACCCACCCACCC
CTTGCGCGGGCTGCGTGGGAGACAGCTAGACACACTCCAGTCAATTCCTGGCTAG
GCAACATCATCATGTATGCGCCACCTTGTGGGCAAGGATGATCCTGATGACTCA
TTTCTTCTCCATCCTTCTAGCTCAGGAACAACCTTGAAAAAGCCCTAGATTGTCAGA
5 TCTACGGGGCCTGTTACTCCATTGAGCCACTTGACCTACCTCAGATCATTCAACG
ACTCCATGGCCTTAGCGCATTTTCACTCCATAGTTACTCTCCAGGTGAGATCAATA
GGGTGGCTTCATGCCTCAGGAACTTGGGGTACCGCCCTTGCGAGTCTGGAGACA
TCGGGGCCAGAAGTGTCCGCGCTAGGCTACTGTCCCAGGGGGGGAGGGCTGCCAC
TTGTGGCAAGTACCTCTTCAACTGGGCAGTAAGGACCAAGCTCAAACCTCACTCCA
10 ATCCCGGCTGCGTCCCAGTTGGATTTATCCAGCTGGTTCGTTGCTGGTTACAGCGG
GGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCTGGTTCATGTGGTGC
CTACTCCTACTTTCTGTAGGGGTAGGCATCTATCTACTCCCAACCGATGAACGG
GGACCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTTTCCCTTTTTTTTTTCT
TTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTCTCCTTTTTTTTTTCCCTTTTTTTTCTT
15 TTCTTTCCTTTGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAGGTCC
GTGAGCCGCTTGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCAGATCAAGT

SEQ ID NO:25: Nucleotide sequence of DNA clone of HCV adaptive replicon 5'NTR-
EMCV/HCVrepVII

20 GCCAGCCCCCGATTGGGGGCGGACACTCCACCATAGATCACTCCCCTGTGAGGAAC
TACTGTCTTCACGCAGAAAGCGTCTAGCCATGGCGTTAGTATGAGTGTCGTGCAG
CCTCCAGGACCCCCCTCCCGGGAGAGCCATAGTGGTCTGCGGAACCGGTGAGTA
CACCGGAATTGCCAGGACGACCGGGTCTTTCTTGGATCAACCCGCTCAATGCCT
25 GGAGATTTGGGCGTGCCCCGCGAGACTGCTAGCCGAGTAGTGTTGGGTGCGCA
AAGGCCTTGTGGTACTGCCTGATAGGGTGCTTGCGAGTGCCCCGGGAGGTCTCGT
AGACCGTGCACCAGACCACAACGGTTTCCCTCTAGCGGGATCAATTCGCCCTC
TCCCTCCCCCCCCCTAACGTTACTGGCCGAAGCCGCTTGGAATAAGGCCGGTGT
GCGTTTGTCTATATGTTATTTTCCACCATATTGCCGTCTTTTGGCAATGTGAGGGC
30 CCGGAAACCTGGCCCTGTCTTCTTGACGAGCATTCTAGGGGTCTTTCCTCTCG
CCAAAGGAATGCAAGGTCTGTTGAATGTCGTGAAGGAAGCAGTTCCTCTGGAAG
CTTCTTGAAGACAAACAACGTCTGTAGCGACCCTTTGCAGGCAGCGGAACCCCC
ACCTGGCGACAGGTGCCTCTGCGGCCAAAAGCCACGTGTATAAGATACACCTGC
AAAGGCGGCACAACCCAGTGCCACGTTGTGAGTTGGATAGTTGTGGAAAGAGT
35 CAAATGGCTCTCCTCAAGCGTATTCAACAAGGGGCTGAAGGATGCCCAGAAGGT
ACCCCATTTGTATGGGATCTGATCTGGGGCCTCGGTGCACATGCTTTACATGTGTT
AGTCGAGGTTAAAAAACGTCTAGGCCCCCGAACCACGGGGACGTGGTTTTCTT
TGAAAAACACGATAATACCATGGCGCCTATTACGGCCTACTCCCAACAGACGCG
AGGCCTACTTGGCTGCATCATCACTAGCCTCACAGGCCGGGACAGGAACCAGGTC
40 GAGGGGGAGGTCCAAGTGGTCTCCACCGCAACACAATCTTTCCTGGCGACCTGCG
TCAATGGCGTGTGTTGGACTGTCTATCATGGTGCCGGCTCAAAGACCCTTGCCGG
CCCAAAGGGCCCAATCACCCAAATGTACACCAATGTGGACCAGGACCTCGTCGG
CTGGCAAGCGCCCCCGGGGCGCGTTCCTTGACACCATGCACCTGCGGCAGCTCG
GACCTTTACTTGGTCACGAGGCATGCCGATGTCATTCCGGTGCGCCGGCGGGGCG
45 ACAGCAGGGGGAGCCTACTCTCCCCAGGCCCGTCTCCTACTTGAAGGGCTCTT
GGGCGGTCCACTGCTCTGCCCCCTCGGGGCACGCTGTGGGCATCTTTCGGGCTGCC
GTGTGCACCCGAGGGGTTGCGAAGGCGGTGGACTTTGTACCCGTCGAGTCTATGG
AAACCACTATGCGGTCCCCGGTCTTCACGGACAACCTCGTCCCCTCCGGCCGTACC
GCAGACATTCCAGGTGGCCCATCTACACGCCCTACTGGTAGCGGCAAGAGCACT
50 AAGGTGCCGGCTGCGTATGCAGCCCAAGGGTATAAGGTGCTTGTCTGAACCCGT
CCGTCGCCGCCACCCTAGGTTTCGGGGCGTATATGTCTAAGGCACATGGTATCGA
CCCTAACATCAGAACCGGGGTAAGGACCATCACACGGGTGCCCCCATCACGTA
CTCCACCTATGGCAAGTTTCTTGCCGACGGTGGTTGCTCTGGGGGCGCCTATGAC

ATCATAATATGTGATGAGTGCCACTCAACTGACTCGACCACTATCCTGGGGCATCG
GCACAGTCCTGGACCAAGCGGAGACGGCTGGAGCGCGACTCGTCGTGCTCGCCA
CCGCTACGCCTCCGGGATCGGTCACCGTGCCACATCCAAACATCGAGGAGGTGGC
TCTGTCCAGCACTGGAGAAATCCCCTTTTATGGCAAAGCCATCCCCATCGAGACC
5 ATCAAGGGGGGGGAGGGCACCTCATTTTCTGCCATTCCAAGAAGAAATGTGATGAG
CTCGCCGCGAAGCTGTCCGGCCTCGGACTCAATGCTGTAGCATATTACCGGGGCC
TTGATGTATCCGTCATACCAACTAGCGGAGACGTCATTGTCTAGCAACGGACGC
TCTAATGACGGGCTTTACCGGCGATTTCGACTCAGTGATCGACTGCAATACATGT
GTCACCCAGACAGTCGACTTCAGCCTGGACCCGACCTTCACCATTGAGACGACGA
10 CCGTGCCACAAGACGCGGTGTCACGCTCGCAGCGGCGAGGCAGGACTGGTAGGG
GCAGGATGGGCATTTACAGGTTTGTGACTCCAGGAGAACGGCCCTCGGGCATGTT
CGATTCCTCGGTTCTGTGCGAGTGCTATGACGCGGGCTGTGCTTGGTACGAGCTC
ACGCCC GCCGAGACCTCAGTTAGGTTGCGGGCTTACCTAAACACACCAGGGTTGC
CCGTCTGCCAGGACCATCTGGAGTTCTGGGAGAGCGTCTTTACAGGCCTCACCCA
15 CATAGACGCCCATTCTTGTCCCAGACTAAGCAGGCAGGAGACAACCTCCCCTAC
CTGGTAGCATACCAGGCTACGGTGTGCGCCAGGGCTCAGGCTCCACCTCCATCGT
GGGACCAAATGTGGAAGTGTCTCATACGGCTAAAGCCTACGCTGCACGGGGCCAA
CGCCCCTGCTGTATAGGCTGGGAGCCGTTCAAACGAGGTTACTACCACACACCC
CATAACCAAATACATCATGGCATGCATGTCGGCTGACCTGGAGGTCGTCACGAGC
20 ACCTGGGTGCTGGTAGGCGGAGTCCTAGCAGCTCTGGCCGCGTATTGCCTGACAA
CAGGCAGCGTGGTCATTGTGGGCAGGATCATCTTGTCCGGAAGCCGGCCATCAT
TCCCGACAGGGAAGTCCTTTACCGGGAGTTCGATGAGATGGAAGAGTGCGCCTC
ACACCTCCCTTACATCGAACAGGGAATGCAGCTCGCCGAACAATTCAAACAGAA
GGCAATCGGGTTGCTGCAAACAGCCACCAAGCAAGCGGAGGCTGCTGCTCCCGT
25 GGTGGAATCCAAGTGGCGGACCCTCGAAGCCTTCTGGGCGAAGCATATGTGGAA
TTTCATCAGCGGGATACAATATTTAGCAGGCTTGTCCACTCTGCCTGGCAACCCC
GCGATAGCATCACTGATGGCATTACAGCCTCTATCACCAGCCCGCTCACCACCC
AACATACCCTCCTGTTTAACATCCTGGGGGGATGGGTGGCCGCCCAACTTGCTCC
TCCCAGCGCTGCTTCTGCTTTCTGTAGGCGCCGGCATCGCTGGAGCGGCTGTTGGC
30 AGCATAGGCCTTGGGAAGGTGCTTGTGGATATTTTGGCAGGTTATGGAGCAGGGG
TGGCAGGCGCGCTCGTGGCCTTTAAGGTCATGAGCGGCGAGATGCCCTCCACCGA
GGACCTGGTTAACCTACTCCCTGCTATCCTCTCCCCTGGCGCCCTAGTCGTCGGGG
TCGTGTGCGCAGCGATACTGCGTCGGCACGTGGGCCCAGGGGAGGGGGCTGTGC
AGTGGATGAACCGGCTGATAGCGTTCGCTTCGCGGGGTAACCACGTCTCCCCCAC
35 GCACTATGTGCCTGAGAGCGACGCTGCAGCACGTGTCACTCAGATCCTCTCTAGT
CTTACCATCACTCAGCTGCTGAAGAGGCTTCACCAGTGGATCAACGAGGACTGCT
CCACGCCATGCTCCGGCTCGTGGCTAAGAGATGTTTGGGATTGGATATGCACGGT
GTTGACTGATTTCAAGACCTGGCTCCAGTCCAAGCTCCTGCCGCGATTGCCGGGA
GTCCCCTTCTTCTCATGTCAACGTGGGTACAAGGGAGTCTGGCGGGGGCGACGGCA
40 TCATGCAAACCACCTGCCCATGTGGAGCACAGATCACCGGACATGTGAAAAACG
GTTCCATGAGGATCGTGGGGCCTAGGACCTGTAGTAACACGTGGCATGGAACATT
CCCCATTAACGCGTACACCACGGGCCCCCTGCACGCCCTCCCCGGCGCCAAATTAT
TCTAGGGCGCTGTGGCGGGTGGCTGCTGAGGAGTACGTGGAGGTTACGCGGGTG
GGGGATTTCCACTACGTGACGGGCATGACCACTGACAACGTAAAGTGCCCGTGTC
45 AGGTTCCGGCCCCCGAATTCTTCACAGAAGTGGATGGGGTGCGGTTGCACAGGTA
CGCTCCAGCGTGCAAACCCCTCCTACGGGAGGAGGTCACATTCCTGGTCGGGGCTC
AATCAATACCTGGTTGGGTCACAGCTCCCATGCGAGCCCGAACCGGACGTAGCA
GTGCTCACTTCCATGCTCACCGACCCCTCCACATTACGGCGGAGACGGCTAAGC
GTAGGCTGGCCAGGGGATCTCCCCCTCCTTGGCCAGCTCATCAGCTATCCAGCT
50 GTCTGCGCCTTCTTGAAGGCAACATGCACTACCCGTCATGACTCCCCGGACGCT
GACCTCATCGAGGCCAACCTCCTGTGGCGGCAGGAGATGGGCGGGAACATCACC
CGCGTGGAGTCAGAAAATAAGGTAGTAATTTTGGACTCTTTCGAGCCGCTCCAAG
CGGAGGAGGATGAGAGGGAAGTATCCGTTCCGGCGGAGATCCTGCGGAGGTCCA

GGAAATTCCCTCGAGCGATGCCCATATGGGACGCCC GGATTACAACCCTCCACT
GTTAGAGTCCTGGAAGGACCCGGACTACGTCCCTCCAGTGGTACACGGGTGTCCA
TTGCCGCCTGCCAAGGCCCTCCGATACCACCTCCACGGAGGAAGAGGACGGTTG
TCCTGTCAGAATCTACCGTGTCTTCTGCCTTGGCGGAGCTCGCCACAAAGACCTTC
5 GGCAGCTCCGAATCGTCGGCCGTCGACAGCGGCACGGCAACGGCCTCTCCTGACC
AGCCCTCCGACGACGGCGACGCGGGATCCGACGTTGAGTCGTACTCCTCCATGCC
CCCCCTTGAGGGGGAGCCGGGGGATCCCGATCTCAGCGACGGGTCTTGGTCTACC
GTAAGCGAGGAGGCTAGTGAGGACGTCGTCTGCTGCTCGATGTCCTACACATGGA
CAGGCGCCCTGATCACGCCATGCGCTGCGGAGGAAACCAAGCTGCCCATCAATG
10 CACTGAGCAACTCTTTGCTCCGTCACCACAACCTTGGTCTATGCTACAACATCTCGC
AGCGCAAGCCTGCGGCAGAAGAAGGTCACCTTTGACAGACTGCAGGTCCTGGAC
GACCACTACCGGGACGTGCTCAAGGAGATGAAGGCGAAGGCGTCCACAGTTAAG
GCTAAACTTCTATCCGTGGAGGAAGCCTGTAAGCTGACGCCCCACATTCCGGCCA
GATCTAAATTTGGCTATGGGGCAAAGGACGTCCGGAACCTATCCAGCAAGGCCG
15 TTAACCACATCCGCTCCGTGTGGAAGGACTTGCTGGAAGACACTGAGACACCAAT
TGACACCACCATCATGGCAAAAATGAGGTTTTCTGCGTCCAACCAGAGAAGGG
GGGCCGCAAGCCAGCTCGCCTTATCGTATTCCCAGATTTGGGGGTTCGTGTGTGC
GAGAAAATGGCCCTTTACGATGTGGTCTCCACCCTCCCTCAGGCCGTGATGGGCT
CTTCATACGGATTCCAATACTCTCCTGGACAGCGGGTCGAGTTCCTGGTGAATGC
20 CTGGAAAGCGAAGAAATGCCCTATGGGCTTCGCATATGACACCCGCTGTTTTGAC
TCAACGGTCACTGAGAATGACATCCGTGTTGAGGAGTCAATCTACCAATGTTGTG
ACTTGGCCCCCGAAGCCAGACAGGCCATAAGGTCGCTCACAGAGCGGCTTTACAT
CGGGGGCCCCCTGACTAATTCTAAAGGGCAGAAGTGC GGCTATCGCCGGTGCCGC
GCGAGCGGTGTACTGACGACCAGCTGCGGTAATACCCTCACATGTTACTTGAAGG
25 CCGCTGCGGCCTGTCGAGCTGCGAAGCTCCAGGACTGCACGATGCTCGTATGCGG
AGACGACCTTGTCGTTATCTGTGAAAGCGCGGGGACCCAAGAGGACGAGGCGAG
CCTACGGGCCTTCACGGAGGCTATGACTAGATACTCTGCCCCCCTGGGGACCCG
CCCAAACCAGAATACGACTTGAGGTTGATAACATCATGCTCCTCCAATGTGTCAG
TCGCGCACGATGCATCTGGCAAAAGGGTGTACTATCTACCCGTGACCCACAC
30 CCCCCTTGCGCGGGGCTGCGTGGGAGACAGCTAGACACACTCCAGTCAATTCCTGG
CTAGGCAACATCATCATGTATGCGCCACCTTGTGGGCAAGGATGATCCTGATGA
CTCATTCTTCTCCATCCTTCTAGCTCAGGAACAACCTTGAAAAAGCCCTAGATTGT
CAGATCTACGGGGCCTGTTACTCCATTGAGCCACTTGACCTACCTCAGATCATT
AACGACTCCATGGCCTTAGCGCATTTTCACTCCATAGTTACTCTCCAGGTGAGATC
35 AATAGGGTGGCTTCATGCCTCAGGAACTTGGGGTACCGCCCTTGCGAGTCTGGA
GACATCGGGCCAGAAGTGTCCGCGCTAGGCTACTGTCCCAGGGGGGGAGGGCTG
CCACTTGTGGCAAGTACCTCTTCAACTGGGCAGTAAGGACCAAGCTCAAACCTCAC
TCCAATCCCGGCTGCGTCCCAGTTGGATTTATCCAGCTGGTTCGTTGCTGGTTACA
GCGGGGGAGACATATATCACAGCCTGTCTCGTGCCCGACCCCGCTGGTTCATGTG
40 GTGCCCTACTCCTACTTTCTGTAGGGGTAGGCATCTATCTACTCCCAACCGATGAA
CGGGGACCTAAACACTCCAGGCCAATAGGCCATCCTGTTTTTTTCCCTTTTTTTTT
TTCTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTTCTCCTTTTTTTTTTCTCTTTTTT
CCTTTTCTTTCTTTGGTGGCTCCATCTTAGCCCTAGTCACGGCTAGCTGTGAAAG
GTCCGTGAGCCGCTTGACTGCAGAGAGTGCTGATACTGGCCTCTCTGCAGATCAA
45 GT

What is claimed is:

1. A polynucleotide comprising a non-naturally occurring HCV sequence that is capable of productive replication in a host cell, or is capable of being transcribed into a non-naturally occurring HCV sequence that is capable of productive replication in a host cell, wherein the HCV sequence comprises, from 5' to 3' on the positive-sense nucleic acid, a functional 5' non-translated region (5' NTR); one or more protein coding regions, including at least one polyprotein coding region that is capable of replicating HCV RNA; and a functional HCV 3' non-translated region (3' NTR).
2. The polynucleotide of claim 1, further comprising an adaptive mutation.
3. The polynucleotide of claim 2, having a transfection efficiency into mammalian cells of greater than 0.01%.
4. The polynucleotide of claim 3, wherein the transfection efficiency into mammalian cells is greater than 0.1%.
5. The polynucleotide of claim 3, wherein the transfection efficiency into mammalian cells is greater than 1%.
6. The polynucleotide of claim 3, wherein the transfection efficiency into mammalian cells is greater than 5%.
7. The polynucleotide of claim 2, wherein the polynucleotide is capable of replication in a non-hepatic cell.
8. The polynucleotide of claim 7, wherein the non-hepatic cell is a HeLa cell.
9. The polynucleotide of claim 2, wherein the HCV is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.
10. The polynucleotide of claim 2, wherein the polyprotein region comprises an NS5A gene that is not a wild-type NS5A gene.
11. The polynucleotide of claim 10, wherein the NS5A gene comprises a mutation.

12. The polynucleotide of claim 11, wherein the mutation is within 50 nucleotides of an ISDR or includes the ISDR.

13. The polynucleotide of claim 12, wherein the mutation is within 20 nt of the ISDR, or includes the ISDR.

14. The polynucleotide of claim 13, wherein the mutation encodes an amino acid sequence change selected from the group consisting of Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3.

15. The polynucleotide of claim 11, wherein the mutation comprises a deletion of at least a portion of the ISDR.

16. The polynucleotide of claim 15, wherein the mutation comprises a deletion of the entire ISDR.

17. The polynucleotide of claim 16, wherein the mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.

18. The polynucleotide of claim 1, wherein the polynucleotide comprises at least one IRES selected from the group consisting of a viral IRES, a cellular IRES, and an artificial IRES.

19. The polynucleotide of claim 18, wherein the HCV polyprotein coding region encodes all HCV structural and nonstructural proteins.

20. The polynucleotide of claim 19, further comprising a foreign gene operably linked to a first IRES and the HCV polyprotein coding region operably linked to a second IRES.

21. The polynucleotide of claim 18, wherein the polyprotein coding region is incapable of making infectious HCV particles.

22. The polynucleotide of claim 21, wherein the polyprotein coding region comprises a mutation and/or a deletion in the structural protein coding region.

23. The polynucleotide of claim 22, further comprising a foreign gene operably linked to a first IRES and the HCV polyprotein coding region operably linked to a second IRES.

24. The polynucleotide of claim 23, wherein the foreign gene is a gene encoding a selectable marker or a reporter gene.

25. The polynucleotide of claim 24, further comprising an adaptive mutation.

26. The polynucleotide of claim 25, having a transfection efficiency into mammalian cells of greater than 0.01%.

27. The polynucleotide of claim 26, wherein the transfection efficiency into mammalian cells is greater than 1%.

28. The polynucleotide of claim 26, wherein the transfection efficiency into mammalian cells is greater than 5%.

29. The polynucleotide of claim 26, wherein the transfection efficiency into mammalian cells is about 6%.

30. The polynucleotide of claim 25, wherein the polynucleotide is capable of replication in a non-hepatic cell.

31. The polynucleotide of claim 30, wherein the non-hepatic cell is a HeLa cell.

32. The polynucleotide of claim 25, wherein the HCV is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.

33. The polynucleotide of claim 25, wherein the polyprotein region comprises an NS5A gene that is not a wild-type NS5A gene.

34. The polynucleotide of claim 33, wherein the NS5A gene comprises a mutation.
35. The polynucleotide of claim 34, wherein the mutation is within 50 nucleotides of an ISDR or includes the ISDR.
36. The polynucleotide of claim 34, wherein the mutation is within 20 nt of the ISDR, or includes the ISDR.
37. The polynucleotide of claim 36, wherein the mutation encodes an amino acid sequence change selected from the group consisting of Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3.
38. The polynucleotide of claim 34, wherein the mutation comprises a deletion of at least a portion of the ISDR.
39. The polynucleotide of claim 38, wherein the mutation comprises a deletion of the entire ISDR.
40. The polynucleotide of claim 39, wherein the mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.
41. The polynucleotide of claim 24, wherein:
- (a) the first IRES is an HCV IRES;
 - (b) the foreign gene is a *neo* gene; and
 - (c) the second IRES is a EMCV IRES.
42. The polynucleotide of claim 41, wherein the HCV sequence is a genotype 1 HCV sequence.
43. The polynucleotide of claim 42, wherein the HCV sequence is subtype 1b.
44. The polynucleotide of claim 41, comprising SEQ ID NO:5 or SEQ ID NO:6.
45. The polynucleotide of claim 41, further comprising an adaptive mutation.

46. The polynucleotide of claim 45, having a transfection efficiency into mammalian cells of greater than 0.01%.

47. The polynucleotide of claim 46, wherein the transfection efficiency into mammalian cells is greater than 1%.

48. The polynucleotide of claim 46, wherein the transfection efficiency into mammalian cells is greater than 5%.

49. The polynucleotide of claim 46, wherein the transfection efficiency into mammalian cells is about 6%.

50. The polynucleotide of claim 45, wherein the polynucleotide is capable of replication in a non-hepatic cell.

51. The polynucleotide of claim 50, wherein the non-hepatic cell is a HeLa cell.

52. The polynucleotide of claim 45, wherein the HCV is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.

53. The polynucleotide of claim 45, wherein the polyprotein region comprises an NS5A gene that is not a wild-type NS5A gene.

54. The polynucleotide of claim 53, wherein the NS5A gene comprises a mutation.

55. The polynucleotide of claim 54, wherein the mutation is within 50 nucleotides of an ISDR or includes the ISDR.

56. The polynucleotide of claim 54, wherein the mutation is within 20 nt of the ISDR, or includes the ISDR.

57. The polynucleotide of claim 56, wherein the mutation encodes an amino acid sequence change selected from the group consisting of Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3.

58. The polynucleotide of claim 54, wherein the mutation comprises a deletion of at least a portion of the ISDR.

59. The polynucleotide of claim 58, wherein the mutation comprises a deletion of the entire ISDR.

60. The polynucleotide of claim 59, wherein the mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.

61. The polynucleotide of claim 1, wherein the polynucleotide is double-stranded DNA.

62. A vector comprising the polynucleotide of claim 61 operably associated with a promoter.

63. The polynucleotide of claim 41 wherein the polynucleotide is double-stranded DNA.

64. A vector comprising the polynucleotide of claim 63 operably associated with a promoter.

65. The vector of claim 64, further comprising a mutation in the NS5A gene.

66. The vector of claim 65, wherein the mutation is selected from the group consisting of mutations encoding the amino acid changes Ser (1179) to Ile, Arg (1164) to Gly, Ala(1174) to Ser, Ser(1172) to Cys, and Ser(1172) to Pro of SEQ ID NO:3; and an in frame deletion of nucleotides encoding amino acids comprising at least a portion of the ISDR.

67. The vector of claim 66, wherein the mutation comprises a deletion of the entire ISDR.

68. The vector of claim 67, wherein the mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.

69. A cell comprising the vector of claim 62.

70. A host cell comprising the polynucleotide of claim 2, wherein the host cell is a mammalian cell.

71. The host cell of claim 70, wherein the polynucleotide comprises an adaptive mutation.

72. The host cell of claim 71 wherein the host cell is a human cell.

73. The host cell of claim 72 wherein the host cell is a liver cell.

74. The host cell of claim 72 wherein the host cell is a T-cell or a B-cell.

75. The host cell of claim 72 wherein the host cell is a HeLa cell.

76. A method for identifying a cell line that is permissive for infection with HCV, comprising contacting a cell in tissue culture with an infectious amount of the polynucleotide of claim 1, and detecting replication of HCV in cells of the cell line.

77. A method for producing a cell line comprising replicating HCV, the method comprising

- 5
- (a) transcribing the vector of claim 62 to synthesize HCV RNA;
 - (b) transfecting a cell with the HCV RNA of step (a); and
 - (c) culturing the cell.

78. A vaccine comprising the polynucleotide of claim 1 in a pharmaceutically acceptable carrier.

79. The vaccine of claim 78, wherein the polynucleotide further comprises an adaptive mutation.

80. The vaccine of claim 79, wherein the adaptive mutation comprises a deletion of nucleotides corresponding to nucleotides 5345 to 5485 of SEQ ID NO:6.

81. The vaccine of claim 80, wherein the HCV is impaired in its ability to cause disease, establish chronic infections, trigger autoimmune responses, and transform cells.

82. A method of inducing immunoprotection to HCV in a primate, comprising administering to the primate the vaccine of claim 78.

83. A method of inducing immunoprotection to HCV in a primate, comprising administering to the primate the vaccine of claim 81.

84. A method of testing a compound for inhibiting HCV replication, comprising
(a) treating the host cell of claim 70 with the compound;
(b) evaluating the treated host cell for reduced HCV replication, wherein reduced HCV replication indicates the ability of the compound to inhibit HCV replication.

85. A method of testing a compound for inhibiting HCV infection comprising treating a host cell with the compound before, during or after infecting or transfecting the host cell with the polynucleotide of claim 1.





Figure 1

**Figure 2**





Figure 3



- DNase digest RNA transcripts
- Electroporate RNA into Huh7 cells
- G418-resistant colonies were generated at low frequency
- 28 colonies were picked & 90% of these could be passaged
- No colonies observed for the replicon RNA containing an inactive RDRP

Clone	Copy number/cell	Cytoplasmic NS3	Growth Rate
I	>1000	Yes	Fast
II	~1000-5000	Yes	Fast
IV	ND	Yes	Fast
V	500	ND	Moderate
VI	~1000	Yes	Fast
VII	>800	Yes	Fast
Clone E	<400	No	Very slow

Figure 4




Figure 5A




Figure 5B






Figure 6

aa 1163										1182	1229
Arg Arg Leu Ala Arg Gly Ser Pro Pro Ser TCC Ser TTG Ala GCC AGC TCA Ser Ala Ser Gln Leu Ser Asp											
CGT AGG CTG GCC AGG AGG GGA TCT CCC CCC CCC TCC TCA TCA AGC AGC GCT GCT CTG TCT TCT											
I
II	Gly
III
IV
V
VII


Figure 7



pol-



Variant I



HCVrepBartMan/Avall

Figure 8




Figure 9




Figure 10

SEQUENCE LISTING

<110> Rice III, Charles
Blight, Keril

<120> HCV Variants

<130> 6029-7868

<140>

<141>

<150> 09/576,989

<151> 2000-05-23

<150> 09/034,756

<151> 1998-03-04

<160> 24

<170> PatentIn Ver. 2.0

<210> 1

<211> 21

<212> DNA

<213> Hepatitis C virus

<400> 1

ggcgacactc caccatagat c

21

<210> 2

<211> 99

<212> DNA

<213> Hepatitis C virus

<400> 2

tggtggctcc atcttagccc tagtcacggc tagctgtgaa aggtccgtga gccgcatgac 60
tgcagagagt gctgatactg gcctctctgc tgatcatgt 99

<210> 3

<211> 1985

<212> PRT

<213> Hepatitis C virus

<400> 3

Met Ala Pro Ile Thr Ala Tyr Ser Gln Gln Thr Arg Gly Leu Leu Gly
1 5 10 15

Cys Ile Ile Thr Ser Leu Thr Gly Arg Asp Arg Asn Gln Val Glu Gly
20 25 30

Glu Val Gln Val Val Ser Thr Ala Thr Gln Ser Phe Leu Ala Thr Cys
35 40 45

Val Asn Gly Val Cys Trp Thr Val Tyr His Gly Ala Gly Ser Lys Thr
50 55 60

Leu Ala Gly Pro Lys Gly Pro Ile Thr Gln Met Tyr Thr Asn Val Asp
65 70 75 80

Gln Asp Leu Val Gly Trp Gln Ala Pro Pro Gly Ala Arg Ser Leu Thr
85 90 95

Pro Cys Thr Cys Gly Ser Ser Asp Leu Tyr Leu Val Thr Arg His Ala
100 105 110

Asp Val Ile Pro Val Arg Arg Arg Gly Asp Ser Arg Gly Ser Leu Leu
 115 120 125
 Ser Pro Arg Pro Val Ser Tyr Leu Lys Gly Ser Ser Gly Gly Pro Leu
 130 135 140
 Leu Cys Pro Ser Gly His Ala Val Gly Ile Phe Arg Ala Ala Val Cys
 145 150 155 160
 Thr Arg Gly Val Ala Lys Ala Val Asp Phe Val Pro Val Glu Ser Met
 165 170 175
 Glu Thr Thr Met Arg Ser Pro Val Phe Thr Asp Asn Ser Ser Pro Pro
 180 185 190
 Ala Val Pro Gln Thr Phe Gln Val Ala His Leu His Ala Pro Thr Gly
 195 200 205
 Ser Gly Lys Ser Thr Lys Val Pro Ala Ala Tyr Ala Ala Gln Gly Tyr
 210 215 220
 Lys Val Leu Val Leu Asn Pro Ser Val Ala Ala Thr Leu Gly Phe Gly
 225 230 235 240
 Ala Tyr Met Ser Lys Ala His Gly Ile Asp Pro Asn Ile Arg Thr Gly
 245 250 255
 Val Arg Thr Ile Thr Thr Gly Ala Pro Ile Thr Tyr Ser Thr Tyr Gly
 260 265 270
 Lys Phe Leu Ala Asp Gly Gly Cys Ser Gly Gly Ala Tyr Asp Ile Ile
 275 280 285
 Ile Cys Asp Glu Cys His Ser Thr Asp Ser Thr Thr Ile Leu Gly Ile
 290 295 300
 Gly Thr Val Leu Asp Gln Ala Glu Thr Ala Gly Ala Arg Leu Val Val
 305 310 315 320
 Leu Ala Thr Ala Thr Pro Pro Gly Ser Val Thr Val Pro His Pro Asn
 325 330 335
 Ile Glu Glu Val Ala Leu Ser Ser Thr Gly Glu Ile Pro Phe Tyr Gly
 340 345 350
 Lys Ala Ile Pro Ile Glu Thr Ile Lys Gly Gly Arg His Leu Ile Phe
 355 360 365
 Cys His Ser Lys Lys Lys Cys Asp Glu Leu Ala Ala Lys Leu Ser Gly
 370 375 380
 Leu Gly Leu Asn Ala Val Ala Tyr Tyr Arg Gly Leu Asp Val Ser Val
 385 390 395 400
 Ile Pro Thr Ser Gly Asp Val Ile Val Val Ala Thr Asp Ala Leu Met
 405 410 415
 Thr Gly Phe Thr Gly Asp Phe Asp Ser Val Ile Asp Cys Asn Thr Cys
 420 425 430
 Val Thr Gln Thr Val Asp Phe Ser Leu Asp Pro Thr Phe Thr Ile Glu
 435 440 445
 Thr Thr Thr Val Pro Gln Asp Ala Val Ser Arg Ser Gln Arg Arg Gly
 450 455 460

Arg Thr Gly Arg Gly Arg Met Gly Ile Tyr Arg Phe Val Thr Pro Gly
465 470 475 480

Glu Arg Pro Ser Gly Met Phe Asp Ser Ser Val Leu Cys Glu Cys Tyr
485 490 495

Asp Ala Gly Cys Ala Trp Tyr Glu Leu Thr Pro Ala Glu Thr Ser Val
500 505 510

Arg Leu Arg Ala Tyr Leu Asn Thr Pro Gly Leu Pro Val Cys Gln Asp
515 520 525

His Leu Glu Phe Trp Glu Ser Val Phe Thr Gly Leu Thr His Ile Asp
530 535 540

Ala His Phe Leu Ser Gln Thr Lys Gln Ala Gly Asp Asn Phe Pro Tyr
545 550 555 560

Leu Val Ala Tyr Gln Ala Thr Val Cys Ala Arg Ala Gln Ala Pro Pro
565 570 575

Pro Ser Trp Asp Gln Met Trp Lys Cys Leu Ile Arg Leu Lys Pro Thr
580 585 590

Leu His Gly Pro Thr Pro Leu Leu Tyr Arg Leu Gly Ala Val Gln Asn
595 600 605

Glu Val Thr Thr Thr His Pro Ile Thr Lys Tyr Ile Met Ala Cys Met
610 615 620

Ser Ala Asp Leu Glu Val Val Thr Ser Thr Trp Val Leu Val Gly Gly
625 630 635 640

Val Leu Ala Ala Leu Ala Ala Tyr Cys Leu Thr Thr Gly Ser Val Val
645 650 655

Ile Val Gly Arg Ile Ile Leu Ser Gly Lys Pro Ala Ile Ile Pro Asp
660 665 670

Arg Glu Val Leu Tyr Arg Glu Phe Asp Glu Met Glu Glu Cys Ala Ser
675 680 685

His Leu Pro Tyr Ile Glu Gln Gly Met Gln Leu Ala Glu Gln Phe Lys
690 695 700

Gln Lys Ala Ile Gly Leu Leu Gln Thr Ala Thr Lys Gln Ala Glu Ala
705 710 715 720

Ala Ala Pro Val Val Glu Ser Lys Trp Arg Thr Leu Glu Ala Phe Trp
725 730 735

Ala Lys His Met Trp Asn Phe Ile Ser Gly Ile Gln Tyr Leu Ala Gly
740 745 750

Leu Ser Thr Leu Pro Gly Asn Pro Ala Ile Ala Ser Leu Met Ala Phe
755 760 765

Thr Ala Ser Ile Thr Ser Pro Leu Thr Thr Gln His Thr Leu Leu Phe
770 775 780

Asn Ile Leu Gly Gly Trp Val Ala Ala Gln Leu Ala Pro Pro Ser Ala
785 790 795 800

Ala Ser Ala Phe Val Gly Ala Gly Ile Ala Gly Ala Ala Val Gly Ser
805 810 815

Ile Gly Leu Gly Lys Val Leu Val Asp Ile Leu Ala Gly Tyr Gly Ala
820 825 830

Gly Val Ala Gly Ala Leu Val Ala Phe Lys Val Met Ser Gly Glu Met
835 840 845

Pro Ser Thr Glu Asp Leu Val Asn Leu Leu Pro Ala Ile Leu Ser Pro
850 855 860

Gly Ala Leu Val Val Gly Val Val Cys Ala Ala Ile Leu Arg Arg His
865 870 875 880

Val Gly Pro Gly Glu Gly Ala Val Gln Trp Met Asn Arg Leu Ile Ala
885 890 895

Phe Ala Ser Arg Gly Asn His Val Ser Pro Thr His Tyr Val Pro Glu
900 905 910

Ser Asp Ala Ala Ala Arg Val Thr Gln Ile Leu Ser Ser Leu Thr Ile
915 920 925

Thr Gln Leu Leu Lys Arg Leu His Gln Trp Ile Asn Glu Asp Cys Ser
930 935 940

Thr Pro Cys Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys
945 950 955 960

Thr Val Leu Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro
965 970 975

Arg Leu Pro Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly
980 985 990

Val Trp Arg Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala
995 1000 1005

Gln Ile Thr Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro
1010 1015 1020

Arg Thr Cys Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr
1025 1030 1035 1040

Thr Thr Gly Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala
1045 1050 1055

Leu Trp Arg Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly
1060 1065 1070

Asp Phe His Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro
1075 1080 1085

Cys Gln Val Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg
1090 1095 1100

Leu His Arg Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val
1105 1110 1115 1120

Thr Phe Leu Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro
1125 1130 1135

Cys Glu Pro Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp
1140 1145 1150

Pro Ser His Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly
1155 1160 1165

Ser Pro Pro Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro
1170 1175 1180

Ser Leu Lys Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp
1185 1190 1195 1200

Leu Ile Glu Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile
1205 1210 1215

Thr Arg Val Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu
1220 1225 1230

Pro Leu Gln Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu
1235 1240 1245

Ile Leu Arg Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala
1250 1255 1260

Arg Pro Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp
1265 1270 1275 1280

Tyr Val Pro Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala
1285 1290 1295

Pro Pro Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu
1300 1305 1310

Ser Thr Val Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly
1315 1320 1325

Ser Ser Glu Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro
1330 1335 1340

Asp Gln Pro Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr
1345 1350 1355 1360

Ser Ser Met Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser
1365 1370 1375

Asp Gly Ser Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val
1380 1385 1390

Cys Cys Ser Met Ser Tyr Thr Trp Thr Gly Ala Leu Ile Thr Pro Cys
1395 1400 1405

Ala Ala Glu Glu Thr Lys Leu Pro Ile Asn Ala Leu Ser Asn Ser Leu
1410 1415 1420

Leu Arg His His Asn Leu Val Tyr Ala Thr Thr Ser Arg Ser Ala Ser
1425 1430 1435 1440

Leu Arg Gln Lys Lys Val Thr Phe Asp Arg Leu Gln Val Leu Asp Asp
1445 1450 1455

His Tyr Arg Asp Val Leu Lys Glu Met Lys Ala Lys Ala Ser Thr Val
1460 1465 1470

Lys Ala Lys Leu Leu Ser Val Glu Glu Ala Cys Lys Leu Thr Pro Pro
1475 1480 1485

His Ser Ala Arg Ser Lys Phe Gly Tyr Gly Ala Lys Asp Val Arg Asn
1490 1495 1500

Leu Ser Ser Lys Ala Val Asn His Ile Arg Ser Val Trp Lys Asp Leu
1505 1510 1515 1520

Leu Glu Asp Thr Glu Thr Pro Ile Asp Thr Thr Ile Met Ala Lys Asn
1525 1530 1535

Glu Val Phe Cys Val Gln Pro Glu Lys Gly Gly Arg Lys Pro Ala Arg
1540 1545 1550

Leu Ile Val Phe Pro Asp Leu Gly Val Arg Val Cys Glu Lys Met Ala
1555 1560 1565

Leu Tyr Asp Val Val Ser Thr Leu Pro Gln Ala Val Met Gly Ser Ser
1570 1575 1580

Tyr Gly Phe Gln Tyr Ser Pro Gly Gln Arg Val Glu Phe Leu Val Asn
1585 1590 1595 1600

Ala Trp Lys Ala Lys Lys Cys Pro Met Gly Phe Ala Tyr Asp Thr Arg
1605 1610 1615

Cys Phe Asp Ser Thr Val Thr Glu Asn Asp Ile Arg Val Glu Glu Ser
1620 1625 1630

Ile Tyr Gln Cys Cys Asp Leu Ala Pro Glu Ala Arg Gln Ala Ile Arg
1635 1640 1645

Ser Leu Thr Glu Arg Leu Tyr Ile Gly Gly Pro Leu Thr Asn Ser Lys
1650 1655 1660

Gly Gln Asn Cys Gly Tyr Arg Arg Cys Arg Ala Ser Gly Val Leu Thr
1665 1670 1675 1680

Thr Ser Cys Gly Asn Thr Leu Thr Cys Tyr Leu Lys Ala Ala Ala Ala
1685 1690 1695

Cys Arg Ala Ala Lys Leu Gln Asp Cys Thr Met Leu Val Cys Gly Asp
1700 1705 1710

Asp Leu Val Val Ile Cys Glu Ser Ala Gly Thr Gln Glu Asp Glu Ala
1715 1720 1725

Ser Leu Arg Ala Phe Thr Glu Ala Met Thr Arg Tyr Ser Ala Pro Pro
1730 1735 1740

Gly Asp Pro Pro Lys Pro Glu Tyr Asp Leu Glu Leu Ile Thr Ser Cys
1745 1750 1755 1760

Ser Ser Asn Val Ser Val Ala His Asp Ala Ser Gly Lys Arg Val Tyr
1765 1770 1775

Tyr Leu Thr Arg Asp Pro Thr Thr Pro Leu Ala Arg Ala Ala Trp Glu
1780 1785 1790

Thr Ala Arg His Thr Pro Val Asn Ser Trp Leu Gly Asn Ile Ile Met
1795 1800 1805

Tyr Ala Pro Thr Leu Trp Ala Arg Met Ile Leu Met Thr His Phe Phe
1810 1815 1820

Ser Ile Leu Leu Ala Gln Glu Gln Leu Glu Lys Ala Leu Asp Cys Gln
1825 1830 1835 1840

Ile Tyr Gly Ala Cys Tyr Ser Ile Glu Pro Leu Asp Leu Pro Gln Ile
1845 1850 1855

Ile Gln Arg Leu His Gly Leu Ser Ala Phe Ser Leu His Ser Tyr Ser
1860 1865 1870

Pro Gly Glu Ile Asn Arg Val Ala Ser Cys Leu Arg Lys Leu Gly Val
1875 1880 1885

Pro Pro Leu Arg Val Trp Arg His Arg Ala Arg Ser Val Arg Ala Arg
1890 1895 1900

Leu Leu Ser Gln Gly Gly Arg Ala Ala Thr Cys Gly Lys Tyr Leu Phe
1905 1910 1915 1920

Asn Trp Ala Val Arg Thr Lys Leu Lys Leu Thr Pro Ile Pro Ala Ala
1925 1930 1935

Ser Gln Leu Asp Leu Ser Ser Trp Phe Val Ala Gly Tyr Ser Gly Gly
1940 1945 1950

Asp Ile Tyr His Ser Leu Ser Arg Ala Arg Pro Arg Trp Phe Met Trp
1955 1960 1965

Cys Leu Leu Leu Leu Ser Val Gly Val Gly Ile Tyr Leu Leu Pro Asn
1970 1975 1980

Arg
1985

<210> 4
<211> 447
<212> PRT
<213> Hepatitis C virus

<400> 4
Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu
1 5 10 15

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro
20 25 30

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
35 40 45

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr
50 55 60

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys
65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly
85 90 95

Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg
100 105 110

Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His
115 120 125

Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val
130 135 140

Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg
145 150 155 160

Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu
165 170 175

Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro
180 185 190

Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His
 195 200 205
 Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro
 210 215 220
 Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys
 225 230 235 240
 Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu
 245 250 255
 Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val
 260 265 270
 Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln
 275 280 285
 Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg
 290 295 300
 Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp
 305 310 315 320
 Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro
 325 330 335
 Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile
 340 345 350
 Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val
 355 360 365
 Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu
 370 375 380
 Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro
 385 390 395 400
 Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met
 405 410 415
 Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser
 420 425 430
 Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys
 435 440 445

<210> 5

<211> 7987

<212> DNA

<213> Hepatitis C virus

<400> 5

gccagcccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
 tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgtcgtgcag cctccaggac 120
 cccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
 gacgaccggg tcctttcttg gatcaaccg ctcaatgcct ggagatttgg gcgtgcccc 240
 gcgagactgc tagccgagta gtgttggtgc gcgaaaggcc ttgtggtact gcctgatagg 300
 gtgcttgcca gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
 ctcaaagaaa aaccaaagg cgcccatga ttgaacaaga tggattgcac gcaggttctc 420
 cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480
 ctgatgccgc cgtgttcggt ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540
 acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600

cgacgggctg tcccttgcgca gctgtgctcg acgttgtcac tgaagcggga agggactggc 660
tgctattggg cgaagtgcg gggcaggatc tcctgtcatc tcaccttgc cctgccgaga 720
aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780
cattegacca ccaagcgaaa catcgcatcg agcagacacg tactcggatg gaagccggtc 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggctcaa ggcgcgcatg cccgacggcg aggatctcgt cgtgacccat ggcgatgcct 960
gcttgccgaa tatcatggtg gaaaatggcc gcttttctgg attcatcgac tgtggccggc 1020
tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140
agcgcacatcg cttctatcgc cttcttgacg agttcttctg agtttaaaaca gaccacaacg 1200
gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggctctg tgaatgtcgt gaaggaagca 1440
gttccctctg aagcttcttg aagacaaaca acgtctgtag cgacccttg caggcagcgg 1500
aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggc accccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgttttagc gaggttaaaa 1740
aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800
atggcgccca ttacggccta ctcccaacag acgcgaggcc tacttggtg catcatcact 1860
agcctcacag gccgggacag gaaccaggct gagggggagg tccaagtgtg ctccaccgca 1920
acacaatctt tcctggcgac ctgctcaat ggctgtgtt ggactgtcta tcatggtgcc 1980
ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aaatgtacac caatgtggac 2040
caggacctcg tcggctggca agcgcacccc ggggcgcgtt ccttgacacc atgcacctgc 2100
ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggt gcgcggcg 2160
ggcgacagca gggggagcct actctcccc aggccgtct cctacttgaa gggctcttcg 2220
ggcggtccac tgctctgccc ctcggggac gctgtgggca tcttctgggc tgccgtgtgc 2280
acccgagggg ttgcgaaggc ggtggacttt gtaccgctcg agtctatgga aaccactatg 2340
cggctccccg tcttcacgga caactcgtcc cctccggccg taccgcagac attccagggt 2400
gcccattctac acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460
gcccagggtg ataagggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520
gcgtatatgt ctaaggcaca tggtagcgac cctaactca gaaccggggg aaggaccatc 2580
accacgggtg ccccatcac gtactccacc tatggcaagt ttcttgccga cgggtggtgc 2640
tctgggggcg cctatgacat cataatatgt gatgagtgc actcaactga ctcgaccact 2700
atcctgggca tcggcacagt cctggaccaaa gcggagacgg ctggagcgcg actcgtcgtg 2760
ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggagggt 2820
gctctgtcca gcactggaga aatccccctt tatggcaaag ccatccccat cgagaccatc 2880
aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940
aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000
ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatac gggctttacc 3060
ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120
ctggaccgga ccttcaccat tgagacgacg accgtgccac aagacgcggg gtcacgctcg 3180
cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240
gaacggccct cgggcatggt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300
gcttggtacg agctcacgcc cgccgagacc tcagttaggt tgccggctta cctaaacaca 3360
ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420
accacatag acgcccattt cttgtccag actaagcagg caggagacaa cttcccctac 3480
ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540
caaagtgtga agtgtctcat acggctaaag cctacgctgc acgggccaac gccctgtctg 3600
tataggctgg gagccgttca aaacgaggtt actaccacac accccataac caaatacatc 3660
atggcatgca tgtcggctga cctggaggct gtcacgagca cctgggtgct ggtaggcgga 3720
gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780
atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840
gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900
gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960
gctgctcccg tgggtggaatc caagtggcg accctcgaag ccttctgggc gaagcatatg 4020
tggaatttca tcagcgggat acaatattta gcaggctgt ccactctgcc tggcaacccc 4080
gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac caccacacat 4140
accctcctgt ttaacatcct ggggggatgg gtggccgccc aacttgctcc tcccagcgtc 4200
gcttctgctt tcgtaggcgc cggcatcgct ggagcggctg ttggcagcat aggccttggg 4260
aaggtgcttg tggatatttt ggcagggtat ggagcagggg tggcagggc gctcgtggcc 4320
tttaaggta tgagcggcga gatgccctcc accgaggacc tggtaacct actccctgct 4380
atcctctccc ctggcgccct agtcgtcggg gtcgtgtgcg cagcgatact gcgtcggcac 4440
gtgggcccag gggagggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500
ggtaaccacg tctccccac gcactatgtg cctgagagcg acgctgcagc acgtgtcact 4560

cagatcctct ctagtcttac catcactcag ctgctgaaga ggcttcacca gtggatcaac 4620
gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680
acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740
gtcccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800
caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860
atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattcccat taacgcgtac 4920
accacgggcc cctgcacgcc ctccccggcg ccaaattatt ctagggcgct gtggcggtg 4980
gctgctgagg agtacgtgga gggtacgcgg gtgggggatt tccactacgt gacgggcatg 5040
accactgaca acgtaaagtg cccgtgtcag gtcccgccc ccgaattctt cacagaagtg 5100
gatgggggtgc ggttgacacg gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160
acattcctgg tcgggctcaa tcaatacctg gttgggtcac agctcccatg cgagcccgaa 5220
ccggacgtag cagtgtcac ttccatgctc accgacctt cccacattac ggcgagagg 5280
gctaagcgta ggctggccag gggatctccc ccctccttgg ccagctcatc agctagccag 5340
ctgtctgcgc ctcccttgaa ggcaacatgc actaccgctc atgactcccc ggacgctgac 5400
ctcatcgagg ccaacctcct gtggcggcag gagatggcg ggaacatcac ccgctggag 5460
tcagaaaata aggtagtaat tttcagctt ttcgagccgc tccaagcgga ggaggatgag 5520
agggaggtat ccgttccggc ggagatcctg cggcgtcca ggaaattccc tcgagcgatg 5580
cccatatggg cagccccgga ttacaacctt ccaactgttag agtcctggaa ggacccggac 5640
tacgtccctc cagtgggtaca cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca 5700
cctccacgga ggaagaggac ggttgcctg tcagaatcta ccgtgtcttc tgccttggcg 5760
gagctcgcca caaagacctt cggcagctcc gaatcgctcg ccgtcgacag cggcacggca 5820
acggcctctc ctgaccagcc ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac 5880
tcctccatgc ccccccttga gggggagccg ggggatcccg atctcagcga cgggtcttgg 5940
tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000
acaggcgccc tgatcacgcc atgcgctgcg gaggaacca agctgcccc caatgcactg 6060
agcaactctt tgctccgtca ccacaacttg gtctatgcta caacatctcg cagcgcaagc 6120
ctgcggcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6180
gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240
gaagcctgta agctgacgcc cccacattcg gccagatcta aatttggcta tggggcaaag 6300
gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360
ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420
gtccaaccag agaagggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccacctccc tcaggccgtg 6540
atgggtctct catacggatt ccaatactct cctggacagc gggtcgagtt cctggtgaat 6600
gcctggaaag cgaagaaatg ccctatgggc ttcgcatatg acaccgctg ttttgactca 6660
acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720
cccgaagcca gacaggccat aaggtcgctc acagagcggc tttacatcgg gggccccctg 6780
actaattcta aagggcagaa ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg 6840
accagctgcg gtaataacct cacatgttac ttgaaggccg ctgcggcctg tcgagctgcg 6900
aagctccagg actgcacgat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc 6960
gcggggaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020
tctgcccccc ctggggaccc gcccaaacca gaatacgact tggagttgat aacatcatgc 7080
tcctccaatg tgtcagtcgc gcacgatgca tctggcaaaa ggggtgacta tctcaccctg 7140
gacccacca ccccccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200
tcctggctag gcaacatcat catgtatgcg cccaccttgt gggcaaggat gatcctgatg 7260
actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320
atctacgggg cctgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380
catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa tagggtggct 7440
tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500
gtccgcgcta ggctactgtc ccaggggggg agggctgcca cttgtggcaa gtacctcttc 7560
aactgggcag taaggaccaa gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620
ttatccagct gggtcgttgc tggttacagc gggggagaca tatatcacag cctgtctcgt 7680
gcccagcccc gctggttcat gtggtgccta ctccacttt ctgtaggggt aggcattcat 7740
ctactcccca accgatgaac ggggagctaa aactccagg ccaataggcc atcctgtttt 7800
tttccctttt tttttttctt tttttttttt tttttttttt tttttttttt ctctttttt 7860
tttctcttt ttttctttt ctttctttt gtggctccat cttagcccta gtcacggcta 7920
gctgtgaaag gtccgtgagc cgcttgactg cagagagtgc tgatactggc ctctctgcag 7980
atcaagt 7987

<210> 6

<211> 7989

<212> DNA

<213> Hepatitis C virus

<400> 6

gccagcccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60

tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgtcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtggctct cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaaccgg ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcca gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480
ctgatgccgc cgtgttcagg ctgtcagcgc aggggcgcgc ggttcttttt gtcaagaccg 540
acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggctg tccttgccga gctgtgctcg acgttgctac tgaagcggga agggactggc 660
tgctattggg cgaagtgcgg gggcaggatc tcctgtcacc tcaccttgc cctgccgaga 720
aagtatccat catggtgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780
cattcgacca ccaagcgaac catcgcacg agcagcacg tactcggtat gaagccggtc 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggctcaa ggcgcgcag cccgacggcg aggtatctcg cgtgacccat ggcgatgcct 960
gcttgccgaa tatcatggtg gaaaatggcc gcttttcttg attcatcgac tgtggccggc 1020
tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgttctctcg tgctttacgg tatcgccgct cccgattcgc 1140
agcgcacgcg cttctatcgc cttcttgacg agttcttctg agtttaaaac gaccacaacg 1200
gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tggataaagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 1440
gttctcttgg aagcttcttg aagacaaaca acgtctgtag cgacccttg caggcagcgg 1500
aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaaccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
tggctctcct caagcgtatt caacaagggg ctgaaggatg ccagaagggt accccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgttttagtc gaggttaaaa 1740
aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800
atggcgccca ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860
agcctcacag gccgggacag gaaccaggct gagggggagg tccaagtggg ctccaccgca 1920
acacaatctt tcctggcgac ctgcgtcaat ggcgtgtgtt ggactgtcta tcatggtgcc 1980
ggctcaaaga cccttgccgg cccaaagggc ccaatcaccc aatgtacac caatgtggac 2040
caggacctcg tcggctggca agcgcacccc ggggcgcggt ccttgacacc atgcacctgc 2100
ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggt gcgcggcgcg 2160
ggcgacagca gggggagcct actctcccc agggccgtct cctacttgaa gggctcttcg 2220
ggcgggtccac tgctctgccc ctccggggcag gctgtgggca tcttctgggg tgccgtgtgc 2280
acccgagggg ttgcgaaggc ggtggacttt gtaccctgcg agtctatgga aaccactatg 2340
cgggtccccg tcttcacgga caactcgtcc cctccggccg taccgcagac attccagggtg 2400
gcccattctac acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460
gccaagggtg ataaggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520
gcgtatatgt ctaaggcaca tggtagcgac cctaacatca gaaccggggt aaggaccatc 2580
accacgggtg ccccatcac gtactccacc tatggcaagt ttcttgccga cgggtggttg 2640
tctggggggc cctatgacat cataatatgt gatgagtgc actcaactga ctcgaccact 2700
atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760
ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggagggtg 2820
gctctgtcca gcactggaga aatccccttt tatggcaaag ccatcccat cgagaccatc 2880
aaggggggga ggcacctcat tttctgcat tccaagaaga aatgtgatga gctcgccgcg 2940
aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000
ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatac gggctttacc 3060
ggcgatttcg actcagtgat cgactgcaat acatgtgtca ccagacagt cgacttcagc 3120
ctggaccgga ccttcacat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3180
cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240
gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtctatga cgcgggctgt 3300
gcttggtagc agctcacgac cgccgagacc tcagttagggt tgcgggctta cctaaacaca 3360
ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420
acccacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 3480
ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540
caaagtgtga agtgtctcat acggctaaag cctacgtgc acgggccaac gccctgctg 3600
tataggctgg gagccgttca aaacgaggtt actaccacac accccataac caaatacatc 3660
atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720
gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggtcat tgtgggcagg 3780
atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840
gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900
gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960
gctgctcccg tgggtggaac caagtggcgg accctcgaag ccttctgggc gaagcatatg 4020

tggaatttca tcagcgggat acaatatatta gcaggcttgt ccactctgcc tggcaacccc 4080
gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac caccacaacat 4140
accctcctgt ttaacatcct ggggggatgg gtggccgccc aacttgctcc tcccagcgt 4200
gcttctgctt tcgtaggcgc cggcctcgtt ggagcggctg ttggcagcat aggccttggg 4260
aagggtgctt tggatatattt ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc 4320
tttaaggtca tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 4380
atcctctccc ctggcgccct agtcgtcggg gtcgtgtgcg cagcgatact gcgtcggcac 4440
gtgggcccag gggagggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500
ggtaaccacg tctccccac gcactatgtg cctgagagcg acgtgcagc acgtgtcact 4560
cagatcctct ctagtcttac catcactcag ctgctgaaga ggcttcacca gtggatcaac 4620
gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680
acgggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740
gtcccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcca cggcatcatg 4800
caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860
atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920
accacggggc cctgcacgcc ctccccggcg ccaaattatt ctaggcgct gtggcggtg 4980
gctgctgagg agtacgtgga gggtacgcgg gtgggggatt tccactacgt gacgggcatg 5040
accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100
gatgggggtgc gggtgcacag gtacgtcca gcgtgcaaac ccctcctacg ggaggaggtc 5160
acattcctgg tcgggctcaa tcaatacctg gttgggtcac agctcccatg cgagcccgaa 5220
ccggacgtag cagtgtcac ttccatgctc accgacctt cccacattac ggcggagacg 5280
gctaagcgta ggctggccag gggatctccc ccctccttgg ccagctcatc agctagccag 5340
ctgtctgcgc cttccttgaa ggcaacatgc actaccgctc atgactcccc ggacgctgac 5400
ctcatcgagg ccaacctcct gtggcgccag gagatggcg ggaacatcac ccgctggag 5460
tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520
agggaagtat ccgttcgggc ggagatcctg cggagggtcca ggaaattccc tcgagcgatg 5580
cccatatggg cacgcccgga ttacaacctt ccactgttag agtcctggaa ggaccgggac 5640
tacgtccctc cagtgggtaca cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca 5700
cctccacgga ggaagaggac gggtgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760
gagctcgcca caaagacctt cggcagctcc gaatcgctcg ccgtcgacag cggcacggca 5820
acggcctctc ctgaccagcc ctccgacgac ggcgacgagg gatccgacgt tgagtcgtac 5880
tctccatgc ccccccttga gggggagccg ggggatcccg atctcagcga cgggtcttgg 5940
tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000
acaggcgccc tgatcacgcc atgcgctgcg gaggaacca agctgcccac caatgcactg 6060
agcaactctt tgctccgtca ccacaacttg gtctatgcta caacatctcg cagcgcaagc 6120
ctgcggcaga agaaggtcac ctttgacaga ctgcaggctc tggacgacca ctaccgggac 6180
gtgctcaagg agatgaaggc gaaggcgctc acagttaagg ctaaaactct atccgtggag 6240
gaagcctgta agctgacgcc cccacattcg gccagatcta aatttggcta tggggcaaag 6300
gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360
ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420
gtccaaccag agaagggggg ccgcaagcca gctcgctta tcgtattccc agatttggg 6480
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 6540
atgggctctt catacggatt ccaatactct cctggacagc ggtcagagt tcttgactca 6600
gcctggaaaag cgaagaaatg ccctatgggc ttgcgatatg acaccgctg ttttgactca 6660
acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720
cccgaagcca gacaggccat aaggctcgtc acagagcggc ttacatcgg gggccccctg 6780
actaattcta aagggcagaa ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg 6840
accagctgcg gtaataccct cacatgttac ttgaaggccg ctgcggcctg tcgagctgcg 6900
aagctcaggg actgcacgat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc 6960
gcggggaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020
tctgcccccc ctggggaccc gcccaaacca gaatacgact tggagttagt aacatcatgc 7080
tcctccaatg tgtcagtcgc gcacgatgca tctggcaaaa ggggtgtacta tctcaccctg 7140
gacccacca ccccccttgc gcgggctgcg tgggagacag ctgacacac tccagtcaat 7200
tcctggctag gcaacatcat catgtatgcg ccaccttgt gggcaaggat gatcctgatg 7260
actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320
atctacgggg cctgttactc cattgagcca cttgacctac ctgagatcat tcaacgactc 7380
catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa tagggtggct 7440
tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500
gtccgcgcta ggctactgtc ccaggggggg agggctgcca cttgtggcaa gtacctcttc 7560
aactgggcag taaggaccaa gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620
ttatccagct ggttcgttgc tggttacagc gggggagaca tatatcacag cctgtctcgt 7680
gcccgaaccc gctggttcat gtggtgccta ctctacttt ctgtaggggt aggcatttat 7740
ctactccca accgatgaac ggggacctaa aactccagg ccaataggcc atcctgtttt 7800
tttccctttt ttttttctt ttttttttt ttttttttt ttttttttt tttctctttt 7860
ttttctctct ttttttctt ttctttctt tgggtggtcc atcttagccc tagtcacggc 7920
tagctgtgaa aggtccgtga gccgcttgac tgcagagagt gctgatactg gcctctctgc 7980

agatcaagt

7989

<210> 7

<211> 7848

<212> DNA

<213> Hepatitis C virus

<400> 7

gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtggctcg cggaaccggg gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaaccgg ctcaatgcct ggagatttgg gcgtgcccc 240
gagagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtgttact gcctgatagg 300
gtgcttgcca gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480
ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc gggtcttttt gtcaagaccg 540
acctgtccgg tgcctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggcgt tccttgccga gctgtgctcg acgttgcac tgaagcggga agggactggc 660
tgctattggg cgaagtgcgg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 720
aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780
cattcgacca ccaagcgaaa catcgcatcg agcagcacg tactcggatg gaagccggtc 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggctcaa ggcgcgcatg cccgacggcg aggatctcgt cgtgacccat ggcgatgcct 960
gcttgccgaa tatcatggtg gaaaatggcc gcttttctgg attcatcgac tgtggccggc 1020
tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140
agcgcacgca cttctatcgc cttcttgacg agttcttctg agtttaaaca gaccacaacg 1200
gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tggaaataag ccggtgtgcy tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccgaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggctctg tgaatgtcgt gaaggaagca 1440
gttctcttgg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500
aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaaccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
tggtctcct caagcgtatt caacaagggg ctgaaggatg ccagaagggt accccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgttttagtc gaggttaaaa 1740
aacgtctagg cccccgaac cacggggacg tgggtttcct ttgaaaaaca cgataatacc 1800
atggcgccca ttacggccta ctcccaacag acgcgaggcc tacttggctg catcatcact 1860
agcctcacag gccgggacag gaaccaggtc gagggggagg tccaagtggc ctccaccgca 1920
acacaatctt tcctggcgac ctgcgtcaat ggcgtgtgtt ggactgtcta tcatggtgcc 1980
ggctcaaaga cccttgccgg cccaaaaggc ccaatcacc aaatgtacac caatgtggac 2040
caggacctcg tcggctggca agcgccccc ggggcgcgtt ccttgacacc atgcacctgc 2100
ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggt gcgcccggcg 2160
ggcgacagca gggggagcct actctcccc agggccgtct cctacttgaa gggctcttcg 2220
ggcggtccac tgctctgccc ctcggggcac gctgtgggca tcttctgggc tgccgtgtgc 2280
acccgagggg ttgcgaaggc ggtggacttt gtaccgcgtc agtctatgga aaccactatg 2340
cggtccccgg tcttcacgga caactcgtcc cctccggccg taccgcagac attccagggtg 2400
gcccattctac acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460
gccaagggt ataagggtgt tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520
gcgtatatgt ctaaggcaca tggatcgac cctaacatca gaaccggggt aaggaccatc 2580
accacgggtg ccccatcac gtactccacc tatggcaagt ttcttgccga cgggtggttc 2640
tctggggcg cctatgacat cataatatgt gatgagtgc actcaactga ctcgaccact 2700
atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760
ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggagggtg 2820
gctctgtcca gcaactggaga aatccccctt tatggcaaa ccattccccat cgagaccatc 2880
aaggggggga ggcacctcat tttctgcat tccaagaaga aatgtgatga gctcgccgcg 2940
aagctgtccg gcctcggaat caatgtgtga gcatattacc ggggccttga tgtatccgtc 3000
ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatac gggctttacc 3060
ggcgatttcg actcagtgat cgactgcaat acatgtgtca ccagacagt cgacttcagc 3120
ctggacccga ccttcacat tgagacgacg accgtgccac aagacgcggg gtcacgctcg 3180
cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240
gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300
gcttggtagc agctcacgcc cgccgagacc tcagttaggt tgccgggctta cctaaacaca 3360
ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420
accacatag acgcccattt cttgtccag actaagcagg caggagacaa cttcccctac 3480

ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540
caaatgtgga agtgtctcat acggctaaag cctacgtctgc acggggccaac gcccctgctg 3600
tataggctgg gagccgttca aaacgagggtt actaccacac accccataac caaatacatc 3660
atggcatgca tgtcggctga cctggaggctc gtcacgagca cctgggtgct ggtaggcgga 3720
gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtgggtcat tgtgggcagg 3780
atcatcttgt ccggaagacc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840
gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900
gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960
gctgctcccg tggtagaatc caagtggcgg accctcgaag ccttctgggc gaagcatatg 4020
tggaatttca tcagcgggat acaatattha gcaggcttgt ccactctgcc tggcaacccc 4080
gcatagcat cactgatggc attcacagcc tctatcacca gcccgtcac caccacaatc 4140
accctcctgt ttaacatcct ggggggatgg gtggccgccc aacttgcctc tcccagcgtc 4200
gcttctgctt tcgtaggcgc cggcatcgct ggagcggctg ttggcagcat aggccttggg 4260
aaggtgcttg tggatathtt ggcagggtat ggagcagggg tggcaggcgc gctcgtggcc 4320
tttaaggtea tgagcggcga gatgcctccc accgaggacc tggttaacct actccctgct 4380
atcctctccc ctggcgccct agtcgtcggg gtcgtgtgcg cagcgatact gcgtcggcac 4440
gtggggccag gggagggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500
ggtaaccacg tctccccac gcaactatgt cctgagagcg acgtgcagc acgtgtcact 4560
cagatcctct ctagtcttac catcactcag ctgctgaaga ggcttcacca gtggatcaac 4620
gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680
acggtgttga ctgatttcaa gacctggctc cagtcgaagc tctgcccgcg attgccggga 4740
gtccccctct tctcatgtca acgtgggtac aagggagctt ggccggggcga cggcatcatg 4800
caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860
atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920
accacggggc cctgcacgcc ctccccggcg ccaaattatt ctagggcgct gtggcgggtg 4980
gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040
accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100
gatgggggtg ggttgacag gtacgtcca gcgtgcaaac cctcctacg ggaggaggte 5160
acattcctgg tcgggctcaa tcaatactg gttgggtcac agctcccatg cgagcccga 5220
ccggacgtag cagtgtcac ttccatgtc accgacctt cccacattac ggccggagacg 5280
gctaagcgta ggctggccag gggatctccc cctccttgg ccagctcatc agctagccag 5340
ctgtactctt tcgagccgct ccaagcggag gaggatgaga ggggaagtac cgttccggcg 5400
gagatcctgc ggaggtccag gaaattccct cgagcgatgc ccatatgggc acgcccggat 5460
tacaacctc cactgttaga gtccgtgaag gaccggact acgtccctcc agtggtagac 5520
gggtgtccat tgccgcctgc caaggccct ccgataccac ctccacggag gaagaggacg 5580
gttgtcctgt cagaatctac cgtgtcttct gccttgccg agctcgccac aaagacctc 5640
ggcagctccg aatcgtcggc cgtcgacagc ggcacggcaa cggcctctcc tgaccagccc 5700
tccgacgacg gcgacgcggg atccgacgtt gagtcgtact cctccatgcc ccccttgag 5760
ggggagccgg gggatcccga tctcagcgac gggctcttgt ctaccgtaag cgaggaggct 5820
agtgaggacg tcgtctgctg ctcgatgtcc tacacatgga caggcgccct gatcacgcca 5880
tgcgctgcgg aggaaccaa gctgcccac aatgcactga gcaactctt gctccgtcac 5940
cacaacttgg tctatgctac aacatctcgc agcgcaagcc tgccggcagaa gaaggtcacc 6000
tttgacagac tgcaggctct ggacgaccac taccgggacg tgctcaagga gatgaaggcg 6060
aaggcgtcca cagttaaggc taaacttcta tccgtggagg aagcctgtaa gctgacgccc 6120
ccacattcgg ccagatctaa atttggtctat ggggcaaagg acgtccggaa cctatccagc 6180
aaggccgtta accacatccg ctccgtgtgg aaggacttgc tggaagacac tgagacacca 6240
attgacacca ccatcatggc aaaaaatgag gttttctgcg tccaaccaga gaaggggggc 6300
cgcaagccag ctgccttat cgtattccca gatttggggg ttcgtgtgtg cgagaaaatg 6360
gccctttacg atgtggtctc caccctccct caggccgtga tgggtcttcc atacggattc 6420
caatactctc ctggacagcg ggtcgagttc ctggtgaatg cctggaaagc gaagaaatgc 6480
cctatgggct tcgcatatga caccgctgt tttgactcaa cgttactga gaatgacatc 6540
cgtgttgagg agtcaatcta ccaatgttgt gacttggccc ccgaagccag acaggccata 6600
aggctcgtca cagagcggct ttacatcggg gggccctga ctaattctaa agggcagaac 6660
tgccgctatc gccggtgccg cgcgagcggg gtactgacga ccagctgcgg taataccctc 6720
acatgttact tgaaggccgc tgcggcctgt cgagctgcga agctccagga ctgcacgatg 6780
ctcgtatgcg gagacgacct tgtcgttatc tgtgaaagcg cggggaccca agaggacgag 6840
gcgagcctac gggccttcac ggaggctatg actagatact ctgccccccc tggggacccg 6900
cccaaaccag aatacgactt ggagttgata acatcatgct cctccaatgt gtcagtcgcg 6960
cacgatgcat ctggcaaaag ggtgtactat ctacccgtg accccaccac ccccttgcg 7020
cgggctgctg gggagacagc tagacacact ccagtcaatt cctggctagg caacatcatc 7080
atgtatgcgc ccaccttgtg ggcaaggatg atcctgatga ctcatcttct ctccatcctt 7140
ctagctcagg aacaacttga aaaagcccta gattgtcaga tctacggggc ctgttactcc 7200
attgagccac ttgacctacc tcagatcatt caacgactcc atggccttag cgcattttca 7260
ctccatagtt actctccagg tgagatcaat aggggtggctt catgcctcag gaaacttggg 7320
gtaccgcccct tgcgagctcg gagacatcgg gccagaagtg tccgcgctag gctactgtcc 7380
cagggggggga gggctgccac ttgtggcaag tacctcttca actgggcagt aaggaccaag 7440

ctcaaactca ctccaatccc ggctgogtcc cagttggatt tatccagctg gttcgttget 7500
ggttacagcg ggggagacat atatacagc ctgtctcgtg cccgaccccg ctggttcatg 7560
tggtgcctac tcctactttc tgtaggggta ggcattctatc tactcccca cccgatgaacg 7620
gggacctaaa cactccaggc caataggcca tctgtttttt ttcccttttt ttttttcttt 7680
tttttttttt tttttttttt tttttttttt tctccttttt ttttctcttt tttttccttt 7740
tctttccttt ggtggctcca tcttagccct agtcacggct agctgtgaaa ggtccgtgag 7800
ccgcttgact gcagagagtg ctgatactgg cctctctgca gatcaagt 7848

<210> 8

<211> 7987

<212> DNA

<213> Hepatitis C virus

<400> 8

gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgtcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtgggtctg cggaaccggg gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaaccgg ctcaatgcct ggagatttgg gcgtgcccc 240
gagagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcca gtgccccggg aggtctcgtg gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggtgct 480
ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540
acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggcgt tccttgccga gctgtgctcg acgttgtcac tgaagcggga agggactggc 660
tgctattggg cgaagtgcgg gggcaggatc tcctgtcac tcacctgct cctgccgaga 720
aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780
cattcgacca ccaagcgaac catcgcatcg agcagcacg tactcggatg gaagccggtc 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggctcaa ggcgcgcgtg cccgacggcg aggatctcgt cgtgacccat ggcatgcct 960
gcttgccgaa tatcatggtg gaaaatggcc gcttttcttg attcatcgac tgtggccggc 1020
tggtgtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgt cccgattcgc 1140
agcgcacgc cttctatcgc cttcttgacg agttcttctg agtttaaaac gaccacaacg 1200
gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tgaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggctctg tgaatgtcgt gaaggaagca 1440
gttctcttg aagcttcttg aagacaaaca acgtctgtag cgaccctttg caggcagcgg 1500
aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaaccca gtgccacggt gtgagttgga tagttgtgga aagagtcaaa 1620
tggtctctct caagcgtatt caacaagggg ctgaaggatg ccagaagggt acccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgttttagtc gaggttaaaa 1740
aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800
atggcgccca ttacggccta ctccaacag acgcgaggcc tacttggtcg catcatcact 1860
agcctcacag gccgggacag gaaccaggtc gagggggagg tccaagtggc ctccaccgca 1920
acacaatctt tcctggcgac ctgctgcaat ggcgtgtgtt ggactgtcta tcatggtgcc 1980
ggctcaaaga cccttgccgg cccaaagggc ccaatcacc aaatgtacac caatgtggac 2040
caggacctcg tcggctggcg agcgcacccc ggggcgcgct ccttgacacc atgcacctgc 2100
ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggg gcgcccggcg 2160
ggcgacagca gggggagcct actctcccc agggccgtct cctacttgaa gggctcttcg 2220
ggcggtcac tgctctgccc ctccgggacg gctgtgggca tctttcgggc tgccgtgtgc 2280
acccgagggg ttgcgaaggc ggtggaactt gtaccctcgt agtctatgga aaccactatg 2340
cggccccgg tcttcacgga caactcgtcc cctccggcgg taccgcagac attccagggtg 2400
gcccattctac acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460
gccaagggt ataagggtgt tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520
gcgtatatgt ctaaggcaca tgggtatcgac cctaacatca gaaccggggg aaggaccatc 2580
accacgggtg ccccatcac gtactccacc tatggcaagt ttcttgccga cgggtggttcg 2640
tctggggcg cctatgacat cataatatgt gatgagtgc actcaactga ctcgaccact 2700
atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760
ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggagggtg 2820
gctctgtcca gcaactggaga aatccccctt tatggcaaag ccatccccat cgagaccatc 2880
aaggggggga ggcacctcat tttctgcat tccaagaaga aatgtgatga gctcgccggc 2940
aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000
ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaataac gggctttacc 3060
ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120

ctggacccga ccttcacccat tgagacgacg accgtgccac aagacgcggt gtcacgctcg 3180
cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240
gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300
gcttggtacg agctcacgcc cgccgagacc tcagttagggt tgcgggctta cctaaacaca 3360
ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420
accacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 3480
ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540
caaagtggga agtgtctcat acggctaaag cctacgctgc acgggccaac gccctgctg 3600
tataggctgg gagccgttca aaacgaggtt actaccacac accccataac caaatacatc 3660
atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720
gtcctagcag ctctggccgc gtattgctg acaacaggca gcgtggctcat tgtgggcagg 3780
atcatcttgt cgggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840
gatgagatgg aagagtgcgc ctcacacctc cttacatcg aacagggaat gcagctcgcc 3900
gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960
gctgctcccg tgggtggaatc caagtggcgg accctcgaag ccttctgggc gaagcatatg 4020
tggaatttca tcagcgggat acaatattta gcaggcttgt ccactctgcc tggcaacccc 4080
gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac caccacacat 4140
accctcctgt ttaacatcct ggggggatgg gtggccgccc aacttgctcc tcccagcgt 4200
gcttctgctt tcgtaggcgc cggcatcgct ggagcggctg ttggcagcat aggccttggg 4260
aaggtgcttg tggatatttt ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc 4320
tttaaggta tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 4380
atcctctccc ctggcgccct agtcgtcggg gtcgtgtgcg cagcgatact gcgtcggcac 4440
gtgggcccag gggagggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500
ggtaaccacg tctccccac gcactatgtg cctgagagcg acgtgcagc acgtgtcact 4560
cagatcctct ctagtcttac catcactcag ctgctgaaga ggcttcacca gtggatcaac 4620
gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680
acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740
gtccccttct tctcatgtca acgtgggtac aaggaggtct ggcggggcga cggcatcatg 4800
caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860
atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920
accacgggcc cctgcacgcc ctccccggcg ccaaattatt ctaggcgct gtggcgggtg 4980
gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040
accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100
gatgggggtg ggttgacacg gtacgctcca gcgtgcaaac ccctcctacg ggaggaggctc 5160
acattcctgg tcgggctcaa tcaatacctg gttgggtcac agtcccatg cgagcccgaa 5220
ccggacgtag cagtgtcac ttccatgctc accgaccct cccacattac ggcggagacg 5280
gctaagcgta ggctggccag gggatctccc ccctccttgg ccagctcatc agctatccag 5340
ctgtctgcgc ctcccttgaa ggcaacatgc actaccgctc atgactcccc ggacgctgac 5400
ctcatcgagg ccaacctcct gtggcggcag gagatggcg ggaacatcac ccgctggag 5460
tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520
agggaagtat ccgttccggc ggagatcctg cggaggtcca ggaaattccc tcgagcgatg 5580
cccatatggg cagccccgga ttacaacct ccactgttag agtcctggaa ggacccggac 5640
tacgtccctc cagtggta ca ggggtgtcca ttgccgctg ccaaggcccc tccgatacca 5700
cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760
gagctcgcca caaagacctt cggcagctcc gaatcgctcg ccgtcgacag cggcacggca 5820
acggcctctc ctgaccagcc ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac 5880
tcctccatgc ccccccttga gggggagccg ggggatccc atctcagcga cgggtcttgg 5940
tctaccgtaa gcgaggagcc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000
acaggcgccc tgatcacgcc atgcgctgcg gaggaacca agctgcccac caatgcactg 6060
agcaactctt tgctccgtca ccacaacttg gtctatgcta caacatctcg cagcgcaagc 6120
ctgcggcaga agaaggtcac ctttgacaga ctgcaggctc tggacgacca ctaccgggac 6180
gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaaacttct atccgtggag 6240
gaagcctgta agctgacgcc cccacattcg gccagatcta aatttggcta tggggcaaag 6300
gacgtccgga acctatccag caaggcgtt aaccacatcc gctccgtgtg gaaggacttg 6360
ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420
gtccaaccag agaagggggg ccgcaagcca gctcgctta tcgtattccc agatttgggg 6480
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccacctccc tcaggccgtg 6540
atgggtctct catacggatt ccaatactct cctggacagc gggtcgagtt cctggtgaat 6600
gcctggaaag cgaagaaatg ccctatgggc ttgcgcatatg acaccgctg ttttgactca 6660
acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720
cccgaagcca gacaggccat aaggctcgtc acagagcggc ttacatcgg gggccccctg 6780
actaattcta aagggcagaa ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg 6840
accagctgcg gtaataacct cacatgttac ttgaaggccg ctgcggcctg tcgagctgcg 6900
aagctccagg actgcacgat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc 6960
gcggggaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020
tctgcccccc ctgggggaccc gcccaaacca gaatacgact tggagttgat aacatcatgc 7080


```

tcctccaatg tgtcagtcgc gcacgatgca tctggcaaaa ggggtgtacta tctcaccctg 7140
gaccccaacca ccccccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200
tcttggttag gcaacatcat catgtatgcg cccaccttgt gggcaaggat gatcctgatg 7260
actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320
atctacgggg cctgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380
catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa taggggtggct 7440
tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500
gtccgcgcta ggctactgtc ccaggggggg agggctgcca cttgtggcaa gtacctcttc 7560
aactgggcag taaggaccaa gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620
ttatccagct ggttcgttgc tggttacagc gggggagaca tatatcacag cctgtctcgt 7680
gcccgaaccc gctggttcat gtggtgccta ctctactttt ctgtaggggt aggcatttat 7740
ctactcccca accgatgaac ggggagctaa acactccagg ccaataggcc atcctgtttt 7800
tttccctttt ttttttctt ttttttttt ttttttttt ttttttttt ctcctttttt 7860
tttctctttt ttttctttt ctttctttt gtggctccat cttagcccta gtcacggcta 7920
gctgtgaaag gtccgtgagc cgcttgactg cagagagtgc tgatactggc ctctctgcag 7980
atcaagt 7987

```

<210> 9

<211> 7989

<212> DNA

<213> Hepatitis C virus

<400> 9

```

gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgtcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaaccgc ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtgggtact gcctgatagg 300
gtgcttgcca gtgccccggg aggtctcgtg gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480
ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgcgc ggttcttttt gtcaagaccg 540
acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggctg tccttgccga gctgtgctcg acgttgctac tgaagcggga agggactggc 660
tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 720
aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780
cattcgacca ccaagcgaaa catcgcatcg agcgagcacg tactcggatg gaagccggtc 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggctcaa ggcgcgcgtg cccgacggcg aggatctcgt cgtgacctat ggcgatgcct 960
gcttgccgaa tatcatggtg gaaaatggcc gcttttcttg attcatcgac tgtggccggc 1020
tggtgtggc ggaccgctat caggacatag cgttggttac ccgtgatatt gctgaagagc 1080
ttggcgccga atgggctgac cgcttctcgt tgctttacgg tatcgccgct cccgatctgc 1140
agcgcatcgc cttctatcgc cttcttgacg agttcttctg agtttaaaca gaccacaacg 1200
gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggctgtg tgaatgtcgt gaaggaagca 1440
gttctcttgg aagcttcttg aagacaaaca acgtctgtag cgacccttg caggcagcgg 1500
aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
tggtctcct caagcgtatt caacaagggg ctgaaggatg cccagaagggt acccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgtttagtc gaggttaaaa 1740
aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca cgataatacc 1800
atggcgccca ttacggccta ctcccaacag acgcgaggcc tacttggtg catcatcact 1860
agcctcacag gccgggacag gaaccaggtc gagggggagg tccaagtgg ctccaccgca 1920
acacaatctt tcctggcgac ctgcgtcaat ggcgtgtgtt ggactgteta tcatggtgcc 1980
ggctcaaaga cccttgccgg cccaaagggc ccaatcacc aaatgtacac caatgtggac 2040
caggacctcg tcggctggca agcgcacccc ggggcgcgtt ccttgacacc atgcacctgc 2100
ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggg gcgcccggcg 2160
ggcgacagca gggggagcct actctcccc agggccgtct cctacttgaa gggctcttcg 2220
ggcggtccac tgctctgccc ctccgggac gctgtgggca tcttccgggc tgccgtgtgc 2280
acccgagggg ttgcgaaggc ggtggacttt gtaccgctcg agtctatgga aaccactatg 2340
cggtecccg tcttcacgga caactcgtcc cctccggccg taccgcagac attccaggtg 2400
gcccattct acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460
gcccagggt ataagggtgt tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520
gcgtatatgt ctaaggcaca tggtatcgac cctaacaatc gaaccggggg aaggaccatc 2580

```

accacgggtg ccccatcac gtactccacc tatggcaagt ttcttgccga cgggtggttg 2640
tctgggggcg cctatgacat cataatatgt gatgagtgcc actcaactga ctcgaccact 2700
atcctgggca tcggcacagt cctggacca gggagacgg ctggagcgcg actcgtcgtg 2760
ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 2820
gctctgtcca gcactggaga aatccccctt tatggcaaag ccatccccat cgagaccatc 2880
aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940
aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000
ataccaacta gcggagacgt cattgtcgtg gcaacggacg ctctaatac gggctttacc 3060
ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120
ctggaccgga ccttcacat tgagacgacg accgtgccac aagacgcggg gtcacgctcg 3180
cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240
gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgcctatga cgcgggctgt 3300
gcttggtacg agctcacgcc cgccgagacc tcagttaggt tgcgggctta cctaaacaca 3360
ccagggttgc ccgtctgcca ggaccatctg gagttctggg agagcgtctt tacaggcctc 3420
accacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 3480
ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540
caaatgtggg agtgtctcat acggctaaag cctacgctgc acgggccaac gcccctgctg 3600
tataggctgg gagccgttca aaacgaggtt actaccacac accccataac caaatacatc 3660
atggcatgca tgcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720
gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggctcat tgtgggcagg 3780
atcatcttgt ccggaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840
gatgagatgg aagagtgcgc ctacacctc ccttacatcg aacagggaat gcagctcgcc 3900
gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggaggct 3960
gctgctcccg tgggtggaatc caagtggcgg accctcgaag ccttctgggc gaagcatatg 4020
tggaatttca tcagcgggat acaatattha gcaggcttgt ccactctgcc tggcaacccc 4080
gcgatagcat cactgatggc attcacagcc tctatcacca gcccgtcac caccacat 4140
accctcctgt ttaacatcct ggggggatgg gtggccgcc aacttgctcc tcccagcgt 4200
gcttctgctt tcgtaggcgc cgccatcgct ggagcggctg ttggcagcat aggccttggg 4260
aaggtgcttg tggatattht ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc 4320
tttaaggtea tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 4380
atcctctccc ctggcgcct agtcgtcggg gtcgtgtgcg cagcgatact gcgtcggcac 4440
gtgggcccag gggagggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500
ggtaaccacg tctccccac gcaatagtgc cctgagagcg acgtgcagc acgtgtcact 4560
cagatcctct ctggtcttac catcactcag ctgctgaaga ggcttcacca gtggatcaac 4620
gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680
acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740
gtccccttct tctcatgtca acgtgggtac aaggaggtct ggcggggcga cggcatcatg 4800
caaaccacct gcccatgttg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860
atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920
accacgggcc cctgcacgcc ctccccggcg ccaaattatt ctagggcgtg gtggcgggtg 4980
gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040
accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100
gatgggggtg ggttgacacg gtacgctcca gcgtgcaaac ccctcctacg ggaggaggtc 5160
acattcctgg tcgggctcaa tcaataacct gttgggtcac agctcccatg cgagcccga 5220
ccggacgtag cagtgtcac ttccatgctc accgacctt cccacattac ggcggagacg 5280
gctaagcgtg ggctggccag gggatctccc ccctccttgg ccagctcatc agctagccag 5340
ctgtctgcgc cttccttgaa ggcaacatgc actaccgctc atgactcccc ggacgctgac 5400
ctcatcgagg ccaacctcct gtggcggcag gagatgggcg ggaacatcac ccgctggag 5460
tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520
agggaaagtat ccgttccggc ggagatcctg cggagggtcca ggaaattccc tcgagcgatg 5580
cccatatggg cacgcccga ttacaacctt ccactgttag agtccctgga ggaccggac 5640
tacgtccctc cagtgtgaca cgggtgtcca ttgccgctg ccaaggcccc tccgatacca 5700
cctccacgga ggaagaggac ggttgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760
gagctcgcca caaagacctt cggcagctcc gaatcgtcgg ccgtcgacag cggcacggca 5820
acggcctctc ctgaccagcc ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac 5880
tcctccatgc ccccccttga gggggagccg ggggatcccc atctcagcga cgggtcttgg 5940
tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000
acaggcgccc tgatcacgcc atgcgctgcg gaggaacca agctgcccat caatgcactg 6060
agcaactctt tgctccgtca ccacaacttg gtctatgcta caacatctcg cagcgcaagc 6120
ctgcggcaga agaaggtcac ctttgacaga ctgcaggctc tggacgacca ctaccgggac 6180
gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240
gaagcctgta agctgacgcc cccacattcg gccagatcta aatttggcta tggggcaaag 6300
gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360
ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420
gtccaaccag agaagggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccacctccc tcaggccgtg 6540

atgggctctt catacggatt ccaatactct cctggacagc gggtcgagtt cctgggtgaat 6600
gcctggaaag cgaagaaatg ccctatgggc ttgcgcatatg acaccgctg ttttgactca 6660
acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720
cccgaaagcca gacaggccat aaggtegcctc acagagcggc tttacatcgg gggccccctg 6780
actaattcta aagggcagaa ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg 6840
accagctgcg gtaataccct cacatgttac ttgaaggccg ctgcggcctg tcgagctgcg 6900
aagctccagg actgcacgat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc 6960
gcggggaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020
tctgcccccc ctggggaccc gcccaaacca gaatacgaact tggagttgat aacatcatgc 7080
tcctccaatg tgtcagtcgc gcacgatgca tctggcaaaa ggggtgtacta tctcaccctg 7140
gaccccaacca ccccccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200
tcctggctag gcaacatcat catgtatgcg ccacacttgt gggcaaggat gatcctgatg 7260
actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320
atctacgggg cctgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380
catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa taggggtggct 7440
tcatgcctca ggaaacttgg ggtaccgccc ttgcgagctc ggagacatcg ggccagaagt 7500
gtccgcgcta ggctactgtc ccaggggggg agggctgcc a ttgtggcaa gtacctcttc 7560
aactgggcag taaggacca gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620
ttatccagct ggttcgttgc tggttacagc gggggagaca tatatcacag cctgtctcgt 7680
gcccgaaccc gctggttcat gtggtgccta ctctacttt ctgtaggggt aggcattctat 7740
ctactcccca accgatgaac ggggacctaa acactccagg ccaataggcc atcctgtttt 7800
tttccctttt ttttttctt tttttttttt tttttttttt tttttttttt ttctcctttt 7860
tttttctctt ttttttctt ttctttctt tgggtggctc atcttagccc tagtcacggc 7920
tagctgtgaa aggtccgtga gccgcttgac tgcagagagt gctgatactg gcctctctgc 7980
agatcaagt 7989

<210> 10

<211> 7989

<212> DNA

<213> Hepatitis C virus

<400> 10

gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgtcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtggctct cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaaccgc ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttggtgc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcca gtgccccggg aggtctccta gaccgtgcac catgagcacg aatcctaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480
ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540
acctgtccgg tgcctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggcgt tccttgcgca gctgtgctcg acgttgtcac tgaagcggga agggactggc 660
tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgct cctgccgaga 720
aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780
cattcgacca ccaagcgaaa catcgcatcg agcgagcacg tactcggatg gaagccggtc 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggctcaa ggcgcgcatg cccgacggcg aggatctcgt cgtgacccat ggcgatgcct 960
gcttgccgaa tatcatggtg gaaaatggcc gcttttcttg attcatcgac tgtggccggc 1020
tgggtgtggc ggaccgctat caggacatag cgttggttac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgatccgc 1140
agcgcatcgc cttctatcgc cttcttgacg agttcttctg agtttaaaca gaccacaacg 1200
gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tggaaataagg ccggtgtgcg ttgtctata tgttatattc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccgaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 1440
gttcctctgg aagcttcttg aagacaaaaca acgtctgtag cgacccttg caggcagcgg 1500
aacccccac ctggcgacag gtgcctctgc ggcaaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggc acccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgtttagtc gaggttaaaa 1740
aacgtctagg cccccgaac cagggggacg tggttttcct ttgaaaaaca cgataatacc 1800
atggcgcta ttacggccta ctcccaacag acgcgaggcc tacttggtcg catcatcact 1860
agcctcacag gccgggacag gaaccaggtc gagggggagg tccaagtggc ctccaccgca 1920
acacaatctt tcctggcgac ctgcgtcaat ggcgtgtgtt ggactgtcta tcatggtgcc 1980
ggctcaaaga cccttgccgg cccaaagggc ccaatcacc aaatgtacac caatgtggac 2040

caggacctcg tcggetggca agcgcccccc ggggcgcggt ccttgacacc atgcacctgc 2100
ggcagctcgg acctttactt ggtcacgagg catgccgatg tcattccggt gcgccggcgg 2160
ggcgacagca gggggagcct actctcccc agggccgtct cctacttgaa gggctcttcg 2220
ggcggtccac tgctctgccc ctcggggcac gctgtgggca tctttcgggc tgccgtgtgc 2280
acccgagggg ttgcgaaggc ggtggacttt gtaccgctcg agtctatgga aaccactatg 2340
cggteccccg tcttcacgga caactcgtcc cctccggccg taccgcagac attccagggtg 2400
gccccatctac acgcccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460
gcccaggggt ataaggtgct tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520
gcgtatatgt ctaaggcaca tggtagcgac cctaaccatca gaaccggggg aaggaccatc 2580
accacgggtg cccccatcac gtactccacc tatggcaagt ttcttgccga cgggtggttg 2640
tctggggggc cctatgacat cataatatgt gatgagtgc actcaactga ctcgaccact 2700
atcctgggca tcggcacagt cctggaccaa gcggagacgg ctggagcgcg actcgtcgtg 2760
ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggagggtg 2820
gctctgtcca gcaactggaga aatccccctt tatggcaaag ccatccccat cgagaccatc 2880
aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940
aagctgtccg gcctcggact caatgctgta gcataattacc ggggccttga tgtatccgtc 3000
ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatagac gggctttacc 3060
ggcgatttcg actcagtgat cgactgcaat acatgtgtca cccagacagt cgacttcagc 3120
ctggaccgga ccttcaccat tgagacgacg accgtgccac aagacgcggg gtcacgctcg 3180
cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240
gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgetatga cgcgggctgt 3300
gcttggtacg agctcacgcc cgccgagacc tcagttaggt tgcgggctta cctaaacaca 3360
ccagggttgc ccgtctgcca ggaccatctg gaggctctgg agagcgtctt tacaggcctc 3420
accacatag acgcccattt cttgtcccag actaagcagg caggagacaa cttcccctac 3480
ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540
caaagtggga agtgtctcat acggctaaag cctacgctgc acgggccaac gcccctgctg 3600
tataggctgg gagccgttca aaacgaggtt actaccacac accccataac caaatacatc 3660
atggcatgca tgtcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720
gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtgggtcat tgtgggcagg 3780
atcatcttgt ccggaaaagg gcccatcatt cccgacaggg aagtccttta ccgggagttc 3840
gatgagatgg aagagtgcgc ctcacacctc ccttacatcg aacagggaat gcagctcgcc 3900
gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggagggt 3960
gctgctcccg tgggtggaatc caagtggcg accctcgaag ccttctgggc gaagcatatg 4020
tggaatttca tcagcgggat acaatattta gcaggcttgt ccactctgcc tggcaacccc 4080
gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac caccacacat 4140
accctcctgt ttaacatcct ggggggatgg gtggccgccc aacttgctcc tcccagcgtc 4200
gcttctgctt tcgtaggcgc cggtatcgct ggagcggctg ttggcagcat aggccttggg 4260
aaggtgcttg tggatatattt ggcaggttat ggagcagggg tggcagggcg gctcgtggcc 4320
tttaaggtea tgagcggcga gatgccctcc accgaggacc tggtaaact actccctgct 4380
atcctctccc ctggcgccct agtcgtcggg gtcgtgtgcg cagcgatact gcgtcggcac 4440
gtgggcccag gggagggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgchg 4500
ggtaaccacg tctccccac gcaatagtgc cctgagagcg acgtgcagc acgtgtcact 4560
cagatcctct ctagtcttac catcactcag ctgctgaaga ggcttcacca gtggatcaac 4620
gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680
acggtgttga ctgatttcaa gacctggctc cagtccaagc tcctgccgcg attgccggga 4740
gtccccttct tctcatgtca acgtgggtac aagggaggtc ggcgggcgga cggcatcatg 4800
caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860
atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920
accacggggc cctgcacgcc ctccccggcg ccaaattatt ctaggcgct gtggcggggtg 4980
gctgctgagg agtacgtgga ggttacggcg gtgggggatt tccactacgt gacgggcatg 5040
accactgaca acgtaaagtg cccgtgtcag gttccggccc ccgaattctt cacagaagtg 5100
gatgggggtg ggttgacag gtacgtcca gcgtgcaaac ccctcctacg ggaggagggtc 5160
acattcctgg tcgggctcaa tcaatacctg gttgggtcac agctcccatg cgagcccgaa 5220
ccggacgtag cagtgtcac ttccatgctc accgaccctt cccacattac ggcgagacg 5280
gctaagcgta ggctggccag gggatctccc cctccttgt ccagctcatc agctagccag 5340
ctgtctgcgc cttccttgaa ggcaacatgc actaccgctc atgactcccc ggacgtgac 5400
ctcatcgagg ccaacctcct gtggcggcag gagatggggc ggaacatcac ccgctggag 5460
tcagaaaata aggtagtaat ttggactct ttcgagccgc tccaagcgga ggaggatgag 5520
aggaagtat ccgttccggc ggagatcctg cggagggtcca ggaaattccc tcgagcgatg 5580
cccatatggg cagccccgga ttacaacctt cactgttag agtcctggaa ggaccggac 5640
tacgtccctc cagtgtgaca cgggtgtcca ttgccgctg ccaaggcccc tccgatacca 5700
cctccacgga ggaagaggac ggtgtcctg tcagaatcta ccgtgtcttc tgccttggcg 5760
gagctcgcca caaagacctt cggcagctcc gaatcgtcgg ccgtcgacag cggcacggca 5820
acggcctctc ctgaccagcc ctccgacgac ggcgacggg gatccgacgt tgagtcgtac 5880
tcctccatgc ccccccttga gggggagccg ggggatcccc atctcagcga cgggtcttgg 5940
tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000


```

acaggcgccc tgatcacgcc atgcgctgcg gaggaacca agctgcccac caatgcactg 6060
agcaactctt tgctccgtca ccacaacttg gtctatgcta caacatctcg cagcgcaagc 6120
ctgcggcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6180
gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240
gaagcctgta agctgacgcc cccacattcg gccagatcta aatttggcta tggggcaaag 6300
gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360
ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420
gtccaaccag agaagggggg ccgcaagcca gctcgcctta tcgtattccc agatttgggg 6480
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggccgtg 6540
atgggctctt catacggatt ccaatactct cctggacagc gggtcgagtt cctgggtaag 6600
gcctggaaag cgaagaaatg ccctatgggc ttcgcatatg acaccgctg ttttgactca 6660
acggctactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720
cccgaagcca gacaggccat aaggctcgtc acagagcggc ttacatcgg gggccccctg 6780
actaattcta aagggcagaa ctgcggctat cgccggtgcc gcgcgagcgg tgtactgacg 6840
accagctgcg gtaataccct cacatgttac ttgaaggccg ctgcggcctg tcgagctgcg 6900
aagctccagg actgcacgat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc 6960
gcggggaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020
tctgcccccc ctggggaccc gcccaaacca gaatacgact tggagttagt aacatcatgc 7080
tcctccaatg tgtcagtcgc gcacgatgca tctggcaaaa ggggtgacta tctcaccgt 7140
gacccacca ccccccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200
tcctggctag gcaacatcat catgtatgcg cccacctgtt gggcaaggat gatcctgatg 7260
actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320
atctacgggg cctgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380
catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa tagggtggct 7440
tcatgcctca ggaaacttgg ggtaccgccc ttgcgagtct ggagacatcg ggccagaagt 7500
gtccgcgcta ggctactgtc ccaggggggg agggctgcc cttgtggcaa gtacctcttc 7560
aactgggcag taaggacca gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620
ttatccagct ggttcgttgc tggttacagc gggggagaca tatacacag cctgtctcgt 7680
gcccgaaccc gctggttcat gtggtgccta ctcctacttt ctgtaggggt aggcatttat 7740
ctactcccca accgatgaac ggggacctaa aactccagg ccaataggcc atcctgtttt 7800
tttccctttt ttttttctt tttttttttt tttttttttt tttttttttt ttctcctttt 7860
tttttctct ttttttctt ttctttcctt tgggtggctcc atcttagccc tagtcacggc 7920
tagctgtgaa aggtccgtga gccgcttgac tgcagagagt gctgatactg gcctctctgc 7980
agatcaagt                                     7989

```

<210> 11

<211> 1341

<212> DNA

<213> Hepatitis C virus

<400> 11

```

tccggctcgt ggctaagaga tgtttgggat tggatatgca cgggtgttgac tgatttcaag 60
acctggctcc agtccaagct cctgcgcgca ttgccgggag tccccttctt ctcagtcaa 120
cgtgggtaca agggagtctg gcggggcgac ggcacatgc aaaccacctg cccatgtgga 180
gcacagatca ccggacatgt gaaaaacggt tccatgagga tcgtggggcc taggacctgt 240
agtaaacagct ggcatggaac attccccatt aacgcgtaca ccacggggcc ctgcacgccc 300
tccccggcgc caaattattc tagggcgctg tggcggttg ctgctgagga gtacgtggag 360
gttacgcggg tgggggattt ccactacgtg acgggcatga ccactgacaa cgtaaagtgc 420
ccgtgtcagg ttccggcccc cgaattcttc acagaagtgg atggggtgcg gttgcacagg 480
tacgtccag cgtgcaaacc cctcctacgg gaggaggtca cattcctggg cgggctcaat 540
caatacctgg ttgggtcaca gctcccatgc gagcccgaa cggacgtagc agtgctcact 600
tccatgctca ccgaccctc ccacattacg gcggagacgg ctaagcgtag gctggccagg 660
ggatctcccc cctgcttggc cagctcatca gctagccagc tgtctgcgcc ttcttgaag 720
gcaacatgca ctaccgtca tgactccccg gacgtgacc tcatcgaggc caacctcctg 780
tggcggcagg agatgggcgg gaacatcacc gcggtggagt cagaaaataa ggtagtaatt 840
ttggactctt tcgagccgct ccaagcggag gaggatgaga gggaagtatc cgttccggcg 900
gagatcctgc ggaggtccag gaaattccct cgagcgtatg ccatatgggc acgcccgat 960
tacaaccctc cactgttaga gtcctggaag gaccggact acgtccctcc agtggtacac 1020
gggtgtccat tgccgcctgc caaggccct ccgataccac ctccacggag gaagaggacg 1080
gttgtcctgt cagaatctac cgtgtcttct gccttggcgg agctcggcac aaagaccttc 1140
ggcagctccg aatcgtcggc cgtcgacagc ggcacggcaa cggcctctcc tgaccagccc 1200
tccgacgacg gcgacgggg atccgacgtt gagtgcgtact cctccatgcc ccccttgag 1260
ggggagccgg gggatcccga tctcagcgac gggctcttgg ctaccgtaag cgaggaggct 1320
agtgaggacg tcgtctgctg c                                     1341

```

<210> 12

<211> 1341
<212> DNA
<213> Hepatitis C virus

<400> 12

```
tccggctcgt ggctaagaga tgtttgggat tggatatgca cgggtgttgac tgatttcaag 60
acctggctcc agtccaagct cctgccgcga ttgccgggag tcccccttctt ctcatgtcaa 120
cgtgggtaca agggagtctg gcggggcgac ggcacatgc aaaccacctg cccatgtgga 180
gcacagatca ccggacatgt gaaaaacggt tccatgagga tcgtggggcc taggacctgt 240
agtaacacgt ggcattggaac attccccatt aacgcgtaca ccacggggccc ctgcacgccc 300
tccccggcgc caaattattc tagggcgctg tggcggtgg ctgctgagga gtacgtggag 360
gttacgcggg tgggggattt ccactacgtg acgggcatga ccaactgaaa cgtaaagtgc 420
ccgtgtcagg ttccggcccc cgaattcttc acagaagtgg atgggggtgcg gttgcacagg 480
tacgtccag cgtgcaaacc cctcctacgg gaggaggcca cattcctggt cgggctcaat 540
caatacctgg ttgggtcaca gctcccatgc gagcccgaa cggacgtagc agtgctcact 600
tccatgctca ccgaccctc ccacattacg gcggagacgg ctaagcgtag gctggccagg 660
ggatctcccc ccccttggc cagctcatca gctagccagc tgtctgcgc ttccttgaag 720
gcaacatgca ctaccgtca tgactcccc gacgctgacc tcatcgaggc caacctctg 780
tggcggcagg agatgggcgg gaacatcacc cgcgtggagt cagaaaataa ggtagtaatt 840
ttggactctt tcgagccgct ccaagcggag gaggatgaga gggaagtatc cgttccggcg 900
gagatcctgc ggaggtccag gaaattccct cgagcgtatg ccatatgggc acgcccggat 960
tacaaccctc cactgttaga gtcttgaag gaccggact acgtccctcc agtggtacac 1020
gggtgtccat tgccgcctgc caaggcccct ccgataccac ctccacggag gaagaggacg 1080
gttgtcctgt cagaatctac cgtgtcttct gccttggcgg agctcgccac aaagaccttc 1140
ggcagctccg aatcgtcggc cgtcgacagc ggcacggcaa cggcctctcc tgaccagccc 1200
tccgacgacg gcgacgcggg atccgacgtt gagtcgtact cctccatgcc ccccttgag 1260
ggggagccgg gggatcccg tctcagcgac ggtcttgggt ctaccgtaag cgaggaggct 1320
agtgaggacg tcgtctgctg c 1341
```

<210> 13
<211> 7987
<212> DNA
<213> Hepatitis C virus

<400> 13

```
gccagcccc gattgggggc gacactccac catagatcac tccccgtga ggaactactg 60
tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtggtctg cggaaaccgt gagtacaccg gaattgccag 180
gacgaccggg tctttcttg gatcaaccgc ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaaggg cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480
ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540
acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggcgt tccttgccga gctgtgctcg acgttgtcac tgaagcggga agggactggc 660
tgctattggg cgaagtgcgg gggcaggatc tcctgtcatc tcacctgct cctgccgaga 720
aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780
cattcgacca ccaagcgaac catcgcatcg agcgagcacg tactcggatg gaagccggtc 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggctcaa ggcgcgcag cccgacggcg aggatctcgt cgtgacctat ggcatgcct 960
gcttgccgaa tatcatggtg gaaaatggcc gcttttctgg attcatcgac tgtggccggc 1020
tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgttccctcg tgctttacgg tatcgccgct cccgattcgc 1140
agcgcatcgc cttctatcgc cttcttgacg agttcttctg agtttaaaac gaccacaacg 1200
gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tggaaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcgcggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggctctg tgaatgtcgt gaaggaagca 1440
gttccctctg aagcttcttg aagacaaaca acgtctgtag cgacctttg caggcagcgg 1500
aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaaccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
tggctctcct caagcgtatt caacaagggg ctgaaggatg ccagaagggt accccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgtttagtc gaggttaaaa 1740
aacgtctagg cccccgaac cacggggagc tggtttctct ttgaaaaaca cgataatacc 1800
atggcgccta ttacggccta ctccaacag acgcgaggcc tacttggctg catcatcact 1860
```

agcctcacag gccgggacag gaaccaggtc gagggggagg tccaagtggg ctccaccgca 1920
acacaatctt tcctggcgac ctgcgtcaat ggcgtgtgtt ggactgtcta tcatgggtgcc 1980
ggctcaaaga cccttgccgg cccaaagggc ccaatcacc aaatgtacac caatgtggac 2040
caggacctcg tcggctggca agcgcccccc ggggcgcgtt ccttgacacc atgcacctgc 2100
ggcagctcgg acctttactt ggtcacgagg catgccgatg tcatteccgt ggcggggcgg 2160
ggcgacagca gggggagcct actctcccc aggcccgctt cctacttgaa gggctcttcg 2220
ggcggtccac tgctctgccc ctcggggcac gctgtgggca tctttcgggc tgccgtgtgc 2280
acccgagggg ttgcgaaggc ggtggacttt gtacccgctg agtctatgga aaccactatg 2340
cgggtccccg tcttcacgga caactcgtec cctccggccg taccgcagac attccagggtg 2400
gccccatctac acgccccctac tggtagcggc aagagcacta aggtgccggc tgcgtatgca 2460
gccaagggtt ataagggtgt tgtcctgaac ccgtccgtcg ccgccaccct aggtttcggg 2520
gcgtatatgt ctaaggcaca tggtagcgac cctaaccatca gaaccggggt aaggaccatc 2580
accacgggtg cccccatcac gtactccacc tatggcaagt ttcttgccga cgggtggttg 2640
tctgggggcg cctatgacat cataatatgt gatgagtgc actcaactga ctcgaccact 2700
atcctgggca tcggcacagt cctggacca gcgagacgg ctggagcgcg actcgtcgtg 2760
ctcgccaccg ctacgcctcc gggatcggtc accgtgccac atccaaacat cgaggaggtg 2820
gctctgtcca gcaactggaga aatccccttt tatggcaaag ccatcccat cgagaccatc 2880
aaggggggga ggcacctcat tttctgccat tccaagaaga aatgtgatga gctcgccgcg 2940
aagctgtccg gcctcggact caatgctgta gcatattacc ggggccttga tgtatccgtc 3000
ataccaacta gcggagacgt cattgtcgta gcaacggacg ctctaatac gggctttacc 3060
ggcgatttcg actcagtgat cgactgcaat acatgtgtca ccagacagt cgacttcagc 3120
ctggaccgga ccttcacat tgagacgacg accgtgccac aagacggcgt gtcacgctcg 3180
cagcggcgag gcaggactgg taggggcagg atgggcattt acaggtttgt gactccagga 3240
gaacggccct cgggcatgtt cgattcctcg gttctgtgcg agtgctatga cgcgggctgt 3300
gcttggtacg agctcacgcc cgccgagacc tcagttaggt tgcgggctta cctaaacaca 3360
ccagggttgc ccgtctgcca ggaccatctg gatttctggg agagcgtctt tacaggcctc 3420
accacatag acgcccattt cttgtcccag actaagcagg caggagacaa ctccccctac 3480
ctggtagcat accaggctac ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac 3540
caaagtgtga agtgtctcat acggctaaag cctacgctgc acgggccaac gccctgctg 3600
tataggctgg gagccgttca aaacgaggtt actaccacac accccataac caataacatc 3660
atggcatgca tgcggctga cctggaggtc gtcacgagca cctgggtgct ggtaggcgga 3720
gtcctagcag ctctggccgc gtattgcctg acaacaggca gcgtggctcat tgtgggcagg 3780
atcatcttgt ccggaaagcc ggccatcatt cccgacaggg aagtccttta ccgggagttc 3840
gatgagatgg aagagtgcgc ctccacacctc ccttacatcg aacagggaat gcagctcgcc 3900
gaacaattca aacagaaggc aatcgggttg ctgcaaacag ccaccaagca agcggagggt 3960
gctgctcccg tgggtggaatc caagtggcgg accctcgaag ccttctgggc gaagcatatg 4020
tggaatttca tcagcgggat acaatattta gcaggcttgt ccactctgcc tggcaacccc 4080
gcgatagcat cactgatggc attcacagcc tctatcacca gcccgctcac caccacacat 4140
accctcctgt ttaacatcct ggggggatgg gtggccgccc aacttgctcc tcccagcgt 4200
gcttctgctt tcgtaggcgc cggcatcgct ggagcggctg ttggcagcat aggccttggg 4260
aagggtgctt tggtatattt ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc 4320
tttaaggtea tgagcggcga gatgccctcc accgaggacc tggttaacct actccctgct 4380
atcctctccc ctggcgccct agtcgtcggg gtcgtgtgcg cagcgatact gcgtcggcac 4440
gtgggcccag gggagggggc tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg 4500
ggtaaccacg tctccccac gcactatgtg cctgagagcg acgctgcagc acgtgtcact 4560
cagatcctct ctagtcttac catcactcag ctgctgaaga ggcttcacca gtggatcaac 4620
gaggactgct ccacgccatg ctccggctcg tggctaagag atgtttggga ttggatatgc 4680
acgggtgttg ctgatttcaa gacctggctc cagtccaagc tcttgccgcg attgccggga 4740
gtcccccttct tctcatgtca acgtgggtac aagggagtct ggcggggcga cggcatcatg 4800
caaaccacct gcccatgtgg agcacagatc accggacatg tgaaaaacgg ttccatgagg 4860
atcgtggggc ctaggacctg tagtaacacg tggcatggaa cattccccat taacgcgtac 4920
accacggggc cctgcacgcc ctccccggcg ccaaattatt ctaggcgct gtggcggtg 4980
gctgctgagg agtacgtgga ggttacgcgg gtgggggatt tccactacgt gacgggcatg 5040
accactgaca acgtaaagtg ccggtgtcag gttccggccc ccgaattctt cacagaagtg 5100
gatgggggtg ggttgacag gtacgtcca gcgtgcaaac ccctcctacg ggaggaggtc 5160
acattcctgg tcgggctcaa tcaatacctg gttgggtcac agctcccatg cgagcccgaa 5220
ccggacgtag cagtgtcac ttccatgctc accgaccctt cccacattac ggcggagacg 5280
gctaagegta ggctggccag gggatctccc ccctccttgg ccagctcatc agctatccag 5340
ctgtctgcgc cttccttgaa ggcaacatgc actaccgctc atgactcccc ggacgctgac 5400
ctcatcgagg ccaacctcct gtggcggcag gagatggcg ggaacatcac ccgctggag 5460
tcagaaaata aggtagtaat tttggactct ttcgagccgc tccaagcgga ggaggatgag 5520
agggaagtat ccgttccggc ggagatcctg cggaggtcca ggaaattccc tcgagcgatg 5580
cccatatggg cacgcccga ttacaacct ccaactgttag agtctggaa ggaccggac 5640
tacgtccctc cagtggatca cgggtgtcca ttgcgcctg ccaaggcccc tccgatacca 5700
cctccacgga ggaagaggac ggtgtgctg tcagaatcta ccgtgtcttc tgccttggcg 5760
gagctcgcca caaagacctt cggcagctcc gaatcgtcgg ccgtcgacag cggcacggca 5820


```

acggcctctc ctgaccagcc ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac 5880
tcctccatgc ccccccttga gggggagccg ggggatcccg atctcagcga cgggtcttgg 5940
tctaccgtaa gcgaggaggc tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg 6000
acaggcgccc tgatcacgcc atgcgctgcg gaggaacca agctgcccac caatgcactg 6060
agcaactctt tgctccgtca ccacaacttg gtctatgcta caacatctcg cagcgcaagc 6120
ctgcggcaga agaaggtcac ctttgacaga ctgcaggtcc tggacgacca ctaccgggac 6180
gtgctcaagg agatgaaggc gaaggcgtcc acagttaagg ctaaacttct atccgtggag 6240
gaagcctgta agctgacgcc cccacattcg gccagatcta aatttggtta tggggcaaag 6300
gacgtccgga acctatccag caaggccgtt aaccacatcc gctccgtgtg gaaggacttg 6360
ctggaagaca ctgagacacc aattgacacc accatcatgg caaaaaatga ggttttctgc 6420
gtccaaccag agaagggggg ccgcaagcca gctcgcccta tcgtattccc agatttgggg 6480
gttcgtgtgt gcgagaaaat ggccctttac gatgtggtct ccaccctccc tcaggcctgt 6540
atgggctctt catacggatt ccaatactct cctggacagc gggtcgagtt cctggtgaat 6600
gcctggaaag cgaagaaatg ccctatgggc ttgcgatatg acaccgctg ttttgactca 6660
acggtcactg agaatgacat ccgtgttgag gagtcaatct accaatgttg tgacttggcc 6720
cccgaagcca gacaggccat aaggtcgctc acagagcggc ttacatcgg gggccccctg 6780
actaattcta aagggcagaa ctgcggctat cgccgggtgc gcgcgagcgg tgtactgacg 6840
accagctgcg gtaataccct cacatgttac ttgaaggccg ctgcggcctg tcgagctgcg 6900
aagctccagg actgcacgat gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc 6960
gcggggaccc aagaggacga ggcgagccta cgggccttca cggaggctat gactagatac 7020
tctgcccccc ctggggaccc gcccaaacca gaatacgact tggagttagt aacatcatgc 7080
tcctccaatg tgtcagtcgc gcacgatgca tctggcaaaa ggggtgtacta tctacccctg 7140
gacccacca ccccccttgc gcgggctgcg tgggagacag ctagacacac tccagtcaat 7200
tcctggctag gcaacatcat catgtatgcg cccaccttgt gggcaaggat gatcctgatg 7260
actcatttct tctccatcct tctagctcag gaacaacttg aaaaagccct agattgtcag 7320
atctacgggg cctgttactc cattgagcca cttgacctac ctcagatcat tcaacgactc 7380
catggcctta gcgcattttc actccatagt tactctccag gtgagatcaa tagggtggct 7440
tcatgcctca ggaaacttgg ggtaccgccc ttgcgagttc ggagacatcg ggccagaagt 7500
gtccgcgcta ggctactgtc ccaggggggg agggctgcca cttgtggcaa gtacctcttc 7560
aactgggcag taaggaccaa gctcaaactc actccaatcc cggctgcgtc ccagttggat 7620
ttatccagct ggttcgttgc tggttacagc gggggagaca tatatcacag cctgtctcgt 7680
gcccgaaccc gctggttcat gtggtgccta ctctacttt ctgtaggggt aggcatttat 7740
ctactcccca accgatgaac ggggagctaa acactccagg ccaataggcc atcctgtttt 7800
tttccctttt tttttttctt tttttttttt tttttttttt tttttttttt ctcttttttt 7860
tttccctttt ttttcctttt ctttcctttg gtggctccat cttagcccta gtcacggcta 7920
gctgtgaaag gtccgtgagc cgcttgactg cagagagtgc tgatactggc ctctctgcag 7980
atcaagt 7987

```

<210> 14

<211> 400

<212> PRT

<213> Hepatitis C virus

<400> 14

```

Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu
  1              5              10              15

```

```

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro
      20              25              30

```

```

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
      35              40              45

```

```

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr
      50              55              60

```

```

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys
      65              70              75              80

```

```

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly
      85              90              95

```

```

Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg
      100              105              110

```


Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His
115 120 125

Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val
130 135 140

Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg
145 150 155 160

Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu
165 170 175

Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro
180 185 190

Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His
195 200 205

Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro
210 215 220

Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Tyr Ser Phe Glu Pro Leu
225 230 235 240

Gln Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu
245 250 255

Arg Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro
260 265 270

Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val
275 280 285

Pro Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro
290 295 300

Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr
305 310 315 320

Val Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser
325 330 335

Glu Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln
340 345 350

Pro Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser
355 360 365

Met Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly
370 375 380

Ser Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys
385 390 395 400

<210> 15

<211> 1985

<212> PRT

<213> Hepatitis C virus

<400> 15

Met Ala Pro Ile Thr Ala Tyr Ser Gln Gln Thr Arg Gly Leu Leu Gly
1 5 10 15

Cys Ile Ile Thr Ser Leu Thr Gly Arg Asp Arg Asn Gln Val Glu Gly
20 25 30

Glu Val Gln Val Val Ser Thr Ala Thr Gln Ser Phe Leu Ala Thr Cys
35 40 45

Val Asn Gly Val Cys Trp Thr Val Tyr His Gly Ala Gly Ser Lys Thr
50 55 60

Leu Ala Gly Pro Lys Gly Pro Ile Thr Gln Met Tyr Thr Asn Val Asp
65 70 75 80

Gln Asp Leu Val Gly Trp Arg Ala Pro Pro Gly Ala Arg Ser Leu Thr
85 90 95

Pro Cys Thr Cys Gly Ser Ser Asp Leu Tyr Leu Val Thr Arg His Ala
100 105 110

Asp Val Ile Pro Val Arg Arg Arg Gly Asp Ser Arg Gly Ser Leu Leu
115 120 125

Ser Pro Arg Pro Val Ser Tyr Leu Lys Gly Ser Ser Gly Gly Pro Leu
130 135 140

Leu Cys Pro Ser Gly His Ala Val Gly Ile Phe Arg Ala Ala Val Cys
145 150 155 160

Thr Arg Gly Val Ala Lys Ala Val Asp Phe Val Pro Val Glu Ser Met
165 170 175

Glu Thr Thr Met Arg Ser Pro Val Phe Thr Asp Asn Ser Ser Pro Pro
180 185 190

Ala Val Pro Gln Thr Phe Gln Val Ala His Leu His Ala Pro Thr Gly
195 200 205

Ser Gly Lys Ser Thr Lys Val Pro Ala Ala Tyr Ala Ala Gln Gly Tyr
210 215 220

Lys Val Leu Val Leu Asn Pro Ser Val Ala Ala Thr Leu Gly Phe Gly
225 230 235 240

Ala Tyr Met Ser Lys Ala His Gly Ile Asp Pro Asn Ile Arg Thr Gly
245 250 255

Val Arg Thr Ile Thr Thr Gly Ala Pro Ile Thr Tyr Ser Thr Tyr Gly
260 265 270

Lys Phe Leu Ala Asp Gly Gly Cys Ser Gly Gly Ala Tyr Asp Ile Ile
275 280 285

Ile Cys Asp Glu Cys His Ser Thr Asp Ser Thr Thr Ile Leu Gly Ile
290 295 300

Gly Thr Val Leu Asp Gln Ala Glu Thr Ala Gly Ala Arg Leu Val Val
305 310 315 320

Leu Ala Thr Ala Thr Pro Pro Gly Ser Val Thr Val Pro His Pro Asn
325 330 335

Ile Glu Glu Val Ala Leu Ser Ser Thr Gly Glu Ile Pro Phe Tyr Gly
340 345 350

Lys Ala Ile Pro Ile Glu Thr Ile Lys Gly Gly Arg His Leu Ile Phe
355 360 365

Cys His Ser Lys Lys Lys Cys Asp Glu Leu Ala Ala Lys Leu Ser Gly
 370 375 380
 Leu Gly Leu Asn Ala Val Ala Tyr Tyr Arg Gly Leu Asp Val Ser Val
 385 390 395 400
 Ile Pro Thr Ser Gly Asp Val Ile Val Val Ala Thr Asp Ala Leu Met
 405 410 415
 Thr Gly Phe Thr Gly Asp Phe Asp Ser Val Ile Asp Cys Asn Thr Cys
 420 425 430
 Val Thr Gln Thr Val Asp Phe Ser Leu Asp Pro Thr Phe Thr Ile Glu
 435 440 445
 Thr Thr Thr Val Pro Gln Asp Ala Val Ser Arg Ser Gln Arg Arg Gly
 450 455 460
 Arg Thr Gly Arg Gly Arg Met Gly Ile Tyr Arg Phe Val Thr Pro Gly
 465 470 475 480
 Glu Arg Pro Ser Gly Met Phe Asp Ser Ser Val Leu Cys Glu Cys Tyr
 485 490 495
 Asp Ala Gly Cys Ala Trp Tyr Glu Leu Thr Pro Ala Glu Thr Ser Val
 500 505 510
 Arg Leu Arg Ala Tyr Leu Asn Thr Pro Gly Leu Pro Val Cys Gln Asp
 515 520 525
 His Leu Glu Phe Trp Glu Ser Val Phe Thr Gly Leu Thr His Ile Asp
 530 535 540
 Ala His Phe Leu Ser Gln Thr Lys Gln Ala Gly Asp Asn Phe Pro Tyr
 545 550 555 560
 Leu Val Ala Tyr Gln Ala Thr Val Cys Ala Arg Ala Gln Ala Pro Pro
 565 570 575
 Pro Ser Trp Asp Gln Met Trp Lys Cys Leu Ile Arg Leu Lys Pro Thr
 580 585 590
 Leu His Gly Pro Thr Pro Leu Leu Tyr Arg Leu Gly Ala Val Gln Asn
 595 600 605
 Glu Val Thr Thr Thr His Pro Ile Thr Lys Tyr Ile Met Ala Cys Met
 610 615 620
 Ser Ala Asp Leu Glu Val Val Thr Ser Thr Trp Val Leu Val Gly Gly
 625 630 635 640
 Val Leu Ala Ala Leu Ala Ala Tyr Cys Leu Thr Thr Gly Ser Val Val
 645 650 655
 Ile Val Gly Arg Ile Ile Leu Ser Gly Lys Pro Ala Ile Ile Pro Asp
 660 665 670
 Arg Glu Val Leu Tyr Arg Glu Phe Asp Glu Met Glu Glu Cys Ala Ser
 675 680 685
 His Leu Pro Tyr Ile Glu Gln Gly Met Gln Leu Ala Glu Gln Phe Lys
 690 695 700
 Gln Lys Ala Ile Gly Leu Leu Gln Thr Ala Thr Lys Gln Ala Glu Ala
 705 710 715 720

Ala Ala Pro Val Val Glu Ser Lys Trp Arg Thr Leu Glu Ala Phe Trp
 725 730 735
 Ala Lys His Met Trp Asn Phe Ile Ser Gly Ile Gln Tyr Leu Ala Gly
 740 745 750
 Leu Ser Thr Leu Pro Gly Asn Pro Ala Ile Ala Ser Leu Met Ala Phe
 755 760 765
 Thr Ala Ser Ile Thr Ser Pro Leu Thr Thr Gln His Thr Leu Leu Phe
 770 775 780
 Asn Ile Leu Gly Gly Trp Val Ala Ala Gln Leu Ala Pro Pro Ser Ala
 785 790 795 800
 Ala Ser Ala Phe Val Gly Ala Gly Ile Ala Gly Ala Ala Val Gly Ser
 805 810 815
 Ile Gly Leu Gly Lys Val Leu Val Asp Ile Leu Ala Gly Tyr Gly Ala
 820 825 830
 Gly Val Ala Gly Ala Leu Val Ala Phe Lys Val Met Ser Gly Glu Met
 835 840 845
 Pro Ser Thr Glu Asp Leu Val Asn Leu Leu Pro Ala Ile Leu Ser Pro
 850 855 860
 Gly Ala Leu Val Val Gly Val Val Cys Ala Ala Ile Leu Arg Arg His
 865 870 875 880
 Val Gly Pro Gly Glu Gly Ala Val Gln Trp Met Asn Arg Leu Ile Ala
 885 890 895
 Phe Ala Ser Arg Gly Asn His Val Ser Pro Thr His Tyr Val Pro Glu
 900 905 910
 Ser Asp Ala Ala Ala Arg Val Thr Gln Ile Leu Ser Ser Leu Thr Ile
 915 920 925
 Thr Gln Leu Leu Lys Arg Leu His Gln Trp Ile Asn Glu Asp Cys Ser
 930 935 940
 Thr Pro Cys Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys
 945 950 955 960
 Thr Val Leu Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro
 965 970 975
 Arg Leu Pro Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly
 980 985 990
 Val Trp Arg Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala
 995 1000 1005
 Gln Ile Thr Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro
 1010 1015 1020
 Arg Thr Cys Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr
 1025 1030 1035 1040
 Thr Thr Gly Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala
 1045 1050 1055
 Leu Trp Arg Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly
 1060 1065 1070

Asp Phe His Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro
1075 1080 1085

Cys Gln Val Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg
1090 1095 1100

Leu His Arg Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val
1105 1110 1115 1120

Thr Phe Leu Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro
1125 1130 1135

Cys Glu Pro Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp
1140 1145 1150

Pro Ser His Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly
1155 1160 1165

Ser Pro Pro Ser Leu Ala Ser Ser Ser Ala Ile Gln Leu Ser Ala Pro
1170 1175 1180

Ser Leu Lys Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp
1185 1190 1195 1200

Leu Ile Glu Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile
1205 1210 1215

Thr Arg Val Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu
1220 1225 1230

Pro Leu Gln Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu
1235 1240 1245

Ile Leu Arg Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala
1250 1255 1260

Arg Pro Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp
1265 1270 1275 1280

Tyr Val Pro Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala
1285 1290 1295

Pro Pro Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu
1300 1305 1310

Ser Thr Val Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly
1315 1320 1325

Ser Ser Glu Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro
1330 1335 1340

Asp Gln Pro Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr
1345 1350 1355 1360

Ser Ser Met Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser
1365 1370 1375

Asp Gly Ser Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val
1380 1385 1390

Cys Cys Ser Met Ser Tyr Thr Trp Thr Gly Ala Leu Ile Thr Pro Cys
1395 1400 1405

Ala Ala Glu Glu Thr Lys Leu Pro Ile Asn Ala Leu Ser Asn Ser Leu
1410 1415 1420

Leu Arg His His Asn Leu Val Tyr Ala Thr Thr Ser Arg Ser Ala Ser
1425 1430 1435 1440

Leu Arg Gln Lys Lys Val Thr Phe Asp Arg Leu Gln Val Leu Asp Asp
1445 1450 1455

His Tyr Arg Asp Val Leu Lys Glu Met Lys Ala Lys Ala Ser Thr Val
1460 1465 1470

Lys Ala Lys Leu Leu Ser Val Glu Glu Ala Cys Lys Leu Thr Pro Pro
1475 1480 1485

His Ser Ala Arg Ser Lys Phe Gly Tyr Gly Ala Lys Asp Val Arg Asn
1490 1495 1500

Leu Ser Ser Lys Ala Val Asn His Ile Arg Ser Val Trp Lys Asp Leu
1505 1510 1515 1520

Leu Glu Asp Thr Glu Thr Pro Ile Asp Thr Thr Ile Met Ala Lys Asn
1525 1530 1535

Glu Val Phe Cys Val Gln Pro Glu Lys Gly Gly Arg Lys Pro Ala Arg
1540 1545 1550

Leu Ile Val Phe Pro Asp Leu Gly Val Arg Val Cys Glu Lys Met Ala
1555 1560 1565

Leu Tyr Asp Val Val Ser Thr Leu Pro Gln Ala Val Met Gly Ser Ser
1570 1575 1580

Tyr Gly Phe Gln Tyr Ser Pro Gly Gln Arg Val Glu Phe Leu Val Asn
1585 1590 1595 1600

Ala Trp Lys Ala Lys Lys Cys Pro Met Gly Phe Ala Tyr Asp Thr Arg
1605 1610 1615

Cys Phe Asp Ser Thr Val Thr Glu Asn Asp Ile Arg Val Glu Glu Ser
1620 1625 1630

Ile Tyr Gln Cys Cys Asp Leu Ala Pro Glu Ala Arg Gln Ala Ile Arg
1635 1640 1645

Ser Leu Thr Glu Arg Leu Tyr Ile Gly Gly Pro Leu Thr Asn Ser Lys
1650 1655 1660

Gly Gln Asn Cys Gly Tyr Arg Arg Cys Arg Ala Ser Gly Val Leu Thr
1665 1670 1675 1680

Thr Ser Cys Gly Asn Thr Leu Thr Cys Tyr Leu Lys Ala Ala Ala Ala
1685 1690 1695

Cys Arg Ala Ala Lys Leu Gln Asp Cys Thr Met Leu Val Cys Gly Asp
1700 1705 1710

Asp Leu Val Val Ile Cys Glu Ser Ala Gly Thr Gln Glu Asp Glu Ala
1715 1720 1725

Ser Leu Arg Ala Phe Thr Glu Ala Met Thr Arg Tyr Ser Ala Pro Pro
1730 1735 1740

Gly Asp Pro Pro Lys Pro Glu Tyr Asp Leu Glu Leu Ile Thr Ser Cys
1745 1750 1755 1760

Ser Ser Asn Val Ser Val Ala His Asp Ala Ser Gly Lys Arg Val Tyr
1765 1770 1775

Tyr Leu Thr Arg Asp Pro Thr Thr Pro Leu Ala Arg Ala Ala Trp Glu
 1780 1785 1790
 Thr Ala Arg His Thr Pro Val Asn Ser Trp Leu Gly Asn Ile Ile Met
 1795 1800 1805
 Tyr Ala Pro Thr Leu Trp Ala Arg Met Ile Leu Met Thr His Phe Phe
 1810 1815 1820
 Ser Ile Leu Leu Ala Gln Glu Gln Leu Glu Lys Ala Leu Asp Cys Gln
 1825 1830 1835 1840
 Ile Tyr Gly Ala Cys Tyr Ser Ile Glu Pro Leu Asp Leu Pro Gln Ile
 1845 1850 1855
 Ile Gln Arg Leu His Gly Leu Ser Ala Phe Ser Leu His Ser Tyr Ser
 1860 1865 1870
 Pro Gly Glu Ile Asn Arg Val Ala Ser Cys Leu Arg Lys Leu Gly Val
 1875 1880 1885
 Pro Pro Leu Arg Val Trp Arg His Arg Ala Arg Ser Val Arg Ala Arg
 1890 1895 1900
 Leu Leu Ser Gln Gly Gly Arg Ala Ala Thr Cys Gly Lys Tyr Leu Phe
 1905 1910 1915 1920
 Asn Trp Ala Val Arg Thr Lys Leu Lys Leu Thr Pro Ile Pro Ala Ala
 1925 1930 1935
 Ser Gln Leu Asp Leu Ser Ser Trp Phe Val Ala Gly Tyr Ser Gly Gly
 1940 1945 1950
 Asp Ile Tyr His Ser Leu Ser Arg Ala Arg Pro Arg Trp Phe Met Trp
 1955 1960 1965
 Cys Leu Leu Leu Leu Ser Val Gly Val Gly Ile Tyr Leu Leu Pro Asn
 1970 1975 1980
 Arg
 1985

 <210> 16
 <211> 447
 <212> PRT
 <213> Hepatitis C virus

 <400> 16
 Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu
 1 5 10 15
 Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro
 20 25 30
 Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
 35 40 45
 Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr
 50 55 60
 Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys
 65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly
 85 90 95
 Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg
 100 105 110
 Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His
 115 120 125
 Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val
 130 135 140
 Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg
 145 150 155 160
 Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu
 165 170 175
 Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro
 180 185 190
 Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His
 195 200 205
 Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro
 210 215 220
 Ser Leu Ala Ser Ser Ser Ala Ile Gln Leu Ser Ala Pro Ser Leu Lys
 225 230 235 240
 Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu
 245 250 255
 Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val
 260 265 270
 Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln
 275 280 285
 Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg
 290 295 300
 Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp
 305 310 315 320
 Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro
 325 330 335
 Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile
 340 345 350
 Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val
 355 360 365
 Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu
 370 375 380
 Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro
 385 390 395 400
 Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met
 405 410 415
 Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser
 420 425 430

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys
 435 440 445

<210> 17
 <211> 1985
 <212> PRT
 <213> Hepatitis C virus

<400> 17
 Met Ala Pro Ile Thr Ala Tyr Ser Gln Gln Thr Arg Gly Leu Leu Gly
 1 5 10 15

Cys Ile Ile Thr Ser Leu Thr Gly Arg Asp Arg Asn Gln Val Glu Gly
 20 25 30

Glu Val Gln Val Val Ser Thr Ala Thr Gln Ser Phe Leu Ala Thr Cys
 35 40 45

Val Asn Gly Val Cys Trp Thr Val Tyr His Gly Ala Gly Ser Lys Thr
 50 55 60

Leu Ala Gly Pro Lys Gly Pro Ile Thr Gln Met Tyr Thr Asn Val Asp
 65 70 75 80

Gln Asp Leu Val Gly Trp Gln Ala Pro Pro Gly Ala Arg Ser Leu Thr
 85 90 95

Pro Cys Thr Cys Gly Ser Ser Asp Leu Tyr Leu Val Thr Arg His Ala
 100 105 110

Asp Val Ile Pro Val Arg Arg Arg Gly Asp Ser Arg Gly Ser Leu Leu
 115 120 125

Ser Pro Arg Pro Val Ser Tyr Leu Lys Gly Ser Ser Gly Gly Pro Leu
 130 135 140

Leu Cys Pro Ser Gly His Ala Val Gly Ile Phe Arg Ala Ala Val Cys
 145 150 155 160

Thr Arg Gly Val Ala Lys Ala Val Asp Phe Val Pro Val Glu Ser Met
 165 170 175

Glu Thr Thr Met Arg Ser Pro Val Phe Thr Asp Asn Ser Ser Pro Pro
 180 185 190

Ala Val Pro Gln Thr Phe Gln Val Ala His Leu His Ala Pro Thr Gly
 195 200 205

Ser Gly Lys Ser Thr Lys Val Pro Ala Ala Tyr Ala Ala Gln Gly Tyr
 210 215 220

Lys Val Leu Val Leu Asn Pro Ser Val Ala Ala Thr Leu Gly Phe Gly
 225 230 235 240

Ala Tyr Met Ser Lys Ala His Gly Ile Asp Pro Asn Ile Arg Thr Gly
 245 250 255

Val Arg Thr Ile Thr Thr Gly Ala Pro Ile Thr Tyr Ser Thr Tyr Gly
 260 265 270

Lys Phe Leu Ala Asp Gly Gly Cys Ser Gly Gly Ala Tyr Asp Ile Ile
 275 280 285

Ile Cys Asp Glu Cys His Ser Thr Asp Ser Thr Thr Ile Leu Gly Ile
 290 295 300

Gly Thr Val Leu Asp Gln Ala Glu Thr Ala Gly Ala Arg Leu Val Val
305 310 315 320

Leu Ala Thr Ala Thr Pro Pro Gly Ser Val Thr Val Pro His Pro Asn
325 330 335

Ile Glu Glu Val Ala Leu Ser Ser Thr Gly Glu Ile Pro Phe Tyr Gly
340 345 350

Lys Ala Ile Pro Ile Glu Thr Ile Lys Gly Gly Arg His Leu Ile Phe
355 360 365

Cys His Ser Lys Lys Lys Cys Asp Glu Leu Ala Ala Lys Leu Ser Gly
370 375 380

Leu Gly Leu Asn Ala Val Ala Tyr Tyr Arg Gly Leu Asp Val Ser Val
385 390 395 400

Ile Pro Thr Ser Gly Asp Val Ile Val Val Ala Thr Asp Ala Leu Met
405 410 415

Thr Gly Phe Thr Gly Asp Phe Asp Ser Val Ile Asp Cys Asn Thr Cys
420 425 430

Val Thr Gln Thr Val Asp Phe Ser Leu Asp Pro Thr Phe Thr Ile Glu
435 440 445

Thr Thr Thr Val Pro Gln Asp Ala Val Ser Arg Ser Gln Arg Arg Gly
450 455 460

Arg Thr Gly Arg Gly Arg Met Gly Ile Tyr Arg Phe Val Thr Pro Gly
465 470 475 480

Glu Arg Pro Ser Gly Met Phe Asp Ser Ser Val Leu Cys Glu Cys Tyr
485 490 495

Asp Ala Gly Cys Ala Trp Tyr Glu Leu Thr Pro Ala Glu Thr Ser Val
500 505 510

Arg Leu Arg Ala Tyr Leu Asn Thr Pro Gly Leu Pro Val Cys Gln Asp
515 520 525

His Leu Glu Phe Trp Glu Ser Val Phe Thr Gly Leu Thr His Ile Asp
530 535 540

Ala His Phe Leu Ser Gln Thr Lys Gln Ala Gly Asp Asn Phe Pro Tyr
545 550 555 560

Leu Val Ala Tyr Gln Ala Thr Val Cys Ala Arg Ala Gln Ala Pro Pro
565 570 575

Pro Ser Trp Asp Gln Met Trp Glu Cys Leu Ile Arg Leu Lys Pro Thr
580 585 590

Leu His Gly Pro Thr Pro Leu Leu Tyr Arg Leu Gly Ala Val Gln Asn
595 600 605

Glu Val Thr Thr Thr His Pro Ile Thr Lys Tyr Ile Met Ala Cys Met
610 615 620

Ser Ala Asp Leu Glu Val Val Thr Ser Thr Trp Val Leu Val Gly Gly
625 630 635 640

Val Leu Ala Ala Leu Ala Ala Tyr Cys Leu Thr Thr Gly Ser Val Val
645 650 655

Ile Val Gly Arg Ile Ile Leu Ser Gly Lys Pro Ala Ile Ile Pro Asp
 660 665 670
 Arg Glu Val Leu Tyr Arg Glu Phe Asp Glu Met Glu Glu Cys Ala Ser
 675 680 685
 His Leu Pro Tyr Ile Glu Gln Gly Met Gln Leu Ala Glu Gln Phe Lys
 690 695 700
 Gln Lys Ala Ile Gly Leu Leu Gln Thr Ala Thr Lys Gln Ala Glu Ala
 705 710 715 720
 Ala Ala Pro Val Val Glu Ser Lys Trp Arg Thr Leu Glu Ala Phe Trp
 725 730 735
 Ala Lys His Met Trp Asn Phe Ile Ser Gly Ile Gln Tyr Leu Ala Gly
 740 745 750
 Leu Ser Thr Leu Pro Gly Asn Pro Ala Ile Ala Ser Leu Met Ala Phe
 755 760 765
 Thr Ala Ser Ile Thr Ser Pro Leu Thr Thr Gln His Thr Leu Leu Phe
 770 775 780
 Asn Ile Leu Gly Gly Trp Val Ala Ala Gln Leu Ala Pro Pro Ser Ala
 785 790 795 800
 Ala Ser Ala Phe Val Gly Ala Gly Ile Ala Gly Ala Ala Val Gly Ser
 805 810 815
 Ile Gly Leu Gly Lys Val Leu Val Asp Ile Leu Ala Gly Tyr Gly Ala
 820 825 830
 Gly Val Ala Gly Ala Leu Val Ala Phe Lys Val Met Ser Gly Glu Met
 835 840 845
 Pro Ser Thr Glu Asp Leu Val Asn Leu Leu Pro Ala Ile Leu Ser Pro
 850 855 860
 Gly Ala Leu Val Val Gly Val Val Cys Ala Ala Ile Leu Arg Arg His
 865 870 875 880
 Val Gly Pro Gly Glu Gly Ala Val Gln Trp Met Asn Arg Leu Ile Ala
 885 890 895
 Phe Ala Ser Arg Gly Asn His Val Ser Pro Thr His Tyr Val Pro Glu
 900 905 910
 Ser Asp Ala Ala Ala Arg Val Thr Gln Ile Leu Ser Gly Leu Thr Ile
 915 920 925
 Thr Gln Leu Leu Lys Arg Leu His Gln Trp Ile Asn Glu Asp Cys Ser
 930 935 940
 Thr Pro Cys Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys
 945 950 955 960
 Thr Val Leu Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro
 965 970 975
 Arg Leu Pro Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly
 980 985 990
 Val Trp Arg Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala
 995 1000 1005

Gln Ile Thr Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro
1010 1015 1020

Arg Thr Cys Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr
1025 1030 1035 1040

Thr Thr Gly Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala
1045 1050 1055

Leu Trp Arg Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly
1060 1065 1070

Asp Phe His Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro
1075 1080 1085

Cys Gln Val Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg
1090 1095 1100

Leu His Arg Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val
1105 1110 1115 1120

Thr Phe Leu Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro
1125 1130 1135

Cys Glu Pro Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp
1140 1145 1150

Pro Ser His Ile Thr Ala Glu Thr Ala Lys Arg Gly Leu Ala Arg Gly
1155 1160 1165

Ser Pro Pro Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro
1170 1175 1180

Ser Leu Lys Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp
1185 1190 1195 1200

Leu Ile Glu Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile
1205 1210 1215

Thr Arg Val Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu
1220 1225 1230

Pro Leu Gln Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu
1235 1240 1245

Ile Leu Arg Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala
1250 1255 1260

Arg Pro Asp Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp
1265 1270 1275 1280

Tyr Val Pro Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala
1285 1290 1295

Pro Pro Ile Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu
1300 1305 1310

Ser Thr Val Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly
1315 1320 1325

Ser Ser Glu Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro
1330 1335 1340

Asp Gln Pro Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr
1345 1350 1355 1360

Ser Ser Met Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser
1365 1370 1375

Asp Gly Ser Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val
1380 1385 1390

Cys Cys Ser Met Ser Tyr Thr Trp Thr Gly Ala Leu Ile Thr Pro Cys
1395 1400 1405

Ala Ala Glu Glu Thr Lys Leu Pro Ile Asn Ala Leu Ser Asn Ser Leu
1410 1415 1420

Leu Arg His His Asn Leu Val Tyr Ala Thr Thr Ser Arg Ser Ala Ser
1425 1430 1435 1440

Leu Arg Gln Lys Lys Val Thr Phe Asp Arg Leu Gln Val Leu Asp Asp
1445 1450 1455

His Tyr Arg Asp Val Leu Lys Glu Met Lys Ala Lys Ala Ser Thr Val
1460 1465 1470

Lys Ala Lys Leu Leu Ser Val Glu Glu Ala Cys Lys Leu Thr Pro Pro
1475 1480 1485

His Ser Ala Arg Ser Lys Phe Gly Tyr Gly Ala Lys Asp Val Arg Asn
1490 1495 1500

Leu Ser Ser Lys Ala Val Asn His Ile Arg Ser Val Trp Lys Asp Leu
1505 1510 1515 1520

Leu Glu Asp Thr Glu Thr Pro Ile Asp Thr Thr Ile Met Ala Lys Asn
1525 1530 1535

Glu Val Phe Cys Val Gln Pro Glu Lys Gly Gly Arg Lys Pro Ala Arg
1540 1545 1550

Leu Ile Val Phe Pro Asp Leu Gly Val Arg Val Cys Glu Lys Met Ala
1555 1560 1565

Leu Tyr Asp Val Val Ser Thr Leu Pro Gln Ala Val Met Gly Ser Ser
1570 1575 1580

Tyr Gly Phe Gln Tyr Ser Pro Gly Gln Arg Val Glu Phe Leu Val Asn
1585 1590 1595 1600

Ala Trp Lys Ala Lys Lys Cys Pro Met Gly Phe Ala Tyr Asp Thr Arg
1605 1610 1615

Cys Phe Asp Ser Thr Val Thr Glu Asn Asp Ile Arg Val Glu Glu Ser
1620 1625 1630

Ile Tyr Gln Cys Cys Asp Leu Ala Pro Glu Ala Arg Gln Ala Ile Arg
1635 1640 1645

Ser Leu Thr Glu Arg Leu Tyr Ile Gly Gly Pro Leu Thr Asn Ser Lys
1650 1655 1660

Gly Gln Asn Cys Gly Tyr Arg Arg Cys Arg Ala Ser Gly Val Leu Thr
1665 1670 1675 1680

Thr Ser Cys Gly Asn Thr Leu Thr Cys Tyr Leu Lys Ala Ala Ala Ala
1685 1690 1695

Cys Arg Ala Ala Lys Leu Gln Asp Cys Thr Met Leu Val Cys Gly Asp
1700 1705 1710

Asp Leu Val Val Ile Cys Glu Ser Ala Gly Thr Gln Glu Asp Glu Ala
 1715 1720 1725
 Ser Leu Arg Ala Phe Thr Glu Ala Met Thr Arg Tyr Ser Ala Pro Pro
 1730 1735 1740
 Gly Asp Pro Pro Lys Pro Glu Tyr Asp Leu Glu Leu Ile Thr Ser Cys
 1745 1750 1755 1760
 Ser Ser Asn Val Ser Val Ala His Asp Ala Ser Gly Lys Arg Val Tyr
 1765 1770 1775
 Tyr Leu Thr Arg Asp Pro Thr Thr Pro Leu Ala Arg Ala Ala Trp Glu
 1780 1785 1790
 Thr Ala Arg His Thr Pro Val Asn Ser Trp Leu Gly Asn Ile Ile Met
 1795 1800 1805
 Tyr Ala Pro Thr Leu Trp Ala Arg Met Ile Leu Met Thr His Phe Phe
 1810 1815 1820
 Ser Ile Leu Leu Ala Gln Glu Gln Leu Glu Lys Ala Leu Asp Cys Gln
 1825 1830 1835 1840
 Ile Tyr Gly Ala Cys Tyr Ser Ile Glu Pro Leu Asp Leu Pro Gln Ile
 1845 1850 1855
 Ile Gln Arg Leu His Gly Leu Ser Ala Phe Ser Leu His Ser Tyr Ser
 1860 1865 1870
 Pro Gly Glu Ile Asn Arg Val Ala Ser Cys Leu Arg Lys Leu Gly Val
 1875 1880 1885
 Pro Pro Leu Arg Val Trp Arg His Arg Ala Arg Ser Val Arg Ala Arg
 1890 1895 1900
 Leu Leu Ser Gln Gly Gly Arg Ala Ala Thr Cys Gly Lys Tyr Leu Phe
 1905 1910 1915 1920
 Asn Trp Ala Val Arg Thr Lys Leu Lys Leu Thr Pro Ile Pro Ala Ala
 1925 1930 1935
 Ser Gln Leu Asp Leu Ser Ser Trp Phe Val Ala Gly Tyr Ser Gly Gly
 1940 1945 1950
 Asp Ile Tyr His Ser Leu Ser Arg Ala Arg Pro Arg Trp Phe Met Trp
 1955 1960 1965
 Cys Leu Leu Leu Leu Ser Val Gly Val Gly Ile Tyr Leu Leu Pro Asn
 1970 1975 1980
 Arg
 1985

<210> 18
 <211> 447
 <212> PRT
 <213> Hepatitis C virus

<400> 18
 Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu
 1 5 10 15

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro
 20 25 30
 Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
 35 40 45
 Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr
 50 55 60
 Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys
 65 70 75 80
 Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly
 85 90 95
 Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg
 100 105 110
 Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His
 115 120 125
 Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val
 130 135 140
 Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg
 145 150 155 160
 Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu
 165 170 175
 Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro
 180 185 190
 Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His
 195 200 205
 Ile Thr Ala Glu Thr Ala Lys Arg Gly Leu Ala Arg Gly Ser Pro Pro
 210 215 220
 Ser Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys
 225 230 235 240
 Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu
 245 250 255
 Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val
 260 265 270
 Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln
 275 280 285
 Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg
 290 295 300
 Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp
 305 310 315 320
 Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro
 325 330 335
 Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile
 340 345 350
 Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val
 355 360 365

Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu
370 375 380

Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro
385 390 395 400

Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met
405 410 415

Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser
420 425 430

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys
435 440 445

<210> 19

<211> 447

<212> PRT

<213> Hepatitis C virus

<400> 19

Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu
1 5 10 15

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro
20 25 30

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
35 40 45

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr
50 55 60

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys
65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly
85 90 95

Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg
100 105 110

Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His
115 120 125

Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val
130 135 140

Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg
145 150 155 160

Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu
165 170 175

Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro
180 185 190

Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His
195 200 205

Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro
210 215 220

Ser Leu Ser Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys
225 230 235 240

Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu
245 250 255

Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val
260 265 270

Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln
275 280 285

Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg
290 295 300

Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp
305 310 315 320

Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro
325 330 335

Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile
340 345 350

Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val
355 360 365

Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu
370 375 380

Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro
385 390 395 400

Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met
405 410 415

Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser
420 425 430

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys
435 440 445

<210> 20
<211> 447
<212> PRT
<213> Hepatitis C virus

<400> 20
Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu
1 5 10 15

Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro
20 25 30

Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
35 40 45

Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr
50 55 60

Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys
65 70 75 80

Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly
85 90 95

Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg
100 105 110

Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His
115 120 125

Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val
130 135 140

Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg
145 150 155 160

Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu
165 170 175

Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro
180 185 190

Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His
195 200 205

Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro
210 215 220

Cys Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys
225 230 235 240

Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu
245 250 255

Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val
260 265 270

Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln
275 280 285

Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg
290 295 300

Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp
305 310 315 320

Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro
325 330 335

Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile
340 345 350

Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val
355 360 365

Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu
370 375 380

Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro
385 390 395 400

Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met
405 410 415

Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser
420 425 430

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys
435 440 445

<210> 21
<211> 447
<212> PRT
<213> Hepatitis C virus

<400> 21
Ser Gly Ser Trp Leu Arg Asp Val Trp Asp Trp Ile Cys Thr Val Leu
1 5 10 15
Thr Asp Phe Lys Thr Trp Leu Gln Ser Lys Leu Leu Pro Arg Leu Pro
20 25 30
Gly Val Pro Phe Phe Ser Cys Gln Arg Gly Tyr Lys Gly Val Trp Arg
35 40 45
Gly Asp Gly Ile Met Gln Thr Thr Cys Pro Cys Gly Ala Gln Ile Thr
50 55 60
Gly His Val Lys Asn Gly Ser Met Arg Ile Val Gly Pro Arg Thr Cys
65 70 75 80
Ser Asn Thr Trp His Gly Thr Phe Pro Ile Asn Ala Tyr Thr Thr Gly
85 90 95
Pro Cys Thr Pro Ser Pro Ala Pro Asn Tyr Ser Arg Ala Leu Trp Arg
100 105 110
Val Ala Ala Glu Glu Tyr Val Glu Val Thr Arg Val Gly Asp Phe His
115 120 125
Tyr Val Thr Gly Met Thr Thr Asp Asn Val Lys Cys Pro Cys Gln Val
130 135 140
Pro Ala Pro Glu Phe Phe Thr Glu Val Asp Gly Val Arg Leu His Arg
145 150 155 160
Tyr Ala Pro Ala Cys Lys Pro Leu Leu Arg Glu Glu Val Thr Phe Leu
165 170 175
Val Gly Leu Asn Gln Tyr Leu Val Gly Ser Gln Leu Pro Cys Glu Pro
180 185 190
Glu Pro Asp Val Ala Val Leu Thr Ser Met Leu Thr Asp Pro Ser His
195 200 205
Ile Thr Ala Glu Thr Ala Lys Arg Arg Leu Ala Arg Gly Ser Pro Pro
210 215 220
Pro Leu Ala Ser Ser Ser Ala Ser Gln Leu Ser Ala Pro Ser Leu Lys
225 230 235 240
Ala Thr Cys Thr Thr Arg His Asp Ser Pro Asp Ala Asp Leu Ile Glu
245 250 255
Ala Asn Leu Leu Trp Arg Gln Glu Met Gly Gly Asn Ile Thr Arg Val
260 265 270
Glu Ser Glu Asn Lys Val Val Ile Leu Asp Ser Phe Glu Pro Leu Gln
275 280 285
Ala Glu Glu Asp Glu Arg Glu Val Ser Val Pro Ala Glu Ile Leu Arg
290 295 300
Arg Ser Arg Lys Phe Pro Arg Ala Met Pro Ile Trp Ala Arg Pro Asp
305 310 315 320

Tyr Asn Pro Pro Leu Leu Glu Ser Trp Lys Asp Pro Asp Tyr Val Pro
325 330 335

Pro Val Val His Gly Cys Pro Leu Pro Pro Ala Lys Ala Pro Pro Ile
340 345 350

Pro Pro Pro Arg Arg Lys Arg Thr Val Val Leu Ser Glu Ser Thr Val
355 360 365

Ser Ser Ala Leu Ala Glu Leu Ala Thr Lys Thr Phe Gly Ser Ser Glu
370 375 380

Ser Ser Ala Val Asp Ser Gly Thr Ala Thr Ala Ser Pro Asp Gln Pro
385 390 395 400

Ser Asp Asp Gly Asp Ala Gly Ser Asp Val Glu Ser Tyr Ser Ser Met
405 410 415

Pro Pro Leu Glu Gly Glu Pro Gly Asp Pro Asp Leu Ser Asp Gly Ser
420 425 430

Trp Ser Thr Val Ser Glu Glu Ala Ser Glu Asp Val Val Cys Cys
435 440 445

<210> 22

<211> 7789

<212> DNA

<213> Hepatitis C virus

<400> 22

gccagccccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgtcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaaccgc ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgca gtgccccggg aggtctcgta gaccgtgcac cagaccacaa cggtttcct 360
ctagcgggat caattccgcc cctctccctc cccccccct aacgttactg gccgaagccg 420
cttgaataa ggccggtgtg cgtttgtcta tatgttattt tccaccatat tgccgtcttt 480
tggcaatgtg agggcccgga aacctggccc tgtcttcttg acgagcattc ctaggggtct 540
ttcccctctc gccaaaggaa tgcaaggctt gttgaatgtc gtgaaggaag cagttcctct 600
ggaagcttct tgaagacaaa caacgtctgt agcgaccctt tgcaggcagc ggaaccccc 660
acctggcgac aggtgcctct gcggccaaaa gccacgtgta taagatacac ctgcaaaggc 720
ggcacaaccc cagtgccacg ttgtgagttg gatagttgtg gaaagagtca aatggctctc 780
ctcaagcgta ttcaacaagg ggctgaagga tgcccagaag gtacccatt gtatgggatc 840
tgatctgggg cctcggtgca catgctttac atgtgtttag tcgaggttaa aaaacgtcta 900
ggccccccga accacgggga cgtgggtttc ctttgaaaaa cacgataata ccatggaccg 960
ggagatggca gcatcgtgcg gaggcgcggt tttcgtaggc ctgatactct tgacctgtc 1020
accgcactat aagctgttcc tcgctaggct catatggtgg ttacaatatt ttatcaccag 1080
ggccgaggca cacttgcaag tgtggatccc cccctcaac gttcgggggg gccgcgatgc 1140
cgtcatcctc ctacgtgcg cgatccacc agagctaate ttaccatca ccaaatctt 1200
gctcgccata ctcggtccac tcatggtgct ccaggctggt ataaccaaag tgccgtactt 1260
cgtgcgcgca cacgggctca ttcgtgcatg catgctggtg cggaagggtg ctgggggtca 1320
ttatgtccaa atggctctca tgaagttggc cgcaactgaca ggtacgtacg tttatgacca 1380
tctaccccca ctgcgggact gggcccacgc gggcctacga gaccttgcg tggcagttga 1440
gcccgtcgtc ttctctgata tggagaccaa ggttatcacc tggggggcag acaccgcggc 1500
gtgtggggac atcatcttgg gcctgcccgt ctccgcccgc agggggagg agatacatct 1560
gggaccggca gacagccttg aagggcagg gtggcgactc ctgcgccta ttacggccta 1620
ctcccaacag acgcgaggcc tacttggtg catcatcact agcctcacag gccgggacag 1680
gaaccaggtc gagggggagg tccaagtgtt ctccaccgca acacaatctt tcctggcgac 1740
ctgctcaat ggcgtgtgtt ggactgtcta tcatggtgcc ggctcaaaga cccttgccg 1800
cccaaagggc ccaatcacc aaatgtacac caatgtggac caggacctcg tcggctggca 1860
agcgcacccc ggggcgcgtt ccttgacacc atgcacctgc ggcagctcgg accttactt 1920
ggtcacgagg catgccgatg tcattccggt gcgcccgcgg ggcgacagca gggggagcct 1980
actctccccc aggcccgctc cctacttgaa gggctcttcg ggcggtccac tgctctgccc 2040

ctcggggcac gctgtgggca tctttcgggc tgcggtgtgc acccgagggg ttgcgaaggg 2100
ggtaggacttt gtacccgtcg agtctatgga aaccactatg cgggtccccg tcttcacgga 2160
caactcgtcc cctccggccg tacgcagac attccaggtg gccatctac acgcccctac 2220
tgtagcggc aagagcacta aggtgccggc tgcgtatgca gccaagggt ataaggtgct 2280
tgtcctgaac cgtccgtcg ccgccaccct aggtttcggg gcgtatatgt ctaaggcaca 2340
tggtatcgac cctaacatca gaaccggggt aaggaccatc accacgggtg ccccatcac 2400
gtactccacc tatggcaagt ttcttgccga cgtggttgc tctggggcg cctatgacat 2460
cataatatgt gatgagtgc actcaactga ctcgaccact atcctgggca tcggcacagt 2520
cctggacca gcgagacgg ctggagcgc actcgtcgtg ctcgccaccg ctacgcctcc 2580
gggatcggtc accgtgccac atccaaacat cgaggaggtg gctctgtcca gcactggaga 2640
aatccccttt tatggcaaag ccatccccat cgagaccatc aaggggggga ggcacctcat 2700
ttctgccat tccaagaaga aatgtgatga gtcgccgcg aagctgtccg gcctcggact 2760
caatgctgta gcatattacc ggggccttga tgtatccgtc ataccaacta gcggagacgt 2820
cattgtcgta gcaacggacg ctctaactga gggctttacc ggcgatttcg actcagtgtat 2880
cgactgcaat acatgtgtca cccagacagt cgacttcagc ctggaccgga ccttcaccat 2940
tgagacgacg accgtgccac aagacgcggt gtcacgctcg cagcggcgag gcaggactgg 3000
tagggcgagg atgggcattt acaggtttgt gactccagga gaacggccct cgggcatgtt 3060
cgattcctcg gttctgtgcg agtgctatga cgcgggctgt gcttggtacg agtcacgcc 3120
cgccgagacc tcagttaggt tgcgggctta cctaaacaca ccagggttgc ccgtctgcca 3180
ggaccatctg gagttctggg agagcgtctt tacaggcctc acccacatag acgcccattt 3240
cttgtccag actaagcagg caggagacaa ctcccccctac ctggtagcat accaggctac 3300
ggtgtgcgcc agggctcagg ctccacctcc atcgtgggac caaatgtgga agtgtctcat 3360
acggctaaag cctacgctgc acgggccaac gcccctgctg tataggctgg gagccgttca 3420
aaacgaggtt actaccacac accccataac caaatacatc atggcatgca tgcgggtga 3480
cctggaggtc gtcacgagca cctgggtgct ggtaggcgga gtcctagcag ctctggccgc 3540
gtattgcctg acaacaggca gcgtggtcat tgtgggcagg atcatcttgt ccggaaagcc 3600
ggccatcatt cccgacaggg aagtccttta ccgggagttc gatgagatgg aagagtgcgc 3660
ctcacacctc ccttacatcg aacagggaat gcagctcgcc gaacaattca aacagaaggc 3720
aatcgggttg ctgcaaacag ccaccaagca agcggaggct gctgctcccg tgggtggaatc 3780
caagtggcgg accctcgaag ccttctgggc gaagcatatg tggaatttca tcagcgggat 3840
acaatattta gcaggcttgt ccactctgcc tggcaacccc gcgatagcat cactgatggc 3900
attcacagcc tctatcacca gcccgtcac caccacat accctcctgt ttaacatcct 3960
gggggatgg gtggccgccc aacttgctcc tcccagcgt gcttctgctt tcgtaggcgc 4020
cgcatcgct ggagcggctg ttggcagcat aggccttggg aaggtgcttg tggatatatt 4080
ggcaggttat ggagcagggg tggcaggcgc gctcgtggcc tttaaggta tgagcggcga 4140
gatgccctcc accgaggacc tggtaacct actcctgct atcctctccc ctggcgccct 4200
agtcgtcggg gtcgtgtgcg cagcgatact gcgtcgccac gtgggcccag gggagggggc 4260
tgtgcagtgg atgaaccggc tgatagcgtt cgcttcgcgg ggtaaccacg tctccccac 4320
gcactatgtg cctgagagcg acgctgcagc acgtgtcact cagatcctct ctagtcttac 4380
catcactcag ctgctgaaga ggcttcacca gtggatcaac gaggactgct ccacgccatg 4440
ctccggctcg tggctaagag atgtttggga ttggatatgc acggtgttga ctgatttcaa 4500
gacctggctc cagtccaagc tcctgccgcg attgccggga gtccccttct tctcatgtca 4560
acgtgggtac aaggaggtct ggcgggcgga cggcatcatg caaaccacct gccatgtgg 4620
agcacagatc accggacatg tgaaaaacgg ttccatgagg atcgtggggc ctaggacctg 4680
tagtaacacg tggcatggaa cattccccat taacgcgtac accacgggcc cctgcacgcc 4740
ctccccggcg ccaaattatt ctagggcgct gtggcggtg gctgctgagg agtacgtgga 4800
ggttacgcgg gtgggggatt tccactacgt gacgggcatg accactgaca acgtaaagtg 4860
cccgtgtcag gttccggccc ccgaattctt cacagaagtg gatggggtgc ggttgacacg 4920
gtacgtcca gcgtgcaaac cctcctacg ggaggaggtc acattcctgg tcgggctcaa 4980
tcaatacctg gttgggtcac agtcccatg cgagcccgaa ccggacgtag cagtgtcac 5040
ttcatgctc accgaccct cccacattac ggcggagacg gctaagcgtg ggctggccag 5100
gggatctccc cctccttgg ccagctcact agctatccag ctgtctgcgc ctcccttga 5160
ggcaacatgc actaccgctc atgactcccc ggacgtgac ctcacgagg ccaacctcct 5220
gtggcggcag gagatgggcg ggaacatcac ccgcgtggag tcagaaaata aggtagtaat 5280
tttgactct ttcgagccgc tccaagcgga ggaggatgag agggaaagtat ccgttccggc 5340
ggagatcctg cggaggtcca ggaaattccc tcgagcgatg cccatattggg cacgcccgga 5400
ttacaaccct ccactgttag agtccgtgaa ggaccggac tacgtccctc cagtgttaca 5460
cgggtgtcca ttgccgcctg ccaaggcccc tccgatacca cctccacgga ggaagaggac 5520
ggttgcctg tcagaatcta ccgtgtcttc tgccctggcg gagctcgcca caaagacctt 5580
cggcagctcc gaatcgtcgg ccgtcgacag cggcacggca acggcctctc ctgaccagcc 5640
ctccgacgac ggcgacgcgg gatccgacgt tgagtcgtac tctccatgc cccccctga 5700
gggggagccg ggggatcccg atctcagcga cgggtcttgg tctaccgtaa gcgaggaggc 5760
tagtgaggac gtcgtctgct gctcgatgtc ctacacatgg acaggcgccc tgatcacgcc 5820
atgcgtgcg gaggaaacca agctgcccat caatgcactg agcaactctt tgctccgtca 5880
ccacaacttg gtctatgcta caacatctcg cagcgcaagc ctgcggcaga agaaggtcac 5940
ctttgacaga ctgcaggtcc tggacgacca ctaccgggac gtgctcaagg agatgaaggc 6000

```

gaaggcgtcc acagttaagg ctaaacttct atccgtggag gaagcctgta agctgacgcc 6060
cccacattcg gccagatcta aatttggtta tggggcaaag gacgtccgga acctatccag 6120
caaggccgtt aaccacatcc gtcctgtgtg gaaggacttg ctggaagaca ctgagacacc 6180
aattgacacc accatcatgg caaaaaatga ggttttctgc gtccaaccag agaagggggg 6240
ccgcaagcca gtcgcctta tcgtattccc agatttgggg gttcgtgtgt gcgagaaaat 6300
ggccctttac gatgtggtct ccacctccc tcaggccgtg atgggctctt catacggatt 6360
ccaatactct cctggacagc gggtcgagtt cctggtgaat gcctggaaag cgaagaaatg 6420
ccctatgggc ttcgcatatg acaccgctg ttttgactca acggtcactg agaatgacat 6480
ccgtgttgag gagtcaatct accaatgttg tgacttggcc cccgaagcca gacaggccat 6540
aaggctcgtc acagagcggc ttacatcgg gggccccctg actaattcta aagggcagaa 6600
ctgcggctat cgcgggtgcc gcgcgagcgg tgtactgacg accagctgcg gtaataccct 6660
cacatgttac ttgaaggccg ctgcggcctg tcgagctgcg aagctccagg actgcacgat 6720
gctcgtatgc ggagacgacc ttgtcgttat ctgtgaaagc gcggggaccc aagaggacga 6780
ggcgagccta cgggccttca cggaggctat gactagatac tctgcccccc ctggggaccc 6840
gcccaccca gaatacgact tggagttgat aacatcatgc tcctccaatg tgtcagtcgc 6900
gcacgatgca tctggcaaaa ggggtgtacta tctcaccctg gacccacca cccccctgc 6960
gcgggctgcg tgggagacag ctagacacac tccagtcaat tcctggctag gcaacatcat 7020
catgtatgcg cccaccttgt gggcaaggat gatcctgatg actcatttct tctccatcct 7080
tctagctcag gaacaacttg aaaaagccct agattgtcag atctacgggg cctgttactc 7140
cattgagcca cttgacctac ctcatatcat tcaacgactc catggcctta gcgcattttc 7200
actccatagt tactctccag gtgagatcaa tagggtggct tcatgcctca ggaaacttgg 7260
ggtagcgcgc ttgcgagtct ggagacatcg ggccagaagt gtccgcgcta ggctactgtc 7320
ccaggggggg agggctgcc a ttgtggcaa gtacctcttc aactgggcag taaggaccaa 7380
gctcaaactc actccaatcc cggctgcgtc ccagttggat ttatccagct gggtcgttgc 7440
tggttacagc gggggagaca tatacacag cctgtctcgt gcccgacccc gctggttcat 7500
gtggtgccta ctctacttt ctgtaggggt aggcattctat ctactcccca accgatgaac 7560
ggggaccta acaactccagg ccaataggcc atcctgtttt tttccctttt ttttttctt 7620
ttttttttt ttttttttt ttttttttt ttctcctttt tttttcctt tttttcctt 7680
ttctttcctt tgggtggtcc atcttagccc tagtcacggc tagctgtgaa aggtccgtga 7740
gccgcttgac tgcagagagt gctgatactg gcctctctgc agatcaagt 7789

```

<210> 23

<211> 11062

<212> DNA

<213> Hepatitis C virus

<400> 23

```

gccagcccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgtcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtggtctg cggaaccggt gactacaccg gaattgccag 180
gacgaccggg tcctttcttg gatcaaccgg ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttgggtc gcgaaaggcc ttgtggtact gcctgatagg 300
gtgcttgcca gtgccccggg aggtctcgta gaccgtgcac catgagcagc aatcctaaac 360
ctcaaagaaa aaccaaaggc cgcgccatga ttgaacaaga tggattgcac gcaggttctc 420
cggccgcttg ggtggagagg ctattcggct atgactgggc acaacagaca atcggctgct 480
ctgatgccgc cgtgttccgg ctgtcagcgc aggggcgccc ggttcttttt gtcaagaccg 540
acctgtccgg tgccctgaat gaactgcagg acgaggcagc gcggctatcg tggctggcca 600
cgacgggcgt tccttgcgca gctgtgctcg acgttgtcac tgaagcggga agggactggc 660
tgctattggg cgaagtgccg gggcaggatc tcctgtcatc tcaccttgc cctgccgaga 720
aagtatccat catggctgat gcaatgcggc ggctgcatac gcttgatccg gctacctgcc 780
cattcgacca ccaagcgaaa catcgcatcg agcgagcagc tactcgatg gaagccggtc 840
ttgtcgatca ggatgatctg gacgaagagc atcaggggct cgcgccagcc gaactgttcg 900
ccaggctcaa ggcgcgcgat cccgacggcg aggatctcgt cgtgacccat ggcgatgcct 960
gcttgccgaa tatcatggtg gaaaatggcc gcttttcttg attcatcgac tgtggccggc 1020
tgggtgtggc ggaccgctat caggacatag cgttggctac ccgtgatatt gctgaagagc 1080
ttggcggcga atgggctgac cgcttcctcg tgctttacgg tatcgccgct cccgattcgc 1140
agcgcatcgc ctctatcgc ctctctgac agttcttctg agtttaaca gaccacaacg 1200
gtttccctct agcgggatca attccgcccc tctccctccc cccccctaa cgttactggc 1260
cgaagccgct tggaataagg ccggtgtgcg tttgtctata tgttattttc caccatattg 1320
ccgtcttttg gcaatgtgag ggcccggaaa cctggccctg tcttcttgac gagcattcct 1380
aggggtcttt cccctctcgc caaaggaatg caaggtctgt tgaatgtcgt gaaggaagca 1440
gttcctctgg aagcttcttg aagacaaaca acgtctgtag cgacccttg caggcagcgg 1500
aacccccac ctggcgacag gtgcctctgc ggccaaaagc cacgtgtata agatacacct 1560
gcaaaggcgg cacaacccca gtgccacgtt gtgagttgga tagttgtgga aagagtcaaa 1620
tggctctcct caagcgtatt caacaagggg ctgaaggatg cccagaaggt accccattgt 1680
atgggatctg atctggggcc tcggtgcaca tgctttacat gtgttttagtc gaggttaaaa 1740

```

aacgtctagg cccccgaac cacggggacg tggttttcct ttgaaaaaca cgataataat 1800
gagcacgaat cctaaacctc aaagaaaaac caaacgtaac accaaccgcc gccacagga 1860
cgtcaagttc ccgggcggtg gtcagatcgt cgggtggagt tacctgttgc cgcgcagggg 1920
ccccaggttg ggtgtgcgcg cgactaggaa gacttccgag cggtcgcaac ctcgtggaag 1980
gcgacaacct atccccagg ctgcagcc cgagggtagg gcctgggctc agcccgggta 2040
cccctggccc ctctatggca atgagggtt ggggtgggca ggatggctcc tgtcaccctg 2100
tggtctctcg cctagtggg gccccacgga ccccgccgt aggtcgcgca atttgggtaa 2160
ggtcacgat accctcacgt gcggcttcgc gatctcatg gggtagattc cgtcgtcgg 2220
cgcccccta gggggcgctg ccagggccct ggccgatggc gtccgggttc tggaggacgg 2280
cgtgaactat gcaacaggga atctgcccg ttgctcctt tctatcttcc ttttggcttt 2340
gctgtcctgt ttgaccatcc cagcttccgc ttatgaagt cgcaacgtat ccggagtgt 2400
ccatgtcacg aacgactgct ccaacgcaag cattgtgtat gaggcagcg acatgatcat 2460
gcatacccc ggggtgcgtg cctgcgttcg ggagaacaac tcctcccgct gctgggtagc 2520
gctcactccc acgctcgcgg ccaggaaacgc tagcgtcccc actacgacga tacgacgcca 2580
tgtcgatttg ctcgttgggg cggctgctct ctgctccgct atgtacgtgg gagatctctg 2640
cggatctgtt ttcctcgtcg cccagctgtt cacttctcg cctcgcgggc acgagacagt 2700
acaggactgc aattgctcaa tatatcccgg ccacgtgaca ggtcacctga tggcttggga 2760
tatgatgatg aactggtcac ctacagcagc cctagtggta tcgcagttac tccggatccc 2820
acaagctgtc gtggatatgg tggcgggggc ccattgggga gtcctagcgg gccttgccca 2880
ctattccatg gtggggaact gggctaagg tctgattgtg atgtactct tggcggcgt 2940
tgacggggga acctatgtga caggggggac gatggccaaa aacaccctcg ggattacgtc 3000
cctcttttca cccgggtcat cccagaaaat ccagcttgta aacaccaacg gcagctggca 3060
catcaacagg actgccctga actgcaatga ctccctcaac actgggttcc ttgctgcgt 3120
gttctacgtg cacaagttca actcatctgg atgccagag cgcattggca gctgcagccc 3180
catcgacgcg ttcgctcagg ggtggggggc catcacttac aatgagtcac acagctcgg 3240
ccagaggcct tattgttggc actacgcacc ccggccgtgc ggtatcgtac ccgcggcgca 3300
ggtgtgtggt ccagtgtact gcttcacccc aagccctgtc gtggtgggga cgaccgaccg 3360
gttcggcgtc cctacgtaca gttgggggga gaatgagac gacgtgctgc ttcttaaca 3420
cacgcggccg ccgcaaggca actggtttgg ctgtacatgg atgaatagca ctgggttcac 3480
caagacgtgc gggggccccc cgtgtaacat cggggggatc ggcaataaaa ccttgacctg 3540
ccccacggac tgcttccgga agcaccgccg ggccacttac accaagtgtg gttcggggcc 3600
ttggttgaca cccagatgct tggteccata cccatacagg ctttggcact acccctgcac 3660
tgtcaacttt accatcttca aggttaggat gtacgtgggg ggagtggagc acaggctcga 3720
agccgcatgc aattggactc gaggagagcg ttgtaacctg gaggacaggg acagatcaga 3780
gcttagcccg ctgctgctgt ctacaacgga gtggcaggta ttgccctgtt ccttcaccac 3840
cctaccggct ctgtccactg gtttgatcca tctccatcag aacgtcgtgg acgtacaata 3900
cctgtacggt atagggctcg cggttgtctc ctttgcaatc aaatgggagt atgtcctgtt 3960
gctcttccct cttctggcgg acgcgcgcgt ctgtgcctgc ttgtggatga tgcgtctgat 4020
agctcaagct gagggccgcc tagagaacct ggtggtcctc aacgcggcat ccgtggccgg 4080
ggcgcatggc attctctcct tcctcgtgtt cttctgtgct gcctggatga tcaagggcag 4140
gctggtccct ggggcggcat atgccctcta cggcgatagg ccgctactcc tgcctcgtct 4200
ggcgttacca ccacgagcat acgccatgga ccgggagatg gcagcatcgt gcggaggcgc 4260
ggttttcgta ggtctgatac tcttgacctt gtcaccgcac tataagctgt tcctcgctag 4320
gctcatatgg tggttacaat attttatcac cagggccgag gcacacttgc aagtgtggat 4380
ccccccctc aacgttcggg ggggcgcgca tgccgtcatc ctcctcacgt gcgcgatcca 4440
cccagagcta atctttacca tcacaaaat cttgctcgcc atactcggtc cactcatggt 4500
gctccaggct ggtataacca aagtgccgta cttcgtgcgc gcacacgggc tcattcgtgc 4560
atgcatgctg gtgcggaagg ttgctggggg tcattatgtc caaatggctc tcatgaagtt 4620
ggccgcactg acaggtacgt acgtttatga ccatctcacc ccactgcggg actggggcca 4680
cgccggccta cgagaccttg cgggtggcagt tgagcccgtc gtcttctctg atatggagac 4740
caaggttatc acctgggggg cagacaccgc ggcgtgtggg gacatcatct tgggcctgcc 4800
cgtctccgcc cgcaggggga gggagataca tctgggaccg gcagacagcc ttgaagggca 4860
ggggtggcga ctctcgcgc ctattacggc ctactcccaa cagacgcgag gcctacttgg 4920
ctgcatcate actagcctca caggccggga caggaaaccg gtcgaggggg aggtccaagt 4980
ggtctccacc gcaacacaat ctttccctggc gacctgcgtc aatggcgtgt gttggactgt 5040
ctatcatggt gccggctcaa agacccttgc cggcccaaag ggcccaatca cccaaatgta 5100
caccaatgtg gaccaggacc tcgtcggctg gcaagcggcc cccggggcgc gttccttgac 5160
accatgcacc tgcggcagct cggaccttta cttggtcac aggcagcccg atgtcattcc 5220
ggtgcgcggc cggggcgaca gcagggggag cctactctcc cccaggcccg tctcctactt 5280
gaagggtctc tcgggcggtc cactgctctg cccctcgggg cacgctgtgg gcacttttcg 5340
ggctgccgtg tgcacccgag gggttgcgaa ggcgggtggac tttgtaccgg tcgagtctat 5400
ggaaaccact atgcgggtccc cgtctttcac ggacaactcg tcccctccgg ccgtaccgca 5460
gacattccag gtggcccatc tacacgcccc tactggtagc ggcaagagca ctaagggtgcc 5520
ggctgcgtat gcagcccaag ggtataagg gcttgcctct aaccgcctcg tcgcccacac 5580
cctaggtttc ggggcgtata tgtctaaggc acatggtatc gaccctaaca tcagaaccgg 5640
ggtaaggacc atcaccacgg gtgcccccat cacgtactcc acctatggca agtttcttgc 5700

cgacggtggt tgctctgggg ggcctatga catcataata tgtgatgagt gccactcaac 5760
tgactcgacc actatcctgg gcatcggcac agtcctggac caagcggaga cggctggagc 5820
gcgactcgtc gtgctcgcca ccgctacgcc tccgggatcg gtcaccgtgc cacatccaaa 5880
catcgaggag gtggctctgt ccagcactgg agaaatcccc ttttatggca aagccatccc 5940
catcgagacc atcaaggggg ggaggcacct cattttctgc cattccaaga agaaatgtga 6000
tgagctcgcc gcgaagctgt ccggcctcgg actcaatgct gtagcatatt accggggcct 6060
tgatgtatcc gtcataccaa ctagcggaga cgtcattgtc gtagcaacgg acgctctaata 6120
gacgggcttt accggcgatt tcgactcagt gatcgactgc aatacatgtg tcacccagac 6180
agtcgacttc agcctggacc cgaccttcac cattgagacg acgaccgtgc cacaagacgc 6240
ggtgtcacgc tcgcagcggc gaggcaggac tggtaggggc aggatgggca tttacagggt 6300
tgtgactcca ggagaacggc cctcgggcat gttcgattcc tcggttctgt gcgagtgtga 6360
tgacgcgggc tgtgcttggt acgagctcac gcccgccgag acctcagtta ggttgccggc 6420
ttacctaaac acaccagggt tgcccgtctg ccaggaccat ctggagttct gggagagcgt 6480
ctttacaggc ctcaccacca tagacgcca tttcttgctc cagactaagc aggcaggaga 6540
caacttcccc tacctggtag cataccaggc tacggtgtgc gccagggctc aggcctcacc 6600
tccatcgtgg gaccaaattgt ggaagtgtct catacggcta aagcctacgc tgcacgggccc 6660
aacgcccctg ctgtataggc tgggagccgt tcaaacgag gttactacca cacaccccat 6720
aaccaaatac atcatggcat gcatgtcggc tgacctggag gtcgtcacga gcacctgggt 6780
gctggtaggc ggagtcctag cagctctggc cgcgtattgc ctgacaacag gcagcgtggt 6840
cattgtgggc aggatcatct tgtccgaaa gccggccatc attcccagca ggggaagtcct 6900
ttaccgggag ttcgatgaga tggaaagagt cgcctcacac ctcccttaca tcgaacaggg 6960
aatgcagctc gccgaacaat tcaaacagaa ggcaatcggg ttgctgcaaa cagccacca 7020
gcaagcggag gctgctgctc ccgtggtgga atccaagtgg cggaccctcg aagccttctg 7080
ggcgaagcat atgtggaatt tcatcagcgg gatacaatat ttagcaggct tgtccactct 7140
gcctggcaac ccgcgcatag catcactgat ggcattcaca gcctctatca ccagcccgt 7200
caccacccaa cataccctcc tgtttaacat cctgggggga tgggtggccg cccaacttgc 7260
tcctcccagc gctgcttctg ctttcgtagg cgcggccatc gctggagcgg ctgttggcag 7320
cataggcctt gggaagggtc ttgtggatat ttggcagggt tatggagcag ggggtggcagg 7380
cgcgctcgtg gcctttaagg tcatgagcgg cgagatgcc tccaccgagg acctggttaa 7440
cctactccct gctatcctct cccctggcgc cctagtcgtc ggggtcgtgt gcgcagcgt 7500
actgcgtcgg cacgtgggccc caggggaggg ggctgtgcag tggatgaacc ggctgtagc 7560
gttcgcttcg cggggtaac acgtctcccc cagcactat gtgcctgaga gcgacgtgc 7620
agcacgtgtc actcagatcc tctctagtct taccatcact cagctgctga agaggcttca 7680
ccagtggatc aacgaggact gctccacgcc atgctccggc tcgtggctaa gagatgtttg 7740
ggattggata tgcacggtgt tgactgattt caagacctgg ctccagtcca agctcctgcc 7800
gcgattgccg ggagtccct tcttctcatg tcaacgtggg tacaaggag tctggcgggg 7860
cgacggcatc atgcaaacca cctgcccattg tggagcacag atcaccggac atgtgaaaaa 7920
cggttccatg aggatcgtgg ggcctaggac ctgtagtaac acgtggcatg gaacattccc 7980
cattaacgcg tacaccacgg gccctgcac gccctccccg gcgcaaatt attctagggc 8040
gctgtggcgg gtggctgctg aggagtacgt ggagggtacg cgggtggggg atttccacta 8100
cgtgacgggc atgaccactg acaacgtaaa gtgcccgtgt cagggtccgg ccccggaatt 8160
cttcacagaa gtggatgggg tgcggttgca caggtagcct ccagcgtgca aaccctcct 8220
acgggaggag gtcacattcc tggtcgggct caatcaatac ctggttgggt cacagctccc 8280
atgcgagccc gaaccggacg tagcagtgt cacttccatg ctcaccgacc cctcccacat 8340
tacggcggag acggtctaac gtaggctggc caggggatct cccctcctct tggccagctc 8400
atcagctatc cagctgtctg cgccttccct gaaggcaaca tgcactaccc gtcagtactc 8460
cccggacgct gacctatcg aggcacaacct cctgtggcgg caggagatgg gcgggaacat 8520
caccgcgtg gagtcaaaa ataaggtagt aattttggac tcttctgagc cgctccaagc 8580
ggaggaggat gagagggaag tatccgttcc ggcggagatc ctgaggagggt ccaggaaatt 8640
ccctcgagcg atgcccata gggcacgccc ggattacaac cctccactgt tagagtcctg 8700
gaaggacccg gactacgtcc ctccagtgtt acacgggtgt ccattgccgc ctgccaaggc 8760
ccctccgata ccacctccac ggagggaag gacggttgtc ctgtcagaat ctaccgtgtc 8820
ttctgccttg gcggagctcg ccacaaagac cttcggcagc tccgaatcgt cggccgtcga 8880
cagcggcacg gcaacggcct ctcctgacca gccctccgac gacggcgacg cgggatccga 8940
cgttgagtcg tactcctcca tgccccctt tgagggggag cggggggatc ccgatctcag 9000
cgacgggtct tggcttaccg taagcgagga ggctagttag gacgtcgtct gctgctcgt 9060
gtcctacaca tggacaggcg ccctgatcac gccatgcgt gcggaggaaa ccaagctgcc 9120
catcaatgca ctgagcaact ctttgcctcg tcaccacaac ttggtctatg ctacaacatc 9180
tcgcagcgca agcctgcggc agaagaagg cacccttgac agactgcagg tcctggacga 9240
ccactaccgg gacgtgctca aggagatgaa ggcaaggcg tccacagtta aggctaaact 9300
tctatccgtg gaggaagcct gtaagctgac gccccacat tcggccagat ctaaatttgg 9360
ctatggggca aaggacgtcc ggaacctatc cagcaaggcc gttaaccaca tccgctccgt 9420
gtggaaggac ttgctggaag aactgagac accaattgac accaccatca tggcaaaaaa 9480
tgagggtttc tgcgtccaac cagagaagg gggccgcaag ccagctcgcc ttatcgtatt 9540
cccagatttg ggggttcgtg tgtgcgagaa aatggccctt tacgatgtgg tctccacct 9600
ccctcaggcc gtgatgggct cttcatacgg attccaatac tctcctggac agcgggtcga 9660


```

gttcctggtg aatgcctgga aagcgaagaa atgccctatg ggcttcgcat atgacacccg 9720
ctgttttgac tcaacggtca ctgagaatga catccgtgtt gaggagtcaa tctaccaatg 9780
ttgtgacttg gccccgaag ccagacaggc cataaggctg ctacagagc ggctttacat 9840
cgggggcccc ctgactaatt ctaaaggga gaactgcggc tatcgccggt gccgcgcgag 9900
cggtgtactg acgaccagct gcggtataac cctcacatgt tacttgaagg ccgctgcggc 9960
ctgtcgagct gcgaagctcc aggactgcac gatgctcgta tgcggagacg accttgtcgt 10020
tatctgtgaa agcgcgggga cccaagagga cgaggcgagc ctacgggcct tcacggaggc 10080
tatgactaga tactctgccc cccctgggga cccgccaaa ccagaatacg acttggagtt 10140
gataacatca tgctcctcca atgtgtcagt cgcgcacgat gcatctggca aaaggtgta 10200
ctatctcacc cgtgacccca ccaccccct tgcgcgggct gcgtgggaga cagctagaca 10260
cactccagtc aattcctggc taggcaacat catcatgtat gcgccacct tgtgggcaag 10320
gatgatcctg atgactcatt tcttctccat ccttctagct caggaacaac ttgaaaaagc 10380
cctagattgt cagatctacg gggcctgtta ctccattgag ccacttgacc tacctcagat 10440
cattcaacga ctccatggcc ttagcgcatt ttcactccat agttactctc caggtgagat 10500
caatagggtg gcttcatgcc tcaggaaact tgggggtaccg cccttgcgag tctggagaca 10560
tcggggcaga agtgtccgcg ctaggctact gtcccagggg gggagggtg ccacttgtgg 10620
caagtacctc ttcaactggg cagtaaggac caagctcaaa ctactccaa tcccggctgc 10680
gtcccagttg gatttatcca gctggttcgt tgctggttac agcgggggag acatatatca 10740
cagcctgtct cgtgcccgcac ccgctgggtt catgtggtgc ctactcctac tttctgtagg 10800
ggtaggcac tatctactcc ccaaccgatg aacggggacc taaacactcc aggccaatag 10860
gccatcctgt ttttttccct tttttttttt cttttttttt tttttttttt tttttttttt 10920
tttttctcct ttttttttcc ttttttttcc cttttcttcc ctttgggtggc tccatcttag 10980
ccctagtcac ggctagctgt gaaagggtccg tgagccgctt gactgcagag agtgctgata 11040
ctggcctctc tgcagatcaa gt 11062

```

<210> 24

<211> 9605

<212> DNA

<213> Hepatitis C virus

<400> 24

```

gccagcccc gattgggggc gacactccac catagatcac tcccctgtga ggaactactg 60
tcttcacgca gaaagcgtct agccatggcg ttagtatgag tgctcgtgcag cctccaggac 120
ccccctccc gggagagcca tagtggctct cggaaccggt gagtacaccg gaattgccag 180
gacgaccggg tcccttcttg gatcaaccgc ctcaatgcct ggagatttgg gcgtgcccc 240
gcgagactgc tagccgagta gtgttggtgc gcgaaaggcc ttgtgggtact gcctgatagg 300
gtgcttgaga gtgccccggg aggtctcgta gaccgtgcac catgagcacg aatcctaaac 360
ctcaaagaaa aaccaaactg aacaccaacc gccgccaca ggacgtcaag tcccggggcg 420
gtggtcagat cgtcgggtgga gtttacctgt tgccgcgcag gggccccagg ttgggtgtgc 480
gcgcgactag gaagacttcc gagcggctgc aacctcgtgg aaggcgacaa cctatcccca 540
aggctcgcca gcccgagggt agggcctggg ctacgcccgg gtaccctctg cccctctatg 600
gcaatgaggg cttgggggtg gcaggatggc tctgtcacc ccgtggctct cggcctagtt 660
ggggcccccac ggacccccgg cgtaggtcgc gcaatttggg taaggctatc gataccctca 720
cgtgcggctt cgccgatctc atgggggtaca ttccgctcgt cggcgcccc ctagggggcg 780
ctgccagggc cctggcgcac ggcgtccggg ttctggagga cggcgtgaac tatgcaacag 840
ggaatctgcc cggttgctcc ttttctatct tcttttggc ttgtctgtcc tgtttgacca 900
tcccagcttc cgcttatgaa gtgcgcaacg tatccggagt gtaccatgtc acgaacgact 960
gctccaacgc aagcattgtg tatgaggcag cggacatgat catgcatacc cccgggtgcg 1020
tgccctgcgt tcgggagAAC aactcctccc gctgctgggt agcgtcact cccacgctcg 1080
cggccaggaa cgctagcgtc cccactacga cgatacgacg ccatgtcgat ttgctcgttg 1140
ggcggtgctc tctctgctcc gctatgtacg tgggagatct ctgaggatct gttttcctcg 1200
tcgcccagct gttcaccttc tcgcctcgcc ggcacgagac agtacaggac tgcaattgct 1260
caatatatcc cggccacgtg acaggtcacc gtatggcttg ggatatgatg atgaactggt 1320
cacctacagc agccctagtg gtatcgcatg tactccggat cccacaagct gtcgtggata 1380
tggtggcggg ggcccatggt ggagtcctag cgggccttgc ctactattcc atggtgggga 1440
actgggctaa ggttctgatt gtgatgttac tctttgccgg cgttgacggg ggaacctatg 1500
tgacaggggg gacgatggcc aaaaacaccc tcgggattac gtccctcttt tcacccgggt 1560
catcccagaa aatccagctt gtaaacacca acggcagctg gcacatcaac aggactgcc 1620
tgaactgcaa tgactccctc aacactgggt tccttgctgc gctgttctac gtgcacaagt 1680
tcaactcatc tggatgcccA gagcgcagtg ccagctgcag ccccatcgac gcgttcgctc 1740
aggggtgggg gcccatcact tacaatgagt cacacagctc ggaccagagg ccttattggt 1800
ggcactacgc accccggccg tcggtatcg taccgcggc gcaggtgtgt ggtccagtgt 1860
actgcttcac cccaagccct gtcgtggtgg ggacgaccga ccggttcggc gtccctacgt 1920
acagttgggg ggagaatgag acggacgtgc tgcttcttaa caacacgcgg ccgcccgaag 1980
gcaactgggt tggctgtaca tggatgaata gcactgggtt caccaagacg tcggggggcc 2040
ccccgtgtaa catcgggggg atcggcaata aaacctgac ctgccccacg gactgcttcc 2100

```

ggaagcaccg cgaggccact tacaccaagt gtgggttcggg gccttggttg acaccagat 2160
gcttggtcca ctaccatac aggccttggc actaccctg cactgtcaac tttaccatct 2220
tcaaggtag gatgtacgtg gggggagtgg agcacaggct cgaagccgca tgcaattgga 2280
ctcgaggaga gcgttgtaac ctggaggaca gggacagatc agagcttagc ccgctgctgc 2340
tgtctacaac ggagtggcag gtattgccct gttccttcac caccctaccg gctctgtcca 2400
ctggtttgat ccatctccat cagaacgtcg tggacgtaca atacctgtac ggtataggg 2460
cggcgggtgt ctcctttgca atcaaatggg agtatgtcct gttgctcttc cttcttctgg 2520
cggacgcgcg cgtctgtgcc tgccttggtga tgatgctgct gatagctcaa gctgaggccg 2580
ccctagagaa cctgggtggc ctcaacgcgg catccgtggc cggggcgcat ggcattctct 2640
ccttctctgt gttcttctgt gctgcctggg acatcaaggg caggctgggc cctggggcgg 2700
catatgccct ctacggcgta tggccgctac tcctgctcct gctggcgta ccaccacgag 2760
catacgccat ggaccgggag atggcagcat cgtgcggagg cgcggttttc gtaggtctga 2820
tactcttgac cttgtcaccg cactataagc tgttcctcgc taggctcata tgggtggttac 2880
aatattttat caccagggcc gaggcacact tgcaagtgtg gatcccccc ctcaacgttc 2940
gggggggccc cgatgccgtc atcctcctca cgtgcgcgat ccaccagag ctaatcttta 3000
ccatcaccaa aatcttgctc gccatactcg gtccactcat ggtgctccag gctggtataa 3060
ccaaagtgcc gtacttcgtg cgcgcacacg ggctcattcg tgcatgcatg ctggtgcgga 3120
aggttgctgg gggtcattat gtccaaatgg ctctcatgaa gttggccgca ctgacaggta 3180
cgtacgttta tgaccatctc acccactgc gggactgggc ccacgcgggc ctacgagacc 3240
ttgcgggtggc agttgagccc gtcgtcttct ctgatatgga gaccaagggt atcacctggg 3300
gggcagacac cgcggcgtgt ggggacatca tcttgggcct gcccgctctc gcccgaggg 3360
ggaggagat acatctggga ccggcagaca gccttgaagg gcagggtgg cgactcctcg 3420
cgcctattac ggcctactcc caacagacgc gaggcctact tggctgcatc atcactagcc 3480
tcacaggccg ggacaggaac caggtcgagg gggaggcca agtggtctcc accgcaacac 3540
aatctttcct ggcgacctgc gtcaatggcg tgtgttgga tgtctatcat ggtgccggct 3600
caaagaccct tgccggccca aagggcccaa tcacccaaat gtacaccaat gttgaccagg 3660
acctcgctcg ctggcaagcg cccccgggg cgcgttcctt gacaccatgc acctgcggca 3720
gctcggacct ttacttggtc acgaggcatg ccgatgtcat tccggtgcgc cggcggggcg 3780
acagcagggg gaggctactc tccccaggc ccgtctccta cttgaagggc tcttcggggc 3840
gtccactgct ctgcccctcg gggcacgctg tgggcatctt tcgggctgcc gtgtgcaccc 3900
gaggggttgc gaaggcgggt gactttgtac ccgtcgagtc tatggaaacc actatgcgg 3960
ccccggtctt cacggacaac tcgtccctc cggccgtacc gcagacatc cagggtggcc 4020
atctacacgc ccctactggt agcggcaaga gcactaagg gccggctgct tatgcagccc 4080
aagggtataa ggtgcttgtc ctgaaccgt ccgtcgccgc caccctaggt ttcggggcgt 4140
atatgtctaa ggcacatggt atcgacccta acatcagaac cggggtaagg accatcacca 4200
cgggtgcccc catcacgtac tccacctatg gcaagtttct tgccgacggt ggttgctctg 4260
ggggcgccca tgacatcata atatgtgat agtgccactc aactgactcg accactatcc 4320
tgggcatcgg cacagtcctg gaccaagcgg agacggctgg agcgcgactc gtcgtgctcg 4380
ccaccgctac gcctccggga tcgggtcacc tgccacatcc aacatcgag gaggtggctc 4440
tgtccagcac tggagaaatc cccttttatg gcaaagccat ccccatcgag accatcaagg 4500
gggggaggca cctcattttc tgccattcca agaagaaatg tgatgagctc gccgcgaagc 4560
tgtccggcct cggactcaat gctgtagcat attaccgggg ccttgatgta tccgtcatac 4620
caactagcgg agacgtcatt gtcgtagcaa cggacgctct aatgacgggc tttaccggcg 4680
atctcgactc accattgag acgacgaccg tgccacaaga cagagtcgac ttcagcctgg 4740
ggcgaggcag gactggtagg ggcaggatgg gcatttacag gtttgtagct cgctcgagc 4800
ggccctcggg catgttcgat tcctcggttc tgtgcgagt ctatgacgcg ggctgtgctt 4920
ggtacgagct cacgcccgcc gagacctcag ttaggttgcg ggcttaccta aacacaccag 4980
ggttgcccgt ctgccaggac catctggagt tctgggagag cgtctttaca ggcctcacc 5040
acatagacgc ccatttcttg tcccagacta agcaggcagg agacaacttc ccctacctgg 5100
tagcatacca ggctacggtg tgcgccaggg ctcaggctcc acctccatcg tgggaccaa 5160
tgtggaagt tctcatacgg cttaaagccta cgctgcacgg gccaacgccc ctgctgtata 5220
ggctgggagc cgttcaaaac gaggttacta ccacacacc cacaacaaa tacatcatgg 5280
catgcatgtc ggctgacctg gaggtcgtca cgagcacctg ggtgctggta ggcggagtcc 5340
tagcagctct ggccgcgtat tgcctgacaa caggcagcgt ggtcattgtg ggcaggatca 5400
tctgttccgg aaagccggcc atcattccc acagggaagt cctttaccgg gagttcgatg 5460
agatggaaga gtgcgcctca cacctccctt acatcgaaca gggaatgcag ctgcgcgaac 5520
aattcaaaca gaaggcaatc gggttgctgc aaacagccac caagcaagcg gaggtgctg 5580
ctcccgtggt ggaatccaag tggcggacce tcgaagcctt ctgggcgaag catatgtgga 5640
atctcatcag cgggatacaa tatttagcag gcttgtccac tctgcctggc aaccccgca 5700
tagcatcact gatggcattc acagcctcta tcaccagccc gctcaccacc caacataccc 5760
tcctgtttaa catcctgggg ggatgggtgg ccgcccaact tgcctcctcc agcgtgctt 5820
ctgcttctgt aggcgcgggc atcgctggag cggctgttgg cagcataggc cttgggaagg 5880
tgcttgtgga tattttggca ggttatggag cagggggtgg aggcgcgctc gtggccttta 5940
aggctcatgag cggcgagatg ccctccaccg aggacctgg taacctactc cctgctatcc 6000
tctccctgg cgccctagtc gtcggggctc tgtgcgcagc gatactgct cggcacgtgg 6060

gcccagggga gggggctgtg cagtggatga accggetgat agcgttcgct tcgcggggta 6120
accacgtctc cccacgcac tatgtgcctg agagcgacgc tgcagcacgt gtcactcaga 6180
tcctctctag tcttaccatc actcagctgc tgaagaggct tcaccagtgg atcaacgagg 6240
actgctccac gccatgctcc ggctcgtggc taagagatgt ttgggattgg atatgcacgg 6300
tgttgactga tttcaagacc tggctccagt ccaagctcct gccgcgattg ccgggagtcc 6360
ccttcttctc atgtcaacgt gggatcaagg gagtctggcg gggcgacggc atcatgcaaa 6420
ccacctgccc atgtggagca cagatcaccc gacatgtgaa aaacggttcc atgaggatcg 6480
tggggcctag gacctgtagt aacacgtggc atggaacatt cccattaac gcgtacacca 6540
cgggcccctg cagcccctcc ccggcgccaa attattctag ggcgctgtgg cgggtggctg 6600
ctgaggagta cgtggagggt acgcgggtgg gggatttcca ctacgtgacg ggcattgacca 6660
ctgacaacgt aaagtgcccg tgtcagggtc cggccccga attcttcaca gaagtggatg 6720
gggtgcgggt gcacaggtag gctccagcgt gcaaaccctt cctacgggag gaggtcacat 6780
tcctggtcgg gctcaatcaa tacctggttg ggtcacagct cccatgcgag cccgaaccgg 6840
acgtagcagt gctcacttcc atgctcaccc acccctccca cattacggcg gagacggcta 6900
agcgtaggct ggccagggga tctccccctt ccttggccag ctcacagct atccagctgt 6960
ctgcgccttc cttgaaggca acatgcacta cccgtcatga ctccccggac gctgacctca 7020
tcgaggccaa cctcctgttg cggcaggaga tgggcgggaa catcacccgc gtggagtcag 7080
aaaataaggt agtaattttg gactctttcg agccgctcca agcggaggag gatgagaggg 7140
aagtatccgt tccggcgag atcctgcgga ggtccaggaa attccctcga gcgatgccca 7200
tatgggcacg cccggattac aaccctccac tgttagagtc ctggaaggac ccgactacg 7260
tccttccagt ggtacacggg tgtccattgc cgcctgccaa ggccctccg ataccacctc 7320
cacggaggaa gaggacgggt gtctgtcag aatctaccgt gtcttctgcc ttggcgagc 7380
tcgccacaaa gaccttcggc agctccgaat cgtcggccgt cgacagcggc acggcaacgg 7440
cctctcctga ccagccctcc gacgacggcg acgcgggac cgacgttgag tcgtactcct 7500
ccatgcccc ccttgagggg gagccggggg atcccgatct cagcgacggg tcttgggtcta 7560
ccgtaagcga ggaggctagt gaggacgtcg tctgctgctc gatgtcctac acatggacag 7620
gcgcccctgat cagcccatgc gctgcggagg aaaccaagct gcccatcaat gcactgagca 7680
actctttgct ccgtcaccac aacttgggtc atgtacaac atctcgcagc gcaagcctgc 7740
ggcagaagaa ggtcaccttt gacagactgc aggtcctgga cgaccactac cgggacgtgc 7800
tcaaggagat gaaggcgaag gcgtccacag ttaaggctaa acttctatcc gtggaggaag 7860
cctgtaagct gacgccccca cattcgcca gatctaaatt tggctatggg gcaaaggacg 7920
tccggaacct atccagcaag gccgttaacc acatccgctc cgtgtggaag gacttgctgg 7980
aagacactga gacaccaatt gacaccacca tcatggcaaa aaatgagggt ttctgcgtcc 8040
aaccagagaa ggggggcccg aagccagctc gccttatcgt attcccagat ttgggggttc 8100
gtgtgtgcga gaaaatggcc ctttacgatg tggctctccac cctccctcag gccgtgatgg 8160
gctcttcata cggattccaa tactctcctg gacagcgggt cgagttcctg gtgaatgcct 8220
ggaaagcgaa gaaatgccct atgggcttcg catatgacac ccgctgtttt gactcaacgg 8280
tactgagaa tgacatccgt gttgaggagt caatctacca atgttgtgac ttggcccccg 8340
aagccagaca ggccataagg tcgctcacag agcggcttta catcgggggc cccctgacta 8400
attctaaagg gcagaactgc ggctatcgcc ggtgccgcgc gagcgggtga ctgacgacca 8460
gctgcggtaa taccctcaca tgttacttga aggccgctgc ggttatctgt gaaagcgcg 8520
tccaggactg cacgatgctc gtatgcggag acgacctgt ggctatgact agatactctg 8580
ggaccaaga ggacgaggcg agcctacggg ccttcacgga ggttatgact tcatgtcct 8640
ccccccctgg ggaccgccc aaaccagaat acgacttga gttgataaca ccatgtcct 8700
ccaatgtgtc agtcgcgcac gatgcatctg gcaaaagggt gtactatctc acccgtgacc 8760
ccaccacccc ccttgcgcgg gctgcgtggg agacagctag acacactcca gtcaattcct 8820
ggctaggcaa catcatcatg tatgcgcca ccttgtggc aaggatgatc ctgatgactc 8880
atttcttctc catccttcta gctcaggaa aacttgaaaa agccctagat tgtcagatct 8940
acggggcctg ttactccatt gagccacttg acctacctca gatcattcaa cgactccatg 9000
gccttagcgc attttctact catagtact ctcagggtga gatcaatagg gtggcttcat 9060
gcctcaggaa acttggggta ccgcccctgc gagtctggag acatcgggac agaagtgtcc 9120
gcgctaggct actgtcccag ggggggaggg ctgccacttg tggcaagtac ctcttcaact 9180
gggcagtaag gaccaagctc aaactcactc caatcccggc tgcgtcccag ttggatttat 9240
ccagctgggt cgttgctggg tacagcgggg gagacatata tcacagcctg tctcgtgcc 9300
gacccgctg gttcatgtgg tgcctactcc tactttctgt aggggtaggc atctatctac 9360
tccccaacgg atgaacgggg acctaaacac tccaggccaa taggccatcc tgtttttttc 9420
cctttttttt tttctttttt tttttttttt tttttttttt ttttttttct cctttttttt 9480
tcctcttttt ttccttttct ttccttttgg ggtccatct tagccctagt cacggctagc 9540
tgtgaaagggt ccgtgagccg cttgactgca gagagtgtcg atactggcct ctctgcagat 9600
caagt 9605

Table 1. Relative G418 transduction efficiencies of HCV replicons after transfection into interferon-treated cell clones

Cell line	Transfected replicon		
	BartMan	I	VII
parental Huh-7	0.0005%	0.15%	9%
IFN-treated I	0.005%	5%	30%
IFN-treated II	0.001%	1.3%	11%

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/16822

A. CLASSIFICATION OF SUBJECT MATTER

IPC(7) : C07H 21/02, 21/04; C12N 5/10, 5/22, 15/00
US CL : 536/23.72; 435/370, 372, 372.2, 372.3, 320.1

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
U.S. : 536/23.72; 435/370, 372, 372.2, 372.3, 320.1

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practicable, search terms used)
Please See Continuation Sheet

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X,P	BLIGHT et al. Efficient Initiation of HCV RNA Replication in Cell Culture. Science. 08 December 2000, Vol. 290, pages 1972-1974, see entire document.	1, 3-17, 29, 61-63, 69-70, and 72-75

☐ Further documents are listed in the continuation of Box C.

See patent family annex.

Special categories of cited documents:	
"A" document defining the general state of the art which is not considered to be of particular relevance	"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
"E" earlier application or patent published on or after the international filing date	"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)	"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art
"O" document referring to an oral disclosure, use, exhibition or other means	"&" document member of the same parent family
"P" document published prior to the international filing date but later than the priority date claimed	

Date of the actual completion of the international search

08 January 2002 (08.01.2002)

Date of mailing of the international search report

09 JUL 2002

Name and mailing address of the ISA/US

Commissioner of Patents and Trademarks
Box PCT
Washington, D.C. 20231

Facsimile No. (703)305-3230

Authorized officer

Brenda Brumback

Telephone No. 703-308-0196

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/16822

Box I Observations where certain claims were found unsearchable (Continuation of Item 1 of first sheet)

This international report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claim Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☐ Claim Nos.:
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
3. ☐ Claim Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

Box II Observations where unity of invention is lacking (Continuation of Item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:
Please See Continuation Sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.: 1, 3-17, 29, 61-62, 69-70, and 72-75.

Remark on Protest

☐
☐

- The additional search fees were accompanied by the applicant's protest.
No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/US01/16822

BOX II. OBSERVATIONS WHERE UNITY OF INVENTION IS LACKING

This application contains the following inventions or groups of inventions which are not so linked as to form a single inventive concept under PCT Rule 13.1. In order for all inventions to be searched, the appropriate additional search fees must be paid.

Group I, claim(s) 1, 3-17, 29, 61-62, 69-70, and 72-75, drawn to polynucleotides comprising a non-naturally occurring HCV sequence that is capable of productive replication in a host cell which comprises an NS5A gene mutation

Group II, claims 1, 18-24, 41-44, and 63-68 drawn to polynucleotides comprising a non-naturally occurring HCV sequence that is capable of productive replication in a host cell which comprises an IRES/foreign gene.

The inventions listed as Groups I-V do not relate to a single inventive concept under PCT Rule 13.1 because, under PCT Rule 13.2, they lack the same or corresponding special technical features for the following reasons:

An international and a national stage application shall relate to one invention only or to a group of inventions so linked as to form a single general inventive concept ("requirement of unity of invention"). Where a group of inventions is claimed in an application, the requirement of unity of invention shall be fulfilled only when there is a technical relationship among those inventions involving one or more of the same or corresponding special technical features. The expression "special technical features" shall mean those technical features that define a contribution which each of the claimed inventions, considered as a whole, makes over the prior art. In the present case the technical feature of Group I, which is drawn to polynucleotides comprising an NS5A gene mutation, is different from the technical feature of Group II, which is drawn to polynucleotides comprising a foreign IRES/gene. The polynucleotides of Group II have a different and distinct structure from the polynucleotides of Group I. Thus, the groups do not share the same special technical feature.

Continuation of B. FIELDS SEARCHED Item 3:

DIALOG: Medline, BIOTECH, Conference Papers, PATENTS, EAST (USPat, PGPub)

search terms: hepatitis c virus, hcv, productive, infectious, 3' non translated region, 3' NTR, adapt(ive) mutation, HeLa, NS5A, inventors' names